CERT# 7000 0520 0017 7786 6705

November 28, 2001

Document Control Office (7407)
Office of Pollution Prevention and Toxics
U.S. Environmental Protection Agency
Room G-099
1200 Pennsylvania Avenue, NW
Washington, DC 20460
Attn: 8(d) Health and Safety Data Reporting Rule (1)

Attn: 8(d) Health and Safety Data Reporting Rule (Notification/Reporting)

Re: For Your Information Submission:

58 FR 28511 (May 14, 1993) [OPPTS-82040; FRL-4271-1] TSCA Section 8(d) Health and Safety Data Reporting

Dear Sir:

The enclosed information is submitted on behalf of Dow Corning Corporation, Midland, Michigan, 48686-0994, on a For-Your-Information (FYI) basis as a follow-up to submissions made concerning di-Me siloxanes and silicones (polydimethylsiloxane, PDMS), which chemical substance was the subject of a health and safety data rule issued under Section 8(d) of the Toxic Substances Control Act (TSCA) and with an effective date of June 14, 1993 (sunset date June 30, 1998), as codified at 40 CFR 716 (Health and Safety Data Reporting). The information presented in this submission was generated as part of our Siloxane Research Program. This program was the subject of a memorandum of understanding, dated April 9, 1996, between Dow Corning and EPA.

#### **Chemical Substance:**

63148-62-9

Siloxanes and Silicones, di-Me (PDMS)

### Title of Report:

DISPOSITION OF POLYDIMETHYLSILOXANE, 350 CST IN FISCHER 344 RATS FOLLOWING A SINGLE EXPOSURE BY ORAL GAVAGE

Dow Corning Corporation 2001-I0000-50844 November 21, 2001



EYT-01-001416

Contain NO CBI

Dow Corning Corporation Midland, Michigan 48686-0994

Phone: (517) 496-4000 www.dowcorning.com



84020000001

## Manufacturer:

Dow Corning Corporation 2200 West Salzburg Road Midland, Michigan 48686-0994

For purposes of this For-Your-Information (FYI) submission, the general INTERNAL designation on the attached health and safety report is waived by Dow Corning.

If you require further information regarding this submission, please contact Dr. Rhys G. Daniels, Senior Regulatory Compliance Specialist, Product Safety and Regulatory Compliance, at 989-496-4222 or at the address provided herein.

Sincerely,

Faluch W. Jangward Patrick W. Langvardt

Director of Health and Environmental Sciences

989-496-4626

RGD01372

## DOW CORNING CORPORATION HEALTH & ENVIRONMENTAL SCIENCES TECHNICAL REPORT

Report No.:

2001-10000-50844

Title:

Disposition of Polydimethylsiloxane, 350 cst in Fischer 344

Rats Following a Single Exposure by Oral Gavage

Study No.:

9345

Test Article:

<sup>14</sup>C-Polydimethylsiloxane, 350 cst (<sup>14</sup>C-PDMS, 350 cst)

Study Director:

Marina L. Jovanovic, M.S.

**Associate Toxicology Specialist** 

Sponsor:

**Dow Corning Corporation** 

**HES Management:** 

Kathleen P. Plotzke, Ph.D.

Manager, Toxicology

Health and Environmental Sciences

**Testing Facility:** 

**Dow Corning Corporation** 

Health and Environmental Sciences

Midland, MI 48686

Study Completion Date:

November 21, 2001

Security Statement:

Dow Corning Internal. This report may be reproduced and shared with any Dow Corning employee. Distribution outside the Corporation must be approved by the Director of Health and Environmental Sciences. When this INTERNAL report is no longer needed, it may be placed in office waste

baskets for destruction.

# **TABLE OF CONTENTS**

TABLE OF CONTENTS	
ABSTRACT	5
GLP COMPLIANCE STATEMENT	6
QUALITY ASSURANCE STATEMENT	7
APPROVAL SIGNATURES	8
STUDY INFORMATION	9
OBJECTIVE	10
INTRODUCTION	10
TEST ARTICLE INFORMATION	11
ROUTE OF EXPOSURE	13
TEST SYSTEM	13
•	
JUSTIFICATION FOR SELECTION OF TEST SYSTEM	16
JUSTIFICATION FOR SELECTION OF TEST SYSTEM	
EXPERIMENTAL DESIGN	16
	<b>16</b>
EXPERIMENTAL DESIGN	<b>16</b> 16
EXPERIMENTAL DESIGN	161617
1. RANDOMIZATION	16 16 17 17
1. RANDOMIZATION 2. ORGANIZATION OF TEST GROUPS 3. TEST ARTICLE PREPARATION AND ANALYSIS 4. TEST ARTICLE ADMINISTRATION	16 17 17 18
1. RANDOMIZATION  2. ORGANIZATION OF TEST GROUPS  3. TEST ARTICLE PREPARATION AND ANALYSIS  4. TEST ARTICLE ADMINISTRATION  A. Animal preparation	161617171818
1. RANDOMIZATION  2. ORGANIZATION OF TEST GROUPS  3. TEST ARTICLE PREPARATION AND ANALYSIS  4. TEST ARTICLE ADMINISTRATION  A. Animal preparation  B. Dosing	161717181818
EXPERIMENTAL DESIGN  1. RANDOMIZATION  2. ORGANIZATION OF TEST GROUPS  3. TEST ARTICLE PREPARATION AND ANALYSIS  4. TEST ARTICLE ADMINISTRATION  A. Animal preparation  B. Dosing  5. SAMPLE COLLECTION  A. Part 1 (mass balance group)	161718181818
1. RANDOMIZATION 2. ORGANIZATION OF TEST GROUPS 3. TEST ARTICLE PREPARATION AND ANALYSIS 4. TEST ARTICLE ADMINISTRATION A. Animal preparation B. Dosing 5. SAMPLE COLLECTION	16171818181818
1. RANDOMIZATION	16161718181818181821
1. RANDOMIZATION	1617181818181818
1. RANDOMIZATION	16171818181818212222
1. RANDOMIZATION	1617181818181821222222

7.	PARAMETERS MEASURED.	.25
8.	Data Analysis	.26
9.	DEVIATIONS	.26
RESI	ULTS AND DISCUSSION	.27
SUM	MARY OF RESULTS	.30
CON	ICLUSION	.30
ARC	HIVE	.31
REFI	ERENCES	.31
LIST	T OF TABLES	
Table	e 1. Organization of Test Groups	.33
Table	e 2. Individual Dosing Data: Part 1 (Mass Balance Groups)	.34
Table	e 3. Individual Dosing Data: Part 2 (Whole Body Autoradiography)	.35
Table	e 4. Individual Dosing Data: Part 3 (Additional experiment)	.36
Table	e 5. Sample Collection Time Points	.37
Table	e 6. Disposition of Radioactivity in Female and Male Fischer 344 Rats Following Oral Administrati	on o
i	Neat <sup>14</sup> C-PDMS, 350 cst	.38
Table	e 7. Disposition of Excreted* Radioactivity in Female and Male Fischer 344 Rats Following Oral	
. <i>j</i>	Administration of Neat <sup>14</sup> C-PDMS, 350 cst	.39
Table	e 8. Excretion of <sup>14</sup> C-PDMS, 350 cst in feces over time	.40
LIST	T OF FIGURES	
Figur	re 1. Fecal Excretion of Radioactivity Associated with <sup>14</sup> C-PDMS, 350 cst	.41
Figur	re 2 . Whole Body Autoradiography of Female Fischer 344 Rat	.42
Figur	re 3. Whole Body Autoradiography of Male Fischer 344 Rat	.43
Figur	re 4 Gel Permeation-Radio Chromatography of the THF fecal extracts	44

## **LIST OF APPENDICIES**

Appendix A: Radioactivity spreadsheets	A1
Appendix B: Fecal radioactivity profile analysis and additional experiments	B1
Appendix C: Statistical Analysis	C1
Appendix D: Whole Body Autoradiography	D1

## **ABSTRACT**

The absorption of neat <sup>14</sup>C-polydimethylsiloxane, 350 cst (<sup>14</sup>C -PDMS) from the gastrointestinal (GI) tract was evaluated in female and male Fischer 344 rats following a single oral exposure to 1000 mg per kg of body weight. The study consisted of two main parts defined by the methodology that was used to follow distribution of test article after administration *via* oral gavage. The first part of the study (Mass Balance part) consisted of 2 exposure groups (one group of 4 females and one group of 4 males) that were housed in the Roth-style glass metabolism cages for 96 hr after exposure for the collection of excreta. Housing animals in the metabolism cages after administration of the test article enabled assessment of the total radioactivity recovery (mass balance). Also, additional experiments were conducted to substantiate PDMS content that was excreted in feces by achieving better extraction efficiencies. Excreta and tissues collected in the control groups (animals not dosed) were used to evaluate matrix background effects. In the second part of the study, whole-body autoradiography (WBA) was utilized for the *in vivo* assessment of tissue distribution of radiolabeled PDMS at 12, 24, 48 and 96 hr post-dose.

Virtually all <sup>14</sup>C-PDMS, 350 cst fluid was rapidly excreted following oral administration. Both quantitative assessment by liquid scintillation analysis of the mass balance group, and qualitative assessment by WBA showed that radioactivity was rapidly excreted through the gastrointestinal tract. The total dose recovery (± standard error of the mean) in female rats was 93.61 ± 0.72% and in male rats 97.42 ± 0.58%, when corrected for solubilization processing efficiency (92%). Resulting radioactivity excretion and overall dose recovery was significantly greater in males than in females (97.42% vs. 93.61%). Nearly all recovered dose was excreted in feces representing 99.98% of the total recovered dose in both female and male rats. In addition, WBA data at 12, 24 and 48 hours post-dosing showed that radioactivity was concentrated in the contents of the GI tract. No radioactivity was detected in organs or tissues outside the GI tract with the possible exception of exterior contamination at the earlier time points (12 and 24hr post dose). Total elimination of administered PDMS was observed on autoradiographs 96 hours after dosing. Also, only 0.004% and 0.001% of administered dose was detected by liquid scintillation analysis in harvested tissues and remaining carcasses of females and males, respectively 96 hour post-dose. There were no statistically significant differences in PDMS absorption or distribution between male and female rats.

Feces analyses showed that all of the radioactivity recovered in feces by extraction could be attributed to the unchanged PDMS, 350 cst. The results of HPLC analyses of the 12-, 24-and 48- hour fecal samples gave similar radioactivity profiles as a solvent standard of PDMS, 350 cst as well as matrix standards spiked with PDMS, 350 cst (extracts of spiked control fecal homogenates) indicating that no detectable metabolites or degradation products were present in feces following single administration of PDMS, 350 cst. Overall, data indicate that PDMS, 350 cst was rapidly excreted in feces unchanged following oral administration.

## **GLP COMPLIANCE STATEMENT**

The study was conducted in compliance with Environmental Protection Agency Toxic Substance Control Act Good Laboratory Practice Regulations 40 CFR part 792, except for the use of software SAS®, v. 8.0 that was not validated to the GLP standards. Deviations to the Protocol are listed in the Experimental Design section of this report. There were no circumstances that would negatively impact or bias the results of this study.

The Dow Corning Health and Environmental Sciences (HES) Quality Assurance Unit monitored the study in accordance with Dow Corning HES Standard Operating Procedures.

Marina Jovanovic

Study Director

11-21-2001

Date

Kathleen P. Plotzke

Manager, Toxicology

Health and Environmental Sciences

1. Plache

Data

Disposition of Polydimethylsiloxane, 350 cst in Fischer 344 Rats Following a Single Title:

**Exposure by Oral Gavage** 

Study Number: 9345

This study has been audited by the Dow Corning Corporation Health and Environmental Sciences Quality Assurance Unit according to approved Standard Operating Procedures to assure that the raw data are accurately reflected within this final report. The following are the inspection dates and the dates inspection findings were reported.

Dates of Inspection 15 Nov 99	Phase Inspected Draft Protocol Review	Findings Reported to Study Director 15 Nov 99	Findings Reported to Management 15 Dec 99
16 Feb 00	Dose Solution Preparation	17 Feb 00	28 Feb 00
21 Feb 00	Terminal Sacrifice and Tissue/Blood Collection	28 Feb 00	29 Feb 00
28 Mar 00	Sample Prep (Fecal)	30 Mar 00	05 Apr 00
13 Nov 01	Wet Specimen Verification	14 Nov 01	19 Nov 01
8-15 Oct 01	Draft Final Report and Associated Raw Data Review	18 Oct 01	07 Nov 01

Jbyce L. Henry

Manager, Quality Assurance

**Dow Corning Corporation** 

Health & Environmental Sciences

DC Report No. 2001-I0000-50844

Security - Internal

## **APPROVAL SIGNATURES**

This report consists of pages 1 through 157 including Tables 1 through 8, Figures 1-4 and Appendices A through D.

Maxina Jovanovic

11-21-2001

Marina L. Jovanovic, M.S.

Date

**Associate Toxicology Specialist** 

**Study Director** 

Kathleen P. Plotzke, Ph.D.

Date

Manager, Toxicology

Health and Environmental Sciences

## **STUDY INFORMATION**

Study Initiation Date: 11/29/99

Experimental Start Date: 02/17/2000

Experimental Termination Date: 05/10/2001

Study Completion Date: November 21, 2001

Study Director: Marina L. Jovanovic, M.S.

Associate Toxicology Specialist

Sponsor: Dow Corning Corporation

2200 W. Salzburg Rd. Midland, MI 48686-0994

Management: Kathleen P. Plotzke, Ph.D.

Manager, Toxicology

Health and Environmental Sciences

Key Study Personnel: Earnestine Stanton, Study Coordinator

Joseph M. Tobin, Supervisor

Jeremy Durham

Consulting Veterinarian: Lawrence P. Ruhr, D.V.M., Ph.D

Ruhr & Associates

Midland, MI

Contributing scientist: Debra A. McNett, B.S.

Associate Bioanalytical Specialist

Jane M. Regan, HT/MLT (ASCP)

Technologist

Statistician: Robert H. Gallavan, Jr. Ph.D.

Biostatistician Specialist

### **OBJECTIVE**

The objective of this study was to determine disposition of the test material <sup>14</sup>C-polydimethylsiloxane, viscosity 350 cst (<sup>14</sup>C-PDMS), from the gastrointestinal (GI) tract of Fischer 344 rats.

## INTRODUCTION

Linear polydimethylsiloxanes (PDMS) have a wide range of industrial and consumer uses, either in pure form or as an ingredient of formulated products. The viscosities of PDMS fluids mainly used are 350 and 1000 cst, although other viscosities are used for specialized purposes. The main routes of direct human exposure to PDMS are skin contact (personal care products) and oral intake (food application). Oral gavage is customary and an accepted method of administration of test chemicals in pharmacokinetics and metabolism studies.

Experimental design of this study follows test guidelines and Tier 1 data requirements for the health effects testing of pesticides and toxic substances issued in August 1998 by the United States Environmental Protection Agency (EPA) (3). Previous studies, such as "A 28-Day Oral Toxicity Study of Dow Corning 200® Fluid, 350 cst in Rats" (7), "90-Day Subchronic Oral Toxicity study with Polydimethylsiloxane Fluid in Male Rats" (6), "Single and repeated dose pharmacokinetic studies of polydimethylsiloxanes in the rat" (5), "A Method Development Study to Develop Techniques for Whole-Body Autoradiography Following Exposure to DC 200® Fluids" (4) showed that PDMS fluids are rapidly excreted from the GI tract of rats after oral administration by gavage or with the basal diet.

In this study, whole-body autoradiography (WBA) was utilized in addition to using classical techniques for determining absorption by using Roth-style glass metabolism cages for housing animals. WBA has been successfully used in previous studies for the *in vivo* assessment of tissue distribution of radiolabeled compounds and potential metabolites. WBA is also valuable for tracking the transient time of radioactivity through the gastrointestinal tract. Because of the physicochemical properties of PDMS, methods were developed (4) that allowed adaptation of this technique for qualitative assessment of PDMS in conjunction with the quantitative assessment of PDMS excretion and absorption using radiotracers.

## TEST ARTICLE INFORMATION

Test article characterization was done in compliance with the EPA Toxic Substances Control Act (TSCA), Good Laboratory Practice (GLP) Regulations (40CFR Part 792). Results of test article characterization were reviewed by the study director.

### A. Unlabeled Test Article

The characterization of the unlabeled test article (PDMS, 350 cst) identified below included a visual inspection, Fourier transform infrared spectroscopy (FTIR), viscosity, purity by gas chromatography (GC) with flame ionization detection (FID) (1). In addition, detection limit investigation by GC/FID indicated that PDMS, 350 cst has less than 0.03% each by weight  $D_4$ ,  $D_5$  and  $D_6$  (1). Records of characterization are maintained in the HES Archive.

Identification:

Polydimethylsiloxane, 350 cst (supplied as

Dow Corning® 200 Fluid, 350 cst)

Lot Number:

LL068057

**CAS Number:** 

63148-62-9

Physical Description:

Colorless liquid, refer to MDMS and MSDS

Chemical stability:

Stable, refer to MSDS

**Expiration Date:** 

June 30, 2001

Purity:

The test article is representative of

polydimethylsiloxane, 350 cst and is

considered pure

Solubility:

Soluble in toluene, hexane, acetone,

ethanol, tetrahydrofuran etc. (8,9)

Test article characterization:

HES Study No. 9294, TIS Report No. 2000-

10000-48210

Storage Conditions:

Room temperature (refer to MDMS)

Supplier:

**Dow Corning Corporation** 

2200 W. Salzburg Road

Midland, MI 48686-0994

Reserve Sample:

A sample is retained in the HES Test Article

Archives, Dow Corning Corporation

Midland, MI 48686-0994

#### **B.** Labeled Test Article

Chemical identity and radiochemical purity of the labeled test article (<sup>14</sup>C-PDMS), identified below, was done using FTIR and high performance liquid chromatography (HPLC) with a radioactivity flow-through detector, respectively (2,10). Detection limit investigation by GC/FID indicated that concentration of D<sub>4</sub> in <sup>14</sup>C-PDMS, 350 cst was slightly higher than 0.03% by weight, while the concentrations of D<sub>5</sub> and D<sub>6</sub> were less than 0.03% each by weight. The molecular weight distribution of <sup>14</sup>C-PDMS, 350 cst from the gel permeation chromatography (GPC) analysis was consistent with molecular weight distribution of the reference article, PDMS 350 cst. Records of characterization are maintained in the HES Archive. Any remaining test article was returned to Test Article Control area.

Identification:

<sup>14</sup>C-Polydimethylsiloxane, 350 cst

Reference Number

10671-64

Specific Activity:

0.52 mCi/g

Radiochemical Purity:

100 %

Solubility:

Soluble in organic solvents, such as hexane,

toluene, tetrahydrofuran, etc. (8,9)

Physical Description:

Colorless liquid (refer to MSDS)

Handling Precautions:

Good ventilation recommended, wear

impervious gloves, safety glasses with side

shields or safety goggles

Chemical stability:

Stable (refer to MSDS). Very stable in air and light, but can hydrolyze under strongly acid or

basic conditions. Stable in organic solvents, according to the information provided by the

sample submitter

**Expiration Date:** 

May 16, 2003 (10)

Test article characterization:

HES Study No. 9271, TIS Report No. 1999-

10000-48279 and HES Study No. 9579.

FTIR, GC/FID and GPC

Storage Conditions:

Refrigerator (4°C± 4°C) or room

temperature, according to the information

provided by the sample submitter.

DC Study No. 9345

DC Report No. 2001-I0000-50844

Security - Internal

Supplier:

**Dow Corning Corporation** 

Health and Environmental Sciences

2200 W. Salzburg Road

Midland, MI 48686-0994

Reserve Sample:

A sample retained in the HES Test Article

Archives, Dow Corning Corporation

Midland, MI 48686-0994

## **ROUTE OF EXPOSURE**

Oral administration of the test article was selected as the exposure route since this represents a potential route for human exposure and is an accepted method of administration of test chemicals in pharmacokinetics and metabolism studies.

## **TEST SYSTEM**

A. Species:

Rattus norvegicus

B. Strain:

CDF® (Fischer 344)/CrlBR

C. Source:

The Charles River Breeding Laboratories, Inc.

Raleigh, NC

D. Sex

Female and Male

E. Number of groups:

8

F. Number of animals:

Part 1 (mass balance, MB):

Group 1 (controls):

2 females

Group 2 (controls):

2 males

Group 3:

4 females

Group 4:

4 males

Part 2 (whole body autoradiography):

Group 5:

4 females and 4 males

Group 6 (spares):

4 females and 4 males

Part 3 (additional dosing experiment):

Group 7 (controls):

1 female and 1 male

Group 8:

2 females and 2 males

G. Total Number:

34 (17 females and 17 males)

DC Report No. 2001-I0000-50844

Security - Internal

H. Special Consideration: In Part

In Part 1 of the study, rats were randomized and

assigned to the groups 1, 2, 3 and 4.

In Part 2 rats were not randomized.

In Part 3 rats were randomized and assigned to the

groups 7 and 8.

I. Body Weight Range:

Females: 145-161 g at experimental start

Males: 175-202 g at experimental start

J. Approximate Age:

9-12 weeks at experimental start

K. Quarantine:

DC Study No. 9345

Minimum 1 day (Animals used in Part 1 and 2 were quarantined for seven days, and animals used in Part 3 were in quarantine for 1 day).

### L. Identification method

Upon receipt in the Toxicology Department, each animal received a Q number. At the end of the quarantine period animals were weighed and uniquely identified by a metal ear-tags displaying the animal number (C8419-C8446, C9230, C9232, C9233, C9238-C9240) as documented in the study records. In addition, each cage used for animal housing during the study was identified by individual cage tag (study number, animal number, group number, dose level, species/strain, sex, and study director).

### M. Specific housing and maintenance

All but one animal (Q0029) received from Charles River Laboratories were judged to be in good health and suitable as test animals. Female rat #Q0029 was not eating due to malocclusion of the two front teeth and was not included in the randomization part of the study. During quarantine, rats were individually housed in suspended wire-mash cages. The cages were elevated above Bed-O'Cob® bedding. Upon release from quarantine, rats in Part 2 continued to be housed individually in suspended wire-mash cages (7"x10"x7"). Rats that were used in Part 1 and 3 were transferred to individual Roth-style glass metabolism cages and allowed to acclimate to this experimental environment prior to administration of test article. Rats that were excluded from the study during the randomization process were returned to the Animal Resources Group.

All animals were housed in the environmentally controlled animal rooms designed to be maintained at 64-79°F, 30-70% relative humidity, 10-15 air changes per hour and 12-hour fluorescent-light/dark cycle. Temperature and humidity in the rooms were monitored twice a day during the week and once per day on weekends. During the conduct of the study, temperature was maintained within the range specified in the protocol (64-79°F). Relative humidity in the rooms was maintained between 30 and 70% with the exceptions described in section: Deviations. Light cycle was only interrupted on the first experimental day of Part 1 (see Deviations) and as necessary to perform study procedures. Air flow and animal condition in the metabolism cages were monitored twice a day (am/pm) during the experiment. Air flow in the metabolism cages was kept in the range of 500-700 ml/min.

A commercial diet of Purina® Certified Rodent Chow #5002 (Lot number SEP 01 99 1A and OCT 24 00 2A) and reverse osmosis water (Edstrom Industries, Inc. Waterford, WI) were available ad libitum. Periodic analysis of the certified feed for the presence of heavy metals and pesticides was performed and provided by the manufacturer to ensure that none are present in concentrations that would be expected to affect the outcome of the study. Results of the most recent water analysis that was provided by an independent laboratory (Ann Arbor Technical Services, Ann Arbor, MI) and feed analysis were reviewed by the Study Director. Documentation of study director reviews were placed in the study records. There were no contaminants in the water or feed identified at levels that would interfere with the integrity of the study.

### N. Method of Euthanasia:

Part 1. Immediately prior to euthanasia animals were placed in the pre-weighed anesthesia chambers primed with methoxyflurane and weighed. At the appropriate time points, all animals in mass balance (MB) groups were euthanized by exsanguination *via* cardiac puncture under methoxyflurane anesthesia.

Part 2 and 3. Animals in whole body autoradiography (WBA) groups (Part 2) were euthanized by CO<sub>2</sub> asphyxiation. Terminal body weights were collected prior to euthanasia. Animals used in Part 3 (additional dosing experiment) were also euthanized by CO<sub>2</sub> asphyxiation and carcasses were placed in 35% TEAH for solubilization.

## JUSTIFICATION FOR SELECTION OF TEST SYSTEM

The Fischer 344 rats are recognized as an appropriate strain of rats for toxicity studies. The Fischer 344 female and male rat have previously been used in pharmacokinetic and metabolism studies of various silicone materials and data obtained in this study can be used as historical data. The use of both sexes enabled us to detect any potential sex-related differences in absorption of PDMS from the GI tract. The number of animals to be used in Part 1 of the study was selected to provide statistical power (N=4). An additional 6 rats were used in Part 3 (additional experiment) with the intent to substantiate PDMS content in feces by achieving better extraction efficiencies. Based on previous work (4), a minimum number of time points were chosen for the whole-body autoradiography that would allow the visual assessment of the *in vivo* distribution pattern of radioactivity, as well as tracking the transient time of radioactivity in the gastrointestinal tract. Due to the nature of the WBA methodology and unique physicochemical properties of PDMS fluids, it was necessary to include an additional group of eight spare animals (4 females and 4 males) in Part 2 of the study. Spare rats were planned to be processed only if sectioning of rats in the primary group was not successful.

## **EXPERIMENTAL DESIGN**

The study design was based on the Test Guidelines for metabolism and pharmacokinetics, August 1998 (3). The study consisted of three parts and each part was done as a separate experiment. In part 1, disposition of <sup>14</sup>C-PDMS, 350 cst was evaluated by conducting a mass balance study. In Part 2, *in vivo* tissue distribution of radiolabeled compound and potential metabolites was assessed by using a whole body autoradiography technique. In part 3, the objective was to better understand the behavior of PDMS, 350 cst once it is excreted in feces, and to improve extraction efficiencies in fecal samples.

#### 1. Randomization

Rats in Part 1 and 3 of the study were weighed, randomized into test groups using a table of random numbers generated by Microsoft<sup>®</sup> Excel Versions 7.0 and 9.0. All animals were within ± 20% of the mean body weight for the group to which they were assigned. Rats used in the Part 2 (WBA) were not randomized.

## 2. Organization of Test Groups

Organization of test groups is presented in Table 1. Part 1 (MB groups) and Part 2 (WBA groups) were performed concurrently and animals were dosed on the same day. The first part consisted of two exposure groups (groups 3 and 4) and two control groups (groups 1 and 2). The second part consisted of 2 exposure groups (groups 5 and 6) with group 6 being used as a spare group. Animals used in Part 3 (additional dosing experiment) were organized in control group 7 and exposure group 8.

## 3. Test Article Preparation and Analysis

Appropriate volumes of labeled test article were added to unlabeled test article and mixed well to achieve a specific activity which produced a target radioactivity of approximately 40-50µCi for each animal at a targeted dose of 1000 mg/kg of body weight (BW). The dose of 1000 mg/kg was selected based on EPA recommendations for test substances of low toxicity and on previous toxicology studies that were conducted with PDMS fluids.

In Part 1 and 2 dosing solution was prepared one day prior to use. A verification of the radiochemical purity for the dosing test article was evaluated on the day of preparation and on the day of dosing using HPLC with radiometric detection. Radiochemical purity of the dosing solutions on the day of dosing was 100%. Radioactivity concentration in dosing test article (specific activity) was measured by liquid scintillation analysis on the day of preparation as well as the day of exposure prior to initiation. Specific activity on the day of dosing was 0.26 mCi/g. Difference in specific activities determined on the day of preparation and the day of exposure was calculated as a relative range between the two measurements and was determined to be 2.76%.

In additional Part 3, neat test article was prepared two days prior to use and specific activity on the day of dosing was 0.27 mCi/g. Difference in specific activities determined on the day of preparation and the day of exposure was calculated as a relative range between the two measurements and was determined to be 0.56%. Radiochemical purity of the dosing solutions was 100%. Documentation of these analyses is maintained in the study records. Dosing solutions were stored at  $4 \pm 4$ °C. Any remaining test article was returned to Test Article Characterization group upon completion of the study.

### 4. Test Article Administration

## A. Animal preparation

Approximately 24 hours prior to dosing, rats in mass balance groups (1-4) were placed into individual glass metabolism cages for the acclimation. Rats in groups 7 and 8 (additional experiment) were previously acclimated to the glass metabolism cages (11). On the day of dosing all animals were weighed prior to dosing and targeted dose was calculated based on the animal body weight.

### B. Dosing

On the day of dosing all of the test systems, except control animals in groups 1, 2 and 7, were dosed with <sup>14</sup>C-PDMS, 350 cst by oral gavage using a syringe equipped with a stainless steel feeding needle. Administered dose was determined gravimetrically. Actual doses were between 38-54 µCi per rat and 949-1080 mg PDMS/kg of BW. Individual dosing data are presented in Tables 2, 3 and 4. Animals in control groups were not dosed with any material. Animals in MB groups (1-4) were placed in metabolism cages after dosing and housed for 96 hours. Animals in WBA groups 5 and 6 were returned to the suspended wire-mesh cages after dosing and housed for a maximum of 96 hours. Animals used in additional experiment (control group 7 and exposure group 8) were housed in the individual glass metabolism cages for 72 hours. At the end of the exposure, rats were euthanized as described in the section Test System: N. Method of Euthanasia.

## 5. Sample Collection

Mortality/Morbidity/Daily Observations

All animals were observed in their cages for mortality, morbidity, and signs of distress daily by study personnel through the completion of the in-life phase of the study.

## A. Part 1 (mass balance group)

Immediately following dose administration, animals in the MB Groups were returned to individual glass metabolism cages for collection of urine, feces, CO<sub>2</sub> and expired air at scheduled times (Table 5). At the same time, animals in control group 1 and 2 were placed in glass metabolism cages for collection of the excreta at the 24 hr time points (Table 5).

Security - Internal

Glass Metabolism Cage Set-up and Operation

A total of 12 glass metabolism cages designed for rats were used in this part of the study. Each cage was set up and operated at target flow rates and conditions for a minimum of 48 hours prior to housing of animals. During this time the system was evaluated for leaks by monitoring flow rates using flow meters and if necessary, appropriate actions were taken to assure the leaks were corrected and the system was sealed.

Roth-style glass metabolism cages were set up and operated in a manner that allows adequate and interrupted airflow. Connections between parts were made using Tygon® tubing. For connections leading from the exhaust side of the chamber, Teflon® lined Tygon® tubing was used.

Room air was drawn through the cages using a vacuum pump. The airflow rate through each chamber was monitored using a calibrated flow meter and was maintained between 500-600 ml per minute. The room air entering the system was passed through a series of Drierite® and Ascerite® canisters designed to remove H<sub>2</sub>O and CO<sub>2</sub>, respectively. Cage temperatures were recorded once in the A.M. and once in the P.M. every day during animal housing in the metabolism cages.

Glass tubes containing charcoal were used for trapping expired volatiles. Urine and feces were collected over dry ice and CO<sub>2</sub> was collected in 4N KOH traps (gas towers). Tissues and remaining carcasses were collected at the sacrifice time points.

#### Excreta Collection

Urine

The Roth style glass metabolism cages that were used have been modified to allow direct collection of urine into 4 oz glass jars. Jars were pre-weighed and labeled with a study number, animal number, group number, sample identity, collection interval, storage conditions and date of collection. While collecting, each jar was maintained on dry ice. At the appropriate time point, the jars containing urine were removed from the cage, capped, and placed in a -80 °C freezer for storage and processing.

### **Feces**

The Roth-style glass metabolism cages being used were modified to allow direct collection of feces into 4 oz. glass jars. Jars were pre-weighed and labeled with a study number, animal number, group number, sample identity, collection interval, storage conditions and date of collection. While collecting, each jar was maintained on dry ice. At the appropriate time point, the jars were removed from the cage, capped, and placed in -80°C freezer for storage and processing.

### Expired Air

Glass tubes containing activated charcoal were used for trapping volatiles in the expired air. Glass tubes were supplied closed at each end and were opened by etching and breaking each end. Each tube was then attached in-line on the exhaust side of the cage. One tube was used per cage per collection interval. Each tube was labeled with a study number, animal number, group number, sample identity, collection interval, storage conditions and date of collection. At the appropriate time point, the charcoal tubes were removed, capped, and transferred to a cold room  $(4 \pm 4^{\circ}\text{C})$  for storage and processing.

#### Carbon Dioxide

Cage exhaust air was passed through a glass gas trap filled with 150-200 ml of 4N KOH. Each gas trap was filled with KOH prior to initiation of collections. At the appropriate collection interval, KOH was collected into pre-weighed 8 oz. glass jars labeled with study number, animal number, group number, sample identity, collection interval, storage conditions and date of collection. Jars were capped and transferred into the cold room  $(4 \pm 4^{\circ}C)$  for storage and processing.

### Metabolism Cage Rinse

Each glass metabolism cage was washed using 70 % (v/v) ethanol at the completion of the in life part of the study. Glass jars containing ethanol cage washes, labeled with study number, animal number, group number, sample identity, date of collection and storage conditions were transferred to the cold room  $(4 \pm 4^{\circ}\text{C})$  for storage and processing.

Tissue and Organ Collection

At the terminal sacrifice time point (96 hour post exposure) blood was collected in MB group *via* open thoracic cardiac puncture under methoxyflurane anesthesia. At that time, liver, perirenal fat, GI tract, kidney, spleen and eyes were collected in the pre-weighed vials that were pre-filled with 35% TEAH and labeled with study number, animal number, group number, sample identity, date of collection and storage conditions. Upon removal, the GI tract was mechanically emptied of its contents by squeezing segments of GI tract with hemostats. GI contents were collected into the empty, labeled and pre-weighed 4 oz. glass jars. In addition, tools used to clean GI tract were rinsed with up to 3 ml of RO water into the jar containing GI contents, as needed and documented in the study records. Remaining carcasses were placed into the pre-weighed jars that were pre-filled with 35% TEAH to be solubilized at room temperature.

### Control animals

Rats in control groups 1 and 2 (animals not dosed) were housed in glass metabolism cages under the same environmental conditions as animals in the exposure groups. Excreta were collected at the 24 hr time point. At the terminal sacrifice time point (96 hr post-dose), rats in the control groups were euthanized by exsanguination *via* cardiac puncture under methoxyflurane anesthesia and selected tissues and organs were collected as defined in Table 5. Each glass metabolism cage was rinsed with 70% ethanol following removal of the animal.

## B. Part 2 (whole body autoradiography group)

Immediately after dose administration, animals in the WBA Group were returned to wire-mesh cages for exposure durations of 12, 24, 48 and 96 hours (Table 1). All animals were observed in their cages for mortality, morbidity, and signs of distress daily by study personnel through the completion of the in-life phase of the study.

At specific time points (Table 1) animals in Groups 5 and 6 were weighed and sacrificed by  $CO_2$  asphyxiation, and immediately frozen in a hexane/dry ice bath at approximately -75°C. and stored at -80  $\pm$  10°C. The frozen carcasses from animals of Group 5 were positioned within a frame and embedded in a 4% aqueous solution of carboxymethylcellulose which supported the carcass for sectioning. Blocks were stored at -80°C ( $\pm$  10°C) until sectioned. Carcasses from Group 6 (spare group) were stored frozen -80°C ( $\pm$  10°C).

### C. Part 3 (additional experiment)

A total of 6 glass metabolism cages were set up and operated as described above in a Part 1 with exception that connections leading from the exhaust side of the chamber were made using Teflon<sup>®</sup> tubing.

Immediately following dose administration, animals were returned to individual glass metabolism cages for collection of urine, feces, CO<sub>2</sub> and expired air at scheduled times (Table 5). Animals were euthanized by CO<sub>2</sub> asphyxiation 72 hr post-dose and carcasses were solubilized *in toto* in the pre-weighed amount of 35% TEAH at room temperature. Each glass metabolism cage was rinsed with toluene following removal of the animal.

#### Control animals

Animals in control group 7 were individually housed in the glass metabolism cages at the same time as the animals in the exposure group 8 for collection of the excreta at the 24-hr time point (Table 5). At the termination of 72 hr, animals were euthanized by CO<sub>2</sub> asphyxiation and carcasses were solubilized *in toto* in the pre-weighed amount of 35% TEAH at room temperature. Each glass metabolism cage was rinsed with toluene following removal of the animal.

## 6. Sample Processing and Analysis

### A. Part 1 (mass balance group)

Sample preparations for radioactivity analysis by Liquid Scintillation Counter (LSC) are described below. Feces and GI contents were homogenized using a tissue homogenizer prior to solubilization and extraction.

Aliquots of the blood samples were taken, then solubilized in the Soluene 350: Isopropanol (1:1, v/v) solution, decolorized with 30% hydrogen peroxide and analyzed by LSC for radioactivity content.

Charcoal tubes, that were used to trap expired volatiles, were desorbed with toluene (main and back-up portion combined). Separate aliquots of the toluene were taken for total radioactivity analysis by LSC.

Urine, KOH and cage rinse samples were weighed following collection and aliquots were directly analyzed for radioactivity content by LSC.

Feces and GI contents were kept frozen at -80 ± 10°C following collection. Sample processing involved thawing, weighing and homogenizing samples with Milli-Q water at 3:1 v:w water to sample ratio. Aliquots of the fecal and content of GI tract homogenates were taken and solubilized in 35%TEAH, decolorized with hydrogen peroxide and neutralized with isopropanol. At that time, aliquots of the solubilized feces were analyzed by LSC for radioactivity content. Remaining fecal and content of GI tract homogenates were stored at -80 ± 10°C. Fecal homogenates from 12, 24 and 48 hour time points had sufficient radioactivity (>100,000 dpm/g homogenate) to be further analyzed by HPLC with radiochemical detection. Aliquots of the fecal homogenates were taken and extracted with tetrahydrofuran (THF) or toluene, and then extracts were analyzed by HPLC with radiochemical detection using a gel-permeation chromatography (GPC) column in order to determine if the radioactivity present in the feces and contents of the GI tract is unchanged <sup>14</sup>C-PDMS. The amount of radioactivity extracted in THF or toluene was compared to the amount of radioactivity found by TEAH solubilization in order to determine feces extraction efficiency. Radioactivity content in fecal extracts and in solubilized feces was determined by liquid scintillation analysis.

The carcasses and tissues (eyes, spleen, kidneys, perirenal fat, liver, GI tract) were solubilized in 35% TEAH immediately after collections. The aliquots of the solubilized tissues were taken, neutralized with 6N hydrochloric acid (HCI) and analyzed by LSC for radioactivity content.

Radioactivity of all the samples was quantified by liquid scintillation analysis (Packard LSC Model 2500TR or 3100 TR). Each sample was counted for 10 minutes or a 2 sigma %value of two, whichever came first. All counts were converted to absolute radioactivity (disintegrations per minute, dpm) by automatic quench correction. Results were corrected for matrix background radioactivity that was determined by using rats in the control groups 1 and 2.

All the samples were stored under following conditions:

KOH, Cage rinses  $4 \pm 4^{\circ}$ C

Charcoal tubes, Toluene extracts 4 ± 4°C

Urine, Feces, GI contents  $-80 \pm 10^{\circ}$ C

Blood  $4 \pm 4^{\circ}C$ 

Page 23

DC Report No. 2001-I0000-50844

Security - Internal

THF Extracts (feces, GI content)

 $4 \pm 4$ °C

Frozen carcasses (WBA)

 $-80 \pm 10^{\circ}$ C

#### Control animals

Samples collected from the control animals (Groups 1 and 2) were processed and analyzed the same as samples from the dosed animals in mass balance groups. Results obtained from control animals were used to determine matrix background levels.

## B. Part 2 (whole body autoradiography group)

Animals from Group 5 were sectioned by placing the frozen block on a stage of a CryoMacrocut® cryomicrotome (Leica, Deerfield, IL) with temperature maintained at approximately -25°C ± 5°. Parasagittal sections of approximately 40 μm in thickness were collected onto adhesive tape at various levels to include major organs and tissues. Non-dehydrated sections were then mounted on a cardboard support, covered with a layer of plastic wrap, and exposed to Kodak BioMax MR® radiographic film (Eastman Kodak Company, Rochester, NY) at -80° C for 2, 3 and 4 weeks. At the end of the exposure periods, films were developed on Cordell™ MXR-14 automatic film processor (Cordell, Peabody, MA). The images were digitally acquired from the film with Hewlett-Packard ScanJet (Palo Alto, CA). After the film had been developed, non-dehydrated sections were disposed as radioactive waste. One representative section from each level was dehydrated within the cryochamber for 48 to 72 hours and retained as a reference for comparison with the film.

The original films from each time point of Group 5 were evaluated visually and ranked on a gradient scale with zero as background, low level (+1), moderate (2+ to 3+) and (4+) as highest intensity. Since interpretation of films from the Group 5 was certain and results were clear, no animal from the spare group (Group 6) was processed for evaluation.

### C. Part 3 (additional dosing experiment)

All samples collected in Part 3 were processed and analyzed as described above (Part 1) with the exception of the fecal samples. All fecal samples were processed for analysis on the day of collection (no freezing). Samples were homogenized with Milli-Q water at 3:1 v:w water to sample ratio using tissue homogenizer. Aliquots of the fecal homogenates were taken and solubilized in 35%TEAH, decolorized with hydrogen peroxide and neutralized with isopropanol. At that time, aliquots of the solubilized feces were analyzed by LSC for radioactivity content. At the same time, aliquots from the 12, 24 and 48 fecal homogenates were first extracted 3 times

with toluene, and then fecal sample residues remaining from the toluene extraction were extracted an additional 3 times with THF. Aliquots of the toluene and THF extracts were analyzed for the radioactivity content by LSC, and by HPLC with radiometric detection using a GPC column for a qualitative determination of the toluene/THF extractable radioactivity (Appendix B). In addition, a weighed portion of the remaining extracted fecal residue after double extraction with toluene and THF was removed and solubilized in 35% TEAH and analyzed by LSC to determine any remaining radioactivity that had not been extracted into either toluene or THF.

#### Control animals

Samples collected from the control animals (Group 7) were processed and analyzed the same as samples from the dosed animals (Group 8). Excreta and tissues collected in the control groups were used for matrix background effects.

#### 7. Parameters Measured

The radioactivity content found in the tissues (blood, fat, eyes, kidney, spleen, liver, GI tract), and in the residual organs and tissues that were left behind in the remaining carcasses of the animals in mass balance groups (groups 1-4), was considered to represent the absorbed portion of the administered dose. The radioactivity found in urine, feces, contents of GI tract, expired air, cage rinse and CO<sub>2</sub> traps represents excreted portion of the administered dose. In addition, fecal extracts were qualitatively assessed using HPLC with radiochemical detection using a GPC column in order to determine if the radioactivity present in the feces is unchanged <sup>14</sup>C-PDMS.

Feces extraction efficiency was determined by comparing the amount of radioactivity extracted from fecal samples to radioactivity recovered by solubilization of fecal samples.

Solubilization processing efficiency was determined in the spiking experiment by comparing the amount of radioactivity used for spiking fecal pellets to the amount of radioactivity recovered after fecal homogenization with water and solubilization in 35% TEAH (Appendix B).

Whole body autoradiography films were visually evaluated for the *in vivo* assessment of tissue distribution of radioactivity and estimation of the transient time through the GI tract.

DC Report No. 2001-I0000-50844

Security - Internal

## 8. Data Analysis

Radioactivity content in the samples is expressed as  $\mu g$  PDMS equivalents per gram of specimen and as the percent of the administered dose (Appendix A). Statistical analysis of the data was carried out using Microsoft<sup>®</sup> Excel<sup>™</sup> and SAS<sup>®</sup>. Values that are below limits of quantification (LOQ) were considered equivalent to zero. The LOQ was defined by matrix background radioactivity and was determined by using animals in control groups. Comparison between males and females in MB groups were made using two-tailed t-test. Statistical significance was evaluated at p < 0.05. A one-tailed t-test was used to test the hypothesis that the amount of radioactivity in a sample was significantly greater than zero.

### 9. Deviations

- Results of the most recent water analysis and manufacturer certificate of feed analysis are
  maintained with the facility records in HES Archive. Study director review of these documents is
  included in the study records but copies of these documents are not kept in the study files. This
  has no impact on the study outcome.
- 2. Inadvertently, some of the liver and urine weights were inaccurate. These weights were reconstituted from the weights that remained after taking aliquots for LSC analysis. This was considered to have no impact on the study outcome.
- 3. Feces samples collected at 72 hr from control rats # C8419 and C8420 were cross contaminated during homogenization process. For this timepoint, feces from a spare, non-exposed rat was used to establish background. This was considered to have no impact on the study outcome.
- 4. A deviation occurred in the protocol with regard to the section IX. C (Environmental conditions). Inadvertently on the first experimental day of Part 1 and 2 (2/17/00) the light switch was not in the timer position causing the light cycle to be approximately 4 hr longer, and dark cycle 4 hr shorter. This was considered to have no impact on the study outcome.
- A deviation occurred in the protocol with regard to the section IX. C (Environmental conditions).
   Humidity in the environmentally controlled animal fell below 30% on the first experimental start day (2/17/00). This was considered to have no impact on the study outcome.
- 6. Randomization of female rats in the MB group was performed using 7 instead of 8 animals. This was considered to have no impact on the study outcome.
- 7. Inadvertently, Lot number and expiration date of ethanol that was used for cage rinses in Part 1 was not recorded. This was considered to have no impact on the study outcome.

8. Roth-style glass metabolism cages were run for approximately 42 hrs instead of 48 hrs as stated in the protocol to verify the vacuum source. This was considered to have no impact on the study outcome.

### **RESULTS AND DISCUSSION**

This study was designed to provide disposition data for test article, radiolabeled <sup>14</sup>C-PDMS (supplied as Dow Corning™ 200 Fluid), viscosity 350 cst. A single dose of the neat test article was orally administered to four female and four male Fischer 344 rats in mass balance (MB) groups (group 3 and 4) and to eight female and eight male rats in whole body autoradiography (WBA) groups (group 5 and 6). Two rats of each sex (group 1 and 2) were not dosed and were used as MB controls. Excreta and tissues collected in the control groups were used for matrix background effects. In order to qualitatively determine the profile of radioactivity present in feces and confirm PDMS content in feces, additional work was performed to improve fecal extraction efficiencies. An additional 6 rats (2 females and 2 males were dosed, 1 female and 1 male as controls were not dosed) were used in Part 3 of the study. A targeted dose of 1000mg/kg body weight was calculated based on the animal body weight. Actual doses were determined gravimetrically and the average dose administered to female and male rats in MB groups was 1025.2 and 999.5 mg/kg of body weight, respectively (Table 2). In the WBA groups average of the administered dose was 1018.4 and 983.3 mg/kg BW for female and male rats, respectively (Table 3). In the additional dosing experiment, the average of the administered dose was 1054.2 and 1032.5 mg/kg BW for female and male rats, respectively (Table 4). Rats in all the exposure groups received between 38 and 54 цСi per animal.

Housing the MB animals in the Roth-style glass metabolism cages for 96 hours after administration of neat test article *via* oral gavage (Part 1) enabled assessment of the total radioactivity recovery. Excreta were collected at the predetermined time points (Table 5). At the completion of the in life part each glass metabolism cage was rinsed with 70% ethanol to remove possible traces of PDMS from excreta that were left behind in the metabolism cages. Toluene was used for rinsing glass metabolism cages instead of 70 % ethanol in the additional dosing experiment, because 70 % ethanol was considered to be potentially inadequate solvent for PDMS, 350 cst (8). Airflow and animal condition in the metabolism cages were monitored twice a day (am/pm) during the experiment.

Evaluation of the mass balance of radioactivity following oral administration of <sup>14</sup>C-PDMS, 350 cst demonstrated that virtually all of the orally administered <sup>14</sup>C-PDMS, 350 cst was rapidly excreted. Only traces of radioactivity, if any, were recovered in tissues and carcasses that remained after tissue harvesting 96 hour post dosing (Table 6: 0.004% and 0.001% of administered dose in females and males, respectively). As also shown in Table 6, the total dose recovery in females was 93.613 % and in males 97.424 %, with 93.609% and 97.403 % of administered dose excreted, respectively. Resulting radioactivity excretion and overall dose recovery was significantly greater in males than in females. Nearly all of excreted test article was found in feces. Data presented in Table 7 show that 99.98% of the total recovered dose was found in feces and only low levels of radioactivity, if any, were recovered from urine (less than 0.02% of administered and total recovered dose). Presented percent dose recoveries in feces, and consequent overall recoveries, were corrected for the solubilization processing efficiency, which was determined to be 92% in a spiking experiment (Appendix B, Attachment D). In this experiment, fecal samples were spiked with 14C-PDMS, 350 cst and stored frozen overnight at -80°C prior to processing (homogenization and solubilization) to mimic typical study conditions. Some initial loss of radioactivity might be attributed to PDMS migration from the feces samples and binding to the glass of collection jars during frozen storage. This behavior has been seen with another hydrophobic siloxane, e.g. octamethylcyclotetrasiloxane (12). Also, loss of radioactivity to the glass might occur during sample homogenization in an aqueous environment followed by transfer of homogenate aliquots into new vials for solubilization.

The bulk of fecal elimination occurred during first 48 hours after dosing (Table 8, Figure 1). This course of fecal excretion was consistent among rats in all the groups. After 72 hours only small amounts of radioactivity (< 0.2% of administered dose) and after 96 hours only traces of radioactivity (< 0.01% of administered dose) were recovered in feces of all the rats in MB groups (Appendix A). This quantitative assessment of PDMS excretion was supported by qualitative assessment of PDMS excretion using whole body autoradiography (Figures 2 and 3).

Original films were evaluated visually (Appendix D). Figures in this report are scanned images of the original autoradiographs. As shown in Figures 2 and 3, twelve and 24 hours after dosing radioactivity appeared to be concentrated in the contents of GI tract (small intestines, cecum and colon) in both females and males. There was a small amount of radioactivity noted in the residual contents of the stomach. A small amount of radioactivity was noted on the ventral and dorsal surface of the rats as possible contamination on their coats by the test article. There was no disposition of radioactivity noted in any other organs or tissues. At 48 hours in both female and

male rats, radioactivity appeared to be limited to the GI tract but concentration levels were notably decreased (Figures 2 & 3). Low amounts were noted in the small intestine and cecum with a moderate amount in the colon. No radioactivity was noted in any other organs or tissues. At 96 hours after dose, there appeared to be total elimination of <sup>14</sup>C- PDMS, 350 since no radioactivity was observed in either of the animals.

To qualitatively determine the profile of radioactivity present in feces, aliquots of the 12, 24 and 48 hour fecal homogenates were extracted with tetrahydrofuran (THF) and analyzed by HPLC with radiometric detection using a gel permeation column (Appendix B). Radioactivity levels of GI contents at 96 hr and feces samples collected at 6, 72 and 96 hr were not sufficient to be analyzed by HPLC with radiochemical detection. The amount of radioactivity extracted with THF was compared to the amount of radioactivity found by liquid scintillation analysis of the solubilized fecal homogenates in order to determine the extraction efficiency. The resulting extraction efficiencies averaged 77%, 85%, and 73% for 12, 24, and 48 hour fecal homogenate extracts, respectively. The results of HPLC analyses of the 12, 24 and 48 hour fecal samples gave similar radioactivity profiles as a solvent standard of PDMS, 350 cst as well as matrix standards spiked with PDMS, 350 cst (extracts of spiked control fecal homogenates) indicating that no detectable metabolites or degradation products were present in feces following single administration of PDMS, 350 cst. Example radio-chromatograms of a 12 hour male, 12 hour female, and a QC fecal homogenate THF extracts are presented in figure 4. Due to the less than optimum extraction efficiencies found with the THF extractions for the QC samples (78% of amount spiked) in addition to study samples (average range 73-85% of radioactivity found by solubilization), method development work was initiated to try to find a more suitable extraction solvent. It was determined, as a result of this method development work that extraction of QC samples with toluene resulted in better extraction efficiencies. In fact, extraction efficiencies of QC samples ran in parallel with study samples extracted in toluene were 95%. However, the extraction of study samples in toluene after two freeze thaw cycles resulted in low extraction efficiencies (Average range 50-81% of radioactivity found by original solubilization) and continued to decrease after prolonged storage and three freezethaw cycles during sample processing. Nevertheless, solubilization efficiencies after 3 freeze-thaw cycles remained the same as compared to original solubilization data. Based on these results, it was presumed that the loss of PDMS upon extraction was either due to un-extractable binding to the fecal components or to freeze-thaw cycles and degradation of the PDMS to polar products that are un-extractable with toluene.

As a result of additional bioanalytical work, a new dosing experiment (Part 3) was conducted with the intention of eliminating possible loss due to prolonged frozen storage and freeze-thaw cycles and improving fecal extraction efficiencies using both THF and toluene for extraction. Fecal samples from 12, 24 and 48 hour time points were processed on the day of collection. Fecal homogenates were extracted three times in toluene followed by additional three times in THF. Extraction with toluene gave average of 77% extraction efficiency, and extraction with THF gave an additional average of 14%. Total extraction in two solvents has an average of 92 % when compared to the solubilization data (Appendix B, Attachment E). Solubilization of the residue from the dual extraction gave only additional average of 1% remaining unextracted. HPLC/Radiometric analysis of Toluene/THF extracts showed that both extracts analyzed separately contained only unchanged PDMS, 350 cst (Appendix B). These results showed that extraction of PDMS, 350 cst from feces obtained from dosed animals could be done quantitatively with a two-solvent extraction and confirmed complete excretion of PDMS, 350 cst in the unchanged form.

## **SUMMARY OF RESULTS**

- 1. The majority of the orally administered <sup>14</sup>C-PDMS, 350 cst was recovered over 96 hour post-administration period. Dose recovery in female rats was 93.61% and in male rats 97.42% (Recoveries were corrected for solubilization processing efficiency).
- 2. Nearly all of the recovered dose was excreted in the feces (99.98% of recovered dose);
- 3. All of the radioactivity present in feces was attributed to the unchanged PDMS, 350 cst. No detectable degradation products were present in feces.
- 4. No radioactivity was detected in tissues and organs by whole body autoradiography at 96 hours post-dose. Less than 0.005% of administered dose was detected in tissues and carcasses by liquid scintillation analysis at 96 hour post-dose.
- 5. Whole body autoradiography data at 12, 24 and 48 hours post dosing showed that radioactivity was concentrated in the contents of the GI tract. No radioactivity was detected outside the GI tract with the exception of small exterior contamination.
- 6. Both sexes showed comparatively similar pattern of disposition at each time point.

## CONCLUSION

Both mass balance and whole body autoradiography data suggest that <sup>14</sup>C-PDMS, 350 cst was rapidly excreted in the feces unchanged following oral administration with little if any absorption.

### **ARCHIVE**

Study related records, inclusive of, but not limited to, study authorization, study correspondence, study protocol (including amendments and deviations), the study schedule, signatures of the study personnel involved in the conduct of the study, test article documentation, test system records, observation records, equipment verification and condition records, dosing records, sample collection records, sample preparation records, analytical data, Excel worksheets, and the final report, will be maintained in the archives of Dow Corning Corporation, Health and Environmental Sciences, Midland, MI.

## **REFERENCES**

- DC Study No.9294. Characterization of Polymethylsiloxane 350 cst (PDMS, 350 cst, Lot# LL068057). TIS Report 1999-I0000-48210.
- 2. DC Study No.9271. Characterization of <sup>14</sup>C-Polymethylsiloxane, 350 cst (<sup>14</sup>C-PDMS, 350 cst, reference # 10671-64). TIS Report 1999-I0000-48279.
- 3. EPA Health Effects Test Guidelines OPPTS 870.7485, Metabolism and Pharmacokinetics. August 1998.
- 4. DC Study 8753. A Method Development Study to Develop Techniques for Whole-Body Autoradiography Following Exposure to DC 200® Fluids. TIS Report No. 2000-10000-49640.
- DC Study No. 5079-4. Single and Repeated Dose Pharmacokinetic Studies of Polydimethylsiloxanes in the Rat. TIS Report 1989-I0005-2581.
- 6. DC Study No. 5079-7. 90-Day Subchronical Oral Toxicity Study with Polydimethylsiloxane Fluid in Male Rats. TIS Report 1989-I0005-2564.
- 7. DC study No. 8209. A 28-Day Oral Toxicity Study of Dow Corning 200® Fluid, 350 cst in Rats. TIS Report No. 1995-I0000-40874.
- 8. Angelloti, N.C. In *The Analytical Chemistry of Silicones*: Analysis of Polymers, Mixtures, and Compositions, p49 (A.L. Smith, ed; John Wiley & Sons, Inc. New York, NY, 1991)
- 9. Varaprath S., K.L. Salyers, K.P. Plotzke and S. Nanavati. 1998. Extraction of Octamethylcyclotetrasiloxane and its Metabolites from Biological Matrices. Analytical Biochemistry, 256: 14-22.
- 10. DC Study No.9579. Characterization of <sup>14</sup>C-Polymethylsiloxane, 350 cst (Reference # 10671-64). TIS Report No. 2001-I0000-50389.
- 11. DC Study No. 9575. Non-regulated study: Validation of Roth-style glass metabolism cage relative humidity and temperature conditions. TIS report No. 2001-I0000-50034.

Security - Internal

12. DC Study No. 8647. An Evaluation of Methods for Determining <sup>14</sup>C-Octamethylcyclotetrasiloxane (<sup>14</sup>C-D<sub>4</sub>) Disposition: Sample Stability on Storage. TIS Report No. 2000-I0000-48364.

Table 1. Organization of Test Groups

	;					
	Group <sup>1)</sup>	Group ID	Sex	Number of animals	Target dose (mg / kg BW)	Exposure duration (hr)
	-	Control <sup>1</sup> (MB)	ட	2	0	- 196
PART 1	2	Control (MB)	Σ	2	0	196
	က	MB	L	4	1000	96
	4	MB	Σ	4	1000	96
	5A	WBA	1F, 1M	2	1000	12
PART 2	5B	WBA	1F, 1M	2	1000	24
	20	WBA	1F, 1M	2	1000	48
	5D	WBA	1F, 1M	2	1000	96
	<b>6</b> A	WBA	1F, 1M	2	1000	12
PART 2	<b>6</b> B	WBA	1F, 1M	2	1000	24
(reserve)	၁၅	WBA	1F, 1M	2	1000	48
	Q <b>9</b>	WBA	1F, 1M	2	1000	96
PART 3 <sup>2</sup>	7	Additional exp. (Controls) <sup>1</sup>	1F, 1M	2	0	721
	8	Additional exp.	2F, 2M	4	1000	72

<sup>1)</sup>Animals in control groups were not dosed and were housed in metabolism cages for 72-96 hours.

<sup>2)</sup> Additional experiment (Part 3) conducted to improve PDMS extraction from feces samples.

MB = Mass Balance; BW = Body Weight

WBA = Whole body autoradiography

Table 2. Individual Dosing Data: Part 1 (Mass Balance Groups)

Animal ID <sup>1)</sup>	Group	Sex	Body weight (g)	Dose/rat (mg)	Dose/rat (μCi)	<sup>14</sup> C-PDMS neat (mg/kg BW)
C8421	က	L.	145.0	149.3	38.8	1029.7
C8422	က	L	147.7	159.5	41.5	1079.9
C8423	က	u.	149.2	151.1	39.3	1012.7
C8424	က	ட	149.5	146.3	38.0	978.6
C8427	4	Σ	176.1	186.8	48.6	1060.8
C8428	4	×	175.0	173.8	45.2	993.1
C8429	4	N	190.7	185.1	48.1	970.6
C8430	4	Σ	192.7	187.6	48.8	973.5

<sup>1)</sup> Rats in the control groups 1 and 2 were not dosed.

Average dose of PDMS, 350 cst administered via oral gavage to female and male rats was 1025.2 and 999.5 mg per kg of body weight, respectively.

Page 34

Table 3. Individual Dosing Data: Part 2 (Whole Body Autoradiography)

Animal ID	Group	Sex	Body weight (g)	Dose/rat (mg)	Dose/rat (mCi)	<sup>14</sup> C-PDMS neat (mg/kg BW)
C8431	5A	L	149.7	151.4	39.36	1011.4
C8435	2A	Σ	189.9	184.5	47.97	971.6
C8432	5B	ட	146.8	145.6	37.86	991.8
C8436	5B	Σ	198.3	196.8	51.17	992.4
C8433	၁၄	ட	155.4	151.8	39.47	976.8
C8437	၁၄	Σ	193.6	183.7	47.76	948.9
C8434	90	L	160.1	165.7	43.08	1035.0
C8438	5D	Σ	196.1	193.2	50.23	985.2
C8439	6A	ш	151.9	160.4	41.70	1056.0
C8443	6A	Σ	195.4	187.5	48.75	929.6
C8440	6B	ш.	145.1	149.6	38.90	1031.0
C8444	6B	Σ	191.7	190.7	49.58	994.8
C8441	၁	L	155.7	157.4	40.92	1010.9
C8445	ည္မ	Σ	191.4	186.7	48.54	975.4
C8442	9	ш	155.3	160.6	41.76	1034.1
C8446	<b>Q</b>	Σ	187.7	194.9	50.67	1038.4

Average dose of PDMS, 350 cst administered via oral gavage to female and male rats was 1018.4 and 983.3 mg per kg of body weight, respectively.

Table 4. Individual Dosing Data: Part 3 (Additional experiment)

Animal ID <sup>1)</sup> Group	Group	Sex	Body weight (g)	Dose/rat (mg)	Dose/rat (μCi)	<sup>14</sup> C-PDMS neat (mg/kg BW)
C9230	œ	Σ	202.1	207.2	53.87	1025.24
C9232	80	Σ	193.3	201.0	52.26	1039.83
C9238	æ	ட	160.7	168.7	43.86	1049.78
C9239	80	L	160.4	169.8	44.15	1058.60

1) Rats in the control group 7 were not dosed.

Average dose of PDMS, 350 cst administered via oral gavage to female and male rats was 1054.2 and 1032.5 mg per kg of body weight, respectively.

Table 5. Sample Collection Time Points

	Exposure	Expired air	Lirine	H SOCIA	Ċ	Tisense1)/
dur	ration (hr)	(hr)	(hr)	(hr)	(hr)	Carcasses (hr)
	0	24, 48, 72, 96	24, 48, 72, 96	24, 48, 72, 96	24, 48, 72, 96	*96
G.	96	6, 12, 24, 48, 72, 96	6,12,24,48, 72, 96	6,12,24,48, 72,96	24,48,72, 96	*96
	0	24	24	24	24	72 * 2)
•	72	24, 48, 72	24, 48, 72	12, 24, 48, 72	24, 48, 72	72 * 2)

<sup>\*</sup> Sacrifice time points

×

Page 37

<sup>1)</sup> Tissues collected in Part 1: blood, eyes, spleen, kidneys, perirenal fat, liver, GI tract, carcass

<sup>2)</sup> No tissues collected in Part 3, carcasses solubilized in toto

Table 6. Disposition of Radioactivity in Female and Male Fischer 344 Rats Following Oral Administration of Neat <sup>14</sup>C-PDMS, 350 cst

Percent of Administered Dose ± Standard Error of the Mean

N/ Sex	Time (hr)	Average Dose (mg/kg BW)	Excreted 1). 4)	Recovered in tissues <sup>2)</sup>	Recovered in carcasses	Total Recovered <sup>4)</sup>
				(%)	(%)	(%)
Group 3						
4/ F	96	1025.22	93.609 ± 0.720	0.001 ± 0.000	0.003 ± 0.001	93.613 ± 0.720
Group 4						
4/ M	96	999.52	97.423 ± 0.581	0.001 ± 0.000	0.000	97.424 ± 0.581
		•				

1) As defined in Table 7.

Tissues collected at the sacrifice time point (96 hr post exposure) : blood, eyes, perirenal fat, spleen, kidneys, liver and GI tract emptied from it's contents.

3) Not greater than zero based on One-tailed T test (see Appendix C)

4) Percent dose recovered in feces was corrected for the fecal sample processing efficiency (92%)

DC Study No. 9345

Table 7. Disposition of Excreted\* Radioactivity in Female and Male Fischer 344 Rats Following Oral Administration of Neat 14C-PDMS, 350 cst

Percent of Administered Dose ± Standard Error of the Mean

Feces (% of total recovered dose)	99.98	99.98
Total Dose Recovery <sup>2)</sup>	93.613 ± 0.720	97.424 ± 0.581
Total Excreted* <sup>1)</sup>	93.609 ± 0.720	97.423 ± 0.581
Feces <sup>2)</sup>	93.594 ± 0.720	97.403 ± 0.582
Expired	0.002 ± 0.001	0.003 ±
CO <sub>2</sub> (KOH)	0.001)	0.001 ± 0.000
Cage rinse	0.00	0.001 ± 0.000
Content of Gl tract	0.001 ± 0.000	0.001)
Urine	0.012 ± 0.001	0.016 ±
Time (hr)	96	96
N/ Sex	4/F	4 / M

<sup>\*</sup> Excreted radioactivity = Percent of administered dose recovered in urine, feces, contents of GI tract, CO<sub>2</sub> (KOH traps), expired air (charcoal tubes) and cage rinses.

Page 39

<sup>1)</sup> Not greater than zero based on One-tailed T test (see Appendix C)

<sup>2)</sup> Percent dose recovered in feces, and consequently percent dose excreted and total dose recovery, were corrected for the fecal sample processing efficiency (92%).


Table 8. Excretion of <sup>14</sup>C-PDMS, 350 cst in feces over time

Percent of Administered Dose ± Standard Error of the Mean

							30	3 5 5 5					
		i				i		i					
		Time	Time Average %	Time	Average %	Time	Average %	Time	Average %	Time	Average %	Time	Average %
Rat ID	Sex	6 hr	dose in	12 hr	dose in feces	24 hr	dose in	48 hr	dose in	72 hr	dose in	96 hr	dose in
			feces				feces		feces		feces		feces
C8421	L	0.000		21.562		82.181		93.221		93.463		93.482	
C8422	ഥ	0.000		42.133	-	87.932		92.196		92.253		92.254	
C8423	ᇿ	0.000		1.708		82.580		92.880		93.020		93.024	
C8424	ட	0.000	0.000 <b>0.000±0.000</b>		58.140 <b>30.886±12.273</b>	92.851	86.386±2.523	95.516	93.453±0.720	95.613	93.587±0.720	95.617	93.594±0.720
C8427	Σ	0.000		14.882	And the Afficiance	83.755	-	95.634		95.887		95.900	
C8428	Σ	0.000		31.645		87.492	-	97.426		97.549		97.559	
C8429	Σ	0.000		30.693		96.360		98.709		98.733		98.738	
C8430	Σ	0.000	0.000 0.000±0.000	5.764	20.746±6.302	89.908	89.378±2.649	97.042	97.203±0.633	97.409	97.409 97.395±0.584	97.415	97.403±0.582
					W								

Percent dose recovered in feces was corrected for the sample processing efficiency (92%)

Figure 1. Fecal Excretion of Radioactivity Associated with <sup>14</sup>C-PDMS, 350 cst



<sup>\*</sup> Percent dose recovered in feces was corrected for sample processing efficiency (92%)


Security - Internal

Figure 2 . Whole Body Autoradiography of Female Fischer 344 Rat


12, 24, 48 and 96 hr Post Exposure



## 12 hour



## 24 hour




96 hour

Security - Internal


Figure 3. Whole Body Autoradiography of Male Fischer 344 Rat
12, 24, 48 and 96 hr Post Exposure



## 12 hour




## 24 hour



# 48 hour



Figure 4. Gel Permeation-Radio Chromatography of the THF fecal extracts



GPC Radio-Chromatogram of a <sup>14</sup>C-PDMS, 350cSt, Spiked Control Fecal Extract

#### **Calculations and Abbreviations**

#### **Calculations**

#### 1. Radioactivity

 $1 \mu \text{Ci} = 2.22 \times 10^6 \text{ DPMs}$ 

## 2. Specific activity of dosing solution:

DPM/mg of dosing solution / 2.22 x  $10^6$  (DPM/ $\mu$ Ci) =  $\mu$ Ci/mg in dosing solution

#### 3. Dose (DPMs):

S.A. of dosing solution (DPMs/mg) x dose (mg) = DPMs

#### 4. Dose (μCi)

S.A. of dosing solution ( $\mu$ Ci/mg) x dose (mg) =  $\mu$ Ci

#### 5. Matrix Background

Average DPM/g of control samples

# 7. Radioactivity concentration in the sample aliquots (Corrected DPM/g) Aliquot DPM/Aliquot Wt.(g) - matrix background (DPM/g)

·

8. Total DPMs in the sample:

Radioactivity conc. (DPM/g) X Sample wt.\* (g)= DPMs

\*sample wt. = homogenate wt.(e.g. feces), extract wt. (e.g. charcoal) or direct sample wt. (e.g. urine)

#### 9. Percent Dose:

Total DPMs in sample
----- x 100 = % Dose
Dose (DPMs)

#### 10. Average Percent Dose

Percent dose for the group of test systems

#### 11. Cumulative Percent Dose in excreta

Percent of administered dose collected in excreta added to the percent of the administered dose of the previous timepoint to get the total percent recovery in urine, feces, CO<sub>2</sub> and expired air over duration of exposure.

# 12. Correction for solubilization processing efficiency (92%)

Percent of administered dose recovered in feces \*100/92

## 13. Percent of the total recovery

Percent of administered dose recovered in the sample (e.g. excreta) \*100/Total % dose recovered in all the samples.

#### 14. Equivalent µg PDMS

DC Study No. 9345 Appendix A

Total DPM in the sample\* / specific activity of PDMS (DPM/mg PDMS) \*1000 (μg/mg)

\*sample = homogenate ( e.g. feces), extract (e.g. charcoal) or direct sample (e.g. urine, KOH)

#### 15. Equivalent μg PDMS/g of specimen

Total DPM in the sample\* / specific activity of PDMS (DPM/mg) \*1000 μg/mg)/ specimen\*\* weight (g)

\*sample = homogenate ( e.g. feces), extract (e.g. charcoal) or direct sample (e.g. urine, KOH)

#### 16. Equivalent µg PDMS in blood/rat

μg Eq. PDMS/g of blood X Body Weight (kg) X 57.2865 g blood/kg BW

#### 17. Data analysis

One-tailed t-test was used to test the hypothesis that amount of percent radioactivity recovered in samples was significantly greater than zero. If the amount of recovered radioactivity was not significantly greater than zero, reported values were zero for individual samples (Appendix A) and Group averages (Appendix A, Tables 5 and 6).

#### 18. Reanalysis Criteria (%RR)

The %RR is derived by calculating the difference between two values (DPM/g) and expressing this difference as a percentage of the mean for the two values (aliquots). Samples which fail to meet the following criteria shall be re-analyzed in duplicate:

- A) For DPM/g between 0 and 299 the %RR must be less than or equal to 20. (F1)
- B) For DPM/g between 300 and 999 the %RR must be less than or equal to 15. (F2)
- C) For DPM/g greater than 1000, the %RR must be less than 10%.(F3)

An exception to the above criteria is when the % dose recovered in the sample is less than or equal to 0.1%, than no re-analysis of a sample is required, failure to meet criteria 1-3 not withstanding.

Counts in bold letters are repeats due to non-uniformity of the sampling.

#### **Abbreviations:**

DPM = Disintegrations per minute Avg. = Average Sol'n. = Solution S.A.= Specific Activity

Rep. = Replicate WBA = Whole Body Autoradiography
LSC = Liquid Scintillation Counter GI tract = Gastrointestinal Tract

LSC = Liquid Scintillation Counter GI tract = Gastrointestinal Tract
Wt. = Weight St.Dev. = Standard Deviation

Eq./Equiv. = Equivalent SEM = Standard error of the mean

THF = Tetrahydrofuran TEAH = Tetraethylammonium hydroxide

Bkg. = Background N.S. = No sample N.A. = Not applicable B.W. = Body weight

N.D. = Not determined BLQ = Below limit of quantification LOQ = Limit of quantification PDMS = Polydimethylsiloxane

THF = Tetrahydrofuran Cum = cumulative Conc. = concentration Hr. = hour

F = flag indicating non-uniformity of the sampling

Counts in bold letters are repeats. Homog., Homogen. = Homogenate

<sup>\*\*</sup>specimen = tissue, extract (charcoal), or excreta (e.g. feces, urine)

			u	-																													ĺ							
*****			00 %	100	173.34		155.93		112.42		200	90 67	44.00	15.14	<u>:</u>	129.26		52.33		48.74	0000	95.59	22.56		154.45		22.37	ŏ	9.30	36.54		99.0		#VALUE!		ž		Ą		¥
Jr.	_	(	% End	200	0000		0.000		0.000		0.00	5	20.00	0000		0.000		0.000		0.000	Š	5	0.00		0.000		0.001	000	5	0.001		0.001		Ϋ́		¥		≨		¥
Female 96hr	Male yonr		% Dose	200	0.000		0.000		0.000		0.00	500	3	0.00		0.000		0.000		0.000		9	0.000		0.000		0.001	000		0.001		0.000		¥		¥		¥		NA
	D D		Dose (DPM)		86175960	92063400	92063400	87214920	87214920	84444360	8444360	107820960	100317360	100317360	106839720	106839720	108282720	108282720	86175960	86175960	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0
66	S	į	esoci (ma	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.0 8.0 8.0	173.8	173.8	185.1	185.1	187.6	187.6	149.3	149.3 150 5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0	0	0	0	٥
BKG=	10 NG	Conc. ug	Eq/y		0.02		0.02		0.02	č	5.0	000	9	0.05		0.01		0.02	6	70.0	0 05	3	0.01		0.01	ļ	0.0	90.0	}	0.15		0.05		¥		¥		¥		₹
Female 72h	Mare / ZII	Total DBM is	sample		162		133		190	;	40	729	ì	372		74		148	ç	57	361	;	\$		53	į	4/0	470		1164		396		¥		NA		Ą	•	Z.
DPM/g	S S S S S S S S S S S S S S S S S S S	8,00	DPM's/q		13.08		9.84		14.05	Ċ	2.30	54.08		27.67		5.51		11.05	5	2	26.88		7.01		3.97	4	42.73	34.97		86.46		30.35		¥		₹		¥		≨
95	76	DPM's/a	corrected	1.74	24.42	2.17	17.52	21.95	6.15	5.9	0.00 85.46	42.71	29.77	25.58	1.95	90.6	13.94	8.16	11.36	18.36	35.41	6.22	7.80	0.90	7.03	47.53	36.71	33.22	70.66	102.26	30.25	30.46		₹		¥		¥		≨
BKG=		Ç	DPM's/g	104.35	127.02	104.77	120.12	124.56	108.76	108.51	455.67	132.87	119.93	115.74	92.11	99.24	104.11	98.32	113.96	120.97	138.01	108.82	110.40	103.51	109.64	137.69	126.87	123.38	160.83	192.42	120.41	120.62	97.14	108.88	113.38	91.01	80.32	91.43	97.37	91.53
Female 48h			Rep. DPM's	18	8	18	20	24	<del>0</del>	<u>0</u> 6	27	23	21	8	16	17	<del>8</del> i	17	S \$	2 5	<b>7</b> 5	19	19	<b>4</b>	13	<b>4</b> 6	3 2	5	28	33	23	21	17	6)	20	16	4	9	17	16
DPM/g	2	Ren Wit	<u>(</u> 6)	0.1725	0.1732	0.1718	0.1665	0.1686	0.1747	0.1751	0 1735	0.1731	0.1751	0.1728	0.1737	0.1713	0.1729	0.1729	0.1735	0.1736	0.1739	0.1746	0.1721	0.1739	0.1733	0.1/43	0.1734	0.1702	0.1741	0.1715	0.1744	0.1741	0.1750	0.1745	0.1764	0.1758	0.1743	0.1750	0.1746	0.1748
PMs/mg 98 98	3	Sample	Wt. (g)	12.3825	12.3825	13.5472	13.5472	13.5131	13.5131	13.4623	13.4712	13.4712	13.4577	13.4577	13.3645	13.3645	13.4101	13.4101	13.4266 13.4266	13.4394	13.4394	13.4412	13.4412	13.3614	13.36.14	13.432	13.4475	13.4475	13.4576	3.4576	13.0412	13.0412	13.4284	13.4284	13.3819	13.3819	13.4361	13.4361	13.4949	13,4949
577200 DPMs/mg BKG= 98 BKG= 98	2	Tare +	Wt. (g)	29.4774	29.4774	30.8478	30.8478	30.6477		30.6728	30.7048	30.7048	30.7873	30.7873	30.6496	30.6496	30.6779	30.6779	30.6425	30.6454	30.6454	30.6510	•	30.5945	1	30.7389	-	·		·			•							30.7214 1
0.26 μCi/mg= DPM/g Female 24h		Vial Tare	Wt.(g)	17.0949	17.0949	17.3006	17.3006	17.1346	17.1346	17.2105	17 2336	17.2336	17.3296	17.3296	17.2851	17.2851	17.2678	17.2078	17.2159	17.2060	17.2060	17.2098	17.2098	17.2331	17.2331	17.3009	17,3396	17.3396	17.2491	17.2491	17.2681	17.2681	17.3598	17.3598	17.2349	17.2349	17.2651	17.2651	17.2265	17.2265
0.26 μCi/mg= DPM/g Female 2 DPM/g Male 24h	n : :	Gmun/	Sex	3/F	3∕F	3/F	3/F	3/F	F I	۶ ۲	W/4	₹,	₩,	4/M	₩,	\$	<b>\$</b> 3	W/4	ار ال	₹	3/F	3∕F	3/F	₩,	48	4 4/M	₩.	4/M	Μ/4	4/M	₹	4W	+	Ť.	<b>1</b>	1/F	<b>₩</b>	Z/M	<b>S</b>	Z/M
f S.A. 903.	Tubes		Time Pt.	6hr	<u>ө</u>	ehr e	gh.	ghr G	9	j d	ě	Ohr.	6hr	6hr	맭	θŗ			15 F	<u> </u>	12hr	12hr	12hr	후 5	1Zhr	12h	<u>1</u> 2	12hr	12hr	12hr	1 <u>2</u>	12hr	24nr	24hr	74UL	24hr	24hr	24hr	24hr	Z4ħr
Dosing sol'n S.A. BKG= 103 BKG= 90	Charcoal Tubes	Animal		C8421	C8421	C8422	C8422	C8423	C8423	C8424 C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	200	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8428	C8428	C8429	C8429	C8430	C8430	2413	C8419	C8420	C8420	C8425	C8425	C8426	28426

	ш	-																																										1
	% RR		16.96		0.91	77	4	33 00	20.33	č	9	7.25		18.65		13.56		¥		¥		¥		¥		11.58		29.43		187.65		က		42.53	;	26.58		69.28		19.34		¥		₹
į	esop		0.003	,	0.002	200	0.00		3	000		0.002		0.002		0.003		¥		¥		¥		¥		0.003		0.002		0.001		0.000		0.004		0.003		0.002		0.003		¥		¥
	% Dose		0.002	;	0.002	Š	0.00	000	200	0 00		0.001		0.001		0.002		¥		¥		¥		¥		0.001		0.00		0.000		0.000		0.001		0.00		0.00		0.000		Ą		₹
	Dose (DPM) % Dose	86175960	86175960	92063400	92063400	97244020	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	10031/360	106839720	106839720	108282720	108282720	0	0	0	0
900	(B)	149.3	149.3	159.5	159.5	101.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	7/3.8	185.1	185.1	187.6	187.6	0	0	0	0
Conc. ug	sample		0.27	;	0.18 8	200	5	0 03		0.33	}	0.18		0.15		0.31		¥		¥		¥		¥		90.0		0.03		0.01		0.01		0.12	5	0.0	;	0.03		0.05		¥		≨
Total DPM in	sample		2075	•	1398	202	ŝ	202		2572		1364		1119		2403		¥		¥		¥		¥		654		197		88		80		894	67	540		229		350		Ϋ́		¥
Avo	DPM's/q		154.70	;	104.1	40 G4	9	15.10		192.83		101.78		83.74		179.29		¥		<b>∀</b> Z		¥		Ą		48.82		14.73		6.58		5.96	:	29.99	40.05	40.05	. !	17.13		26.08		¥		¥
DPM's/o	corrected	167.82	141.58	104.65	103.70	46.99	17.67	12.54	192.75	192.91	98.09	105.47	91.55	75.93	167.13	191.45		₹		ž		¥		Ą	45.99	51.65	12.56	16.90	12.75	0.41	5.87	6.05	80.85	52.49	40.00 26.00	33.23	23.07	11.20	28.60	23.56		¥		₹
Conc	DPM's/g	270.42	244.18	207.25	426.90	149.60	120.27	115.14	282.91	283.07	188.25	195.63	181.71	166.09	257.29	281.61	97.31	103.15	85.81	103.81	91.38	103.99	97.87	97.25	143.51	149.17	110.08	114.42	110.27	97.93	103.39	103.57	178.47	150.12	143.08	132.07	120.69	108.82	128.22	121.18	115.07	86.66	97.31	81.35
	Rep. DPM's	49	£3 (	ဗ္က ဗ	8 %	26 4	7.	; 03 30	49	49	33	8	32	29	45	49	17	8	15	18	16	18	17	17	25	56	19	20	19	17	<del>2</del>	18	33	5 26	9 8	3 2	5	£ 6	23	21	8	15	17	14
Rep. Wf.	(b)	0.1812	0.1761	0.1/3/	0.1743	0 1738	0.1746	0.1737	0.1732	0.1731	0.1753	0.1738	0.1761	0.1746	0.1749	0.1740	0.1747	0.1745	0.1748	0.1734	0.1751	0.1731	0.1737	0.1748	0.1742	0.1743	0.1726	0.1748	0.1723	0.1736	0.1741	0.1738	0.1737	0.1732	0.1740	0.175	0.1740	0.1746	0.1743	0.1733	0.1738	0.1731	0.1747	0.1721
Sample (extract)	Wf. (g)	13.4149	13.4149	13.422	13.426	13 4244	13.3502	13.3502	13.3379	13.3379	13.4038	13.4038	13.3643	13.3643	13.4047	13.4047	13.3933	13.3933	13.3524	13.3524	13.4389	13.4389	13.3978	13.3978	13.4005	13.4005	13.3452	13.3452	13.3981	13.3981	13.3826	13.3826	13.4036	13.4036	13.3031	13.303	13.3/23	13.3725	13.421	13.421	13.4067	13.4067	13.381	13.381
Tare +	Wt. (g)	30.6467	30.6467	30.7541	30.6242	30.6242	30.5312	30.5312	30.5452	30.5452	30.5804	30.5804	30.6615	30.6615	30.6472	30.6472	30.6032	30.6032	30.6178	30.6178	30.7780	30.7780	30.5939	30.5939	30.5615	30.5615	30.6090	30.6090	30.6789	30.6789	30.5128	30.5128	30.6084	30.5084	30.3403	20.2402	30.5202	30.5202	30.7035	30.7035	30.6061	30.6061	30.6237	30.6237
Vial Tare	Wt.(g)	17.2318	17.2318	17.3321	17.3321	17.1998	17.1810	17.1810	17.2073	17.2073	17.1766	17.1766	17.2972	17.2972	17.2425	17.2425	17.2099	17.2099	17.2654	17.2654	17.3391	17.3391	17.1961	17.1961	17.1610	17.1610	17.2638	17.2638	17.2808	17.2808	17.1302	17.1302	17.2048	17.2048	17.17.7	7.1.7	17.1477	17.1477	17.2825	17.2825	17.1994	17.1994	17.2427	17.2427
Group/	Sex	3/F	<u>ا</u> ج	ج د د	γ	. H	3,4	3/F	4/M	4/M	<b>4/M</b>	₩,	₩,	4/M	<b>4/M</b>	4/M	<b>+</b>	<b>1</b> /F	#	1/F	ZM	2/M	Z	Z/M	3/F	3/F	3∕∓	3/F	3/F	3/⊾	₩.	3/F	<b>4</b>	Σ/4	8/B		Σ/4 Σ	₹ ;	₩ :	4/M	<b>#</b>	<b>1</b>	<b>1</b>	<b>1</b> /€
١	Time Pt.	24hr	24hr	74E	24br	24hr	24hr	2 <del>4</del> hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48hr	48h	48h	40H	= 5 5 7	401 104	48hr	48hr	48hr	7 <u>7</u> 2	72hr	72hr	72hr
Animal	₽	C8421	C8421	2842	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	242	26420	20,480	28.53	C8429	C8430	C8430	C8419	C8419	C8420	C8420

×

	<u></u>																																											
	% RR	1	ž	¥		200		91.89		16.54		14.41		#DIV/0i		29.59		71.01		200		¥		¥		¥		Ą		#DIV/0i		33.31	3	۱۵/۸۵ *	000	22	135.18	2	10//\IC#	2	Š	707	40.99	
Cum %	dose	:	<u>{</u>	¥		0.004		0.002		0.001		0.00		0.004		0.003		0.003		0.003		Ϋ́		¥		¥		Ϋ́		0.004		0.002	2	00.0	000		0.005		000	9.0	600	0.003	0.003	
	% Dose	:	₹	¥		0.000		0.000		0.000		0.00		0.00		0.00		0.000		0.000		¥		¥	-	¥		¥		0.00		0.000	0	0.000	000	200	0000		000	200		0.000	0.000	
	Dose (DPM) % Dose	0 0		0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	8/214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106930720	108282720	108282720	
Dose	(mg)	0 0	<b>-</b> -	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	L.F.C.	1,16,1	146.3	186.8	186.8	173.8	173.8	185.2	100.	187.6	187.6	
Conc. ug Eq/g	sample	:	<u>{</u>	¥		0.00		0.01		0.01		0.0		0.00		0.03		0.01		0.00		₹		¥		¥		AA		0.00		0.04		9.0	9		0.01		000	3	5	0.0	0.02	
) Total DPM in	sample	3	Ź	Ą		4		59		41		31		0		266		113		33		¥		¥		¥		NA		0		21	c	<b>&gt;</b>	90	2	114		c	•	¥	S	141	
	DPM's/g	3	ž	¥		1.02		4.40		3.08		2.32		0.00		19.81		8.40		2.49		₹		¥		¥		¥		0.00		4.24	6	3	70	5	8.48	2	0	3	00	4.03	10.52	
DPM's/g	corrected	;	ž	Ą	0.00	2.05	2.38	6.43	2.83	3.34	2.49	2.16	0.00	0.00	16.88	22.74	5.42	11.39	4.98	0.00		₹		¥		¥		Ą	0.00	0.00	4.94	3.53	0.00	3.88	86	14.21	2.75	00.0	000	8.00 8.00 8.00	2 6	8.36 36	12.67	-
Conc.	DPM's/g	91.69	96.32	97.25	90.75	97.14	97.48	101.52	97.93	98.44	97.59	97.25	91.38	91.59	108.88	114.74	97.42	103.39	96.98	86.36	114.09	90.86	85.81	103.75	86.16	91.80	108.94	91.80	85.62	86.16	103.57	102.16	92.01	102 51	80.50	108.88	97.42	79.82	91.38	10.36	95.57	65.57 103.03	107.34	
	Rep. DPM's	<b>5</b> i	- 7	14	16	17	17	18	17	17	17	17	16	16	19	70	17	18	17	15	20	16	15	18	15	16	19	16	15	15	18	<del>2</del>	5 4	<u>.</u> 4	ōά	19	12	. <del>1</del>	. <del>č</del>	<u>σ</u>	2 4	<u>.</u> €	<u></u>	
Rep. Wt.	(6)	0.1745	0.1729	0.1748	0.1763	0.1750	0.1744	0.1773	0.1736	0.1727	0.1742	0.1748	0.1751	0.1747	0.1745	0.1743	0.1745	0.1741	0.1753	0.1737	0.1753	0.1761	0.1748	0.1735	0.1741	0.1743	0.1744	0.1743	0.1752	0.1741	0.1738	0.1762	0.1/39	0.1756	0.1750	0 1745	0.1745	0.1754	0 1751	0 1750	0.1750	0.1747	0.1770	
Sample (extract)	Wt. (g)	13.4465	13.4465	13.4164	13.3501	13.3501	13.3684	13.3684	13.3974	13.3974	13.439	13.439	13.3748	13.3748	13.4161	13.4161	13.4166	13.4166	13.4006	13.4006	13.443	13.443	13.386	13.386	13.403	13.403	13.3834	13.3834	13.4175	13.4175	13.3769	13.3769	13.4298	13.4290	13.4294	13 4448	13 4448	13.4399	13 4300	13 3070	10.001	13.4316	13.4316	
Tare + Sample	Wt. (g)	30.7529	30.7529	30.6068	30.5775	30.5775	30.6893	30.6893	30.5726	30.5726	30.7276	30.7276	30,6166	30.6166	30.6538	30.6538	30.6028	30.6028	30.5508	30.5508	30.6458	30.6458	30.6158	30.6158	30.6383	30.6383	30.5277	30.5277	30.6132	30.6132	30.5076	30.5076	30.7825	30.7823	30.0370	30.8114	30.8114	30,6651	30.6651	30.0031	20.0340	30.6807	30.6807	
Vial Tare	Wt.(g)	17.3064	17.3064	17.1904	17.2274	17.2274	17.3209	17.3209	17.1752	17.1752	17.2886	17.2886	17.2418	17.2418	17.2377	17.2377	17.1862	17.1862	17.1502	17.1502	17.2028	17.2028	17.2298	17.2298	17.2353	17.2353	17.1443	17.1443	17.1957	17.1957	17.1307	17.1307	17.3527	17.352/	17.2076	17 3666	17.3666	17 2252	17 2252	17.2584	17.2501	17.2361	17.2491	
Group/	Sex	2/M	N Z	Z 2	3/F	4/M	4/M	Α/Ν	4/M	4/M	4/M	<b>A/M</b>	A/A	1/F	1/F	1/F	1/F	Z/M	Z/M	Z/M	2/M	3/F	3/F	3/F	3/F	الا الا	r y	r i	N/A	4/W	¥ 4	7.4	7	¥ .	Α 4 Σ Σ	¥ 4								
	Time Pt.	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	96hr	96hr	96hr	96hr	96hr	בים פס	E 4	100	, 490 1490	90 Pr	9	90 10 10 10 10 10 10 10 10 10 10 10 10 10	90111	96hr	90 1496 1496	,								
Animal	ō	C8425	C8425	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	2 423	\$ 6	C8427	C8427	C8428	00120		00429	C8429	28430	

. Rounding errors may occur due to electronic handling of numbers.

长

			% RR F	#D!\\\0	Š	#DIV/0i		#DIV/Qi	10/YIC#		#DIV/0i		#DIV/0i	9	5	#DIV/0i		4.45	5.75	) ;	5.4	į	1.69	14.		0.89	3.28	ì	15.86 F3		₹	<b>*</b>		_	
		<b>%</b>	esop	0.000		0.000		0.000	9000		0.000		0.000	500		0.000		19.837 4	38 762		1.571		1 23.408	13.691 1.		29.114 0.	28,238 3		5.303 15		Z Z	Y Y		NA NA	
		0 2000		0.000		0.000		0.000	0.000	1	0.000		0.000	000		0.000		19.837 19	38.762 3		1.571		20.408	13.691 13		29.114 29	28.238 28		5.303 5.		<u> </u>	×		NA AN	
male 96hr ile 96hr	•	Dose (DBM)		86175960	92063400	92063400	87214920	87214920 84444360	84444360	107820960	107820960	100317360	100317360	106839720	108282720			86175960				8444360				100317360 2 106839720			2720	<b>.</b>	• •				
DPWg Female 96hr DPWg Male 96hr		Dose (mo)		149.3	159.5	159.5	151.1	146.3	146.3				185.1					5.94			151.1			•-	•	1/3.6 1(	185.1 10			<b>.</b>					
145		Conc. ug [ Ea/a feces	1	0.00		0.00		- •-	0.00	-	0.00	÷ ÷		0.00		0.00		44	19892.93 18		5161.47 15	28381.74 14	ľ	20588.44 18		18 18	29528.34 18		5634.64 18:	AN O		NA 0	0	•	
BKG= BKG=		Total DPM ( in homog, E	1	0		0	-	>	0		•	c	•	0	ı	0	47004054		35685530 11		13/0431 5	45168291 26		14761868 20	20208140 21		30169157 29		5741964 56	<b>≨</b>		¥		¥	
		•																											٥		-			_	
Female 72hr Male 72hr		Avg. DPM's/g		0.00		0.00	8		0.0	,	0.00	000		0.00	ć	3.0	3390019 40		2982692.54	0.000	10.40/88/	4148561.33		3036609.16	4509973.85		4474675.42	000000	07/921.04	¥		ž	:	<b>≨</b>	
DPM/g DPM/g		DPM's/g corrected	0.00	0.00	0.00	8 6	0.00	0.00	0.00	0.00	00.0	0.00	0.00	0.00	0.0	2465470 01	3314580.73	3068516.33	2896868.74	778209.41	4113536.87	4183586.79	3058639,33	3014678.98	4489010.10	4401185.64	4548165.20	893583.71	105,00,30	≨		¥¥.	:	۲ ۲	
<b>128</b> 157		Conc. DPM's/g	137.96	14.04	145.63	130.80	160.00	139.01	138.19	141.96	120.43	130.67	145.18	146.80	150.78	3485842 DE	3314725.81	3068681.21	2897033.63	778374.29	4113700.75	4183751.67	3058706.75	3014846.40 4530206.02	1490077.62	4401353.07	1548332.62	893751.14 782425.78	161.15	186.19	142.03	170.15	135.80	248 14	
BKG= BKG=	å	Nep.	31	ន	<b>8</b> 2	\$ 8	8 8	33	8	<b>#</b> :	3 8	8	ន	ಸ	<b>*</b> *	2		646878		169727	•			/406/3 3 1082719 4	•			179780		<b>‡</b>	22	32	A 8	3 4	
	**	(a), wr.	0.2247	0.2291	0.2266	0.2318	0.2126	0.2302	0.2388	0.2395	0.2408	0.2449	0.2273	0.2316	0.2255	0.2263	0.2286	0.2108	0.2171	0.2066		ļ	0.2428	·	_	•	0.2327 1			0.2202	0.2253	0.2057	0.2430	0.2267	
Female 48hr Maie 48hr	- *** como	. (g)	4.3867	4.3867	6.3352	5.9811	5.9811	2.1973	2.19/3	4.6251	5.5600	5.5600	2.1804	2.1804	10.5372	5.0427	5.0427	11.9642	11.9642				4.8613		6.4759		6.7422					16.5433			
DPM/g	Tare + Feces + RO Water With Library With Days With	(6)	101.9067	101.9067	104.6748	103.3664	103.3664	99.6768	404 6000	101.5220	102.9475	102.9475	99.2755	99.2755	107.2536	103.4978	103.4976	109.2491	109.2491	99.8658	108.8905	108.8905	103.0598	103.7957	103.7957	105.5715	105.57.15	104.8802	114,6814			113.5/13			
149	H	(b)	0.9249	1.6253	1,6363	1.6261	1.5261	0.5541	4 2004	1.2651	1.4683	1.4683	0.5997	0.5997	2.7149	1.2562	1.2552	3.1079	3.1079	0.4800	2.7572	2.7572	1.2422	1.6236	1.6236	1.7701			4.4695					·	
BKG.	Tare +	(B)	98.4449	00 0740	99.9749	98.9114	98.9114	98.0336	97 9.62	97.962	98.8558	98.8558	97.6948	97.6948	99.4313	99.7101	99.7101	100.3928	100.3928	98.6123	100.7600	100.7600	99.4407	98.9434	98.9434	100.5994	90.7103	99.7103	101.6227	101.6227	101.4441	110,0261	110.0261	103.9785	
F, 24hr M, 24hr	<u> </u>	Wt.(g)	97.5200	98.3396	98.3396	97.3863	97.3853	97.4795	96 6969	96.6959	97.3875	97.3875	97.0951	97.0951	96.7164	98.4549	98.4549	97.2849	97.2849	98.1523	98.0028	98.0028	90.1900	97.3198	97.3198	98.8293	97.9448	97.9448	97.1632	97.1532	97.0280	98.3454	98.3454	97.5869	
DPM/g F, 24hr DPM/g M, 24hr		Group	n e	, w	· 10	ო	60	en en		•	4	4	₹ .	<b>.</b>	•	60	က	en (		<b>س</b>	ლ ,	E .		•	4	<b>-</b> -	• •	4	1		- +	2	. ~	N	
 	Time	4	Ē <b>Ē</b>	<b>.</b>	Ē	₩	Ē	<b>ਛੋਂ</b> ਛੋਂ	ğ	Ě	ŧ	Ē	\$	Ēē	Æ	12h	12hr	ž į	<u> </u>	12 <u>h</u> r	<u>‡</u>		<u> </u>	1 <u>2</u> h	Ę	12) 2) 1) 1) 1)	₹	12hr	24hr	24hr	24hr	, A	24hr	24hr	
BKG=	FECES Animal Time	0	C8421	C8422	C8422	C8423	C8423	C8424	C8427	C8427	C8428	C8428	C8429	8 8 8	C8430	C8421	C8421	C8422	C8423	C8423		2007				C8429 .				08419		ı			

		%RR F	1	0.89		3.31		0.83		3.54		1.18		2.06		2.38		1.31		Ą		Ą		¥		Ą		3.33		0.3		-		0.28	104		2.36		1.79		0.21		¥.		ĄZ
	Cum. %			75.606		80.898		75.974		85.423		77.054		80.493		88.651		82.715		¥		Ā		ž		¥		85.763		84.820		85.450		87.875	87.984		89.632		90.812		89.278	ĺ	¥		AM
	Ü	% Dose		55.769		42.136		74.402		31.934		63.363		51.379		60.413		77.412		ž		¥		ž		¥		10.157		3.923		9.476		2.452	10.929		9.140		2.161		6.563		¥		Ą
		Dose (DPM)	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	8444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0
	Dose		149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	156.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0		0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	50.5	186.8	196.8	173.8	173.8	185.1	185.1	187.6	187.6	0	0	٥	0
	Conc. ug	Eq/g feces		40303.51		23517.70		47317.58		18345.08		41982.83		29304.41		24647.30		28398.71		Ą		N.		Š		¥		2612.34		642.65		3512.15	9	0/8/10	3279.81		1635.83		586.22		1569.88		ΝA		Ą
	Total DPM	in homog.		48059420		38791609		64889888		26966440		68318659		51541881		64545272		83824070		¥		NA		Š		Ž		8752739		3611386		8264745	-	C0001/07	11784214		9168750		2309176		7106912		NA NA		٧N
		Avg. DPM's/g		5822631.74		3460076.48		6346882.15		2671981.63		6309210.89		4278044.58		3548588.24		4247633.32		¥		NA		¥ Z		¥		378824.44		96259.73		431252.86	0.000	08/01/00	475760.78		259008.64		81743.64		223589.78		NA A		Ą
	DPM's/g		5848644.40	5796619.07	3402834.28	3517318.68	6320430.41	6373333.89	2719307.18	2624656.08	6346504.39	6271917.38	4234055.34	4322033.77	3590753.38	3506423.13	4275497.44	4219769.21	162.72	174.61	129.67	130.05	139.37	155.20	185.74	124.64	385139.52	372509.37	96114.07	96405.38	429101.51	433404.21	90000 13	478236.03	473285.54	262059.51	255957.77	82477.02	81010.25	223819.78	223359.75		NA		MA
	Conc.	DPM's/g	5848809.28	5796783.95	3402999.16	3517483.56	6320595.29	6373498.77	2719472.08	2624820.96	6346671.81	6272084.81	4234222.78	4322201.20	3590920.78	3506590.55	4275664.86	4219936.83	162.72	174.61	129.57	130.05	139.37	155.20	185.74	124.64	385288.75	372658.61	96263.31	96554.62	429250.74	433553.45	09/03.80	478387.27	473436.78	262210.74	256109.00	82628.26	81161.49	223971.01	223510.99	128.64	127.54	172.72	148 40
	Rep.	DPM's	1159234	939079	811276	802338	1475859	1553859	618136	601084	1233793	1065000	874367	867888	698075	680291	1025732	998859	33	37	28	28	32	8	31	28	63380	86345	19555	21831	100831	105050	10036	90176	102215	50764	54039	18360	18797	46362	47809	28	27	38	90
	Rep. Wt.	(6)	0.1982	0.1620	0.2384	0.2281	0.2335	0.2438	0.2273	0.2290	0.1944	0.1698	0.2088	0.2008	0.1944	0.1883	0.2399	0.2367	0.2028	0.2119	0.2161	0.2153	0.2296	0.1933	0.1669	0.2086	0.1645	0.2317	0.2066	0.2261	0.2349	0.2423	8007.0	0.1885	0.2159	0.1936	0.2110	0.2222	0.2316	0.2070	0.2139	0.2018	0.2117	0.2258	0.2450
	Homog.Wt Rep. Wt.	· (g) ·	8.2539	8.2539	11.2112	11.2112	10.2239	10.2239	10.0923	10.0923	10.8284	10.8284	12.0480	12.0480	18.1890	18,1890	19.7343	19.7343	19.8058	19.8058	21.3058	21.3058	51.8618	51.8618	32.1932	32.1932	23.1050	23.1050	37.5171	37.5171	19.1645	19.1645	23.0003	24.7692	24.7692	35,3994	35.3994	28.2490	28.2490	31.7855	31.7855			50.6973	EO 8073
Tare +	Water Wt.	(B)	106.1739	106.1739	109.8456	109.8456	107.3615	107.3615	108.8558	108.8558	110.9446	110.9446	111.5782	111.5782	117.4870	117.4870	120.0721	120.0721	119.2487	119.2487	121.0629	121.0629	151.4119	151.4119	130.8447	130.8447	122.6263	122.5253	137,0647	137.0647	118.5886	118.5886	126.3(23	124.4580	124.4580	134.9849	134.9849	127.6631	127.6631	130,9415	130.9415			149.9478	140 0478
	Feces Wt.		2.0659	2.0659	2.8577	2.8577	2.3769	2.3759	2.5467	2.5467	2.8193	2.8193	3.0472	3.0472	4.5370	4.5370	6.1138	5.1138	4.8435	4.8435	6.2979	5.2979	13.5936	13.5936	8.3789	8.3789	6.8048	5.8048	9.7358	9.7358	4.0769	4.0769	0.2020	6.2248	6.2248	9.7106	9.7106	7.0656	7.0858	7.8431	7.8431			12.8265	12 8285
1000	Feces Wt.	(b)	99.9859	99.9659	101.4921	101.4921	99.5135	99.5135	101.3102	101.3102	102.9355	102.9355	102.5774	102.5774	103.8350	103.8350	105.4516	105.4516	104.2864	104.2864	106.0560	105.0550	113.1437	113.1437	107.0304	107.0304	105.2251	105.2251	109.2834	109.2834	103.501	103.501	104.5264	105,9136	105.9136	109.2961	109.2961	106.4797	106.4797	106.9991	106.9991			112.0770	442 0770
	Tare	_	97.9200	97.9200	98.6344	98.6344	97.1376	97.1376	98.7635	98.7635	100.1162	100,1162	99.5302	99.5302	99.2980	99.2980	100.3378	100.3378	99.4429	89.4429	99.7571	99.7571	99.5501	99,5501	98.6515	98.6515	99.4203	99.4203	99.5476	99.5476	99.4241	98.4241	88.2430	99.688	99.6888	99.5855	99.5855	99.4141	99.4141	99.1580	99.1560			99.2505	2020
		Group			က	ო	က	60	n	3	•	4	4	4	4	4	4	4	-	-	-	-	2	7	2	2	က	က	•	n	ო	ო (	n (	ر 4	4	4	4	4	4	4	4	-	-	7	·
	Animal Time		24hr	24hr	24hr	24hr	24hr	24hr	2 <b>4</b> hr	24hr	48hr	<b>48</b>	48hr	48hr	48hr	48h	104	£ 4	48hr	48hr	48hr	48 F	48hr	48hr	48hr	72hr	72hr	72hr	7.7																
	Anima	Ω	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8428	C8421	C8421	C8422	C8422	C8423	C8423	5 6	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	control		C8425	CRAZE

		u.	1																١				l				1															1
		% RR	ž	1,	!	18.79		2.19		9.73		4.16		0.59		10.56		1.41		¥		¥		Š		ž		77.04		129.69		1.32		11.27		0.71		0.24		18		3.01
	cum.	dose	≨	280 28		84.873		85.579		87.964		88.216		89.745		90.834		89.616		ž		ž		Ą		ž		86.003		84.874		85.582		87.967		88.228		89.754		90.839		89.622
		% Dose	ž	0 223		0.053		0.129		0.089		0.233		0.113		0.022		0.338		ž		ž		Š		¥		0.017		0.001		0.004		0.004		0.012		0.00		0.005		9000
		Dose (DPM) % Dose	0	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	•	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	8444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
í		(BB)	0	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	o	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Ċ	Conc. ug	Eq/g teces	¥	45.63		11.08		38.15		19.56		57.77		21.94		5.30		69.76				Ą				NA		3.46		0.15		1.01		0.89		3.07		1.78		1.02		1.02
i i	otal DPM	in nomog.	X.	192078		48503		112265		75105		251051		113480		23214		365583				¥				NA NA		14938		989		3353		2996		12627		8713		5180		6858
	7 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -	Avg. DPM's/g	Ą	6639.94		1567.64		4860.71		2712.88		8806.03		3255.29		762.31		10411.95		¥ X		ž		Ą		ΝΑ		491.07		22.35		140.36		125.82		422.75		250.82		148.97		164.17
		<u>g</u>	NA 82	6600.05	1714.89	1420.39	4807.39	4914.02	2580.84	2844.91	8989.16	8622.90	3245.61	3264.98	802.54	722.08	10338.59	10485.31		¥		¥		ž		ΑN	301.91	680.23	36.85	7.86	139.43	141.28	132.92	118.73	424.25	421.26	251.12	250.52	135.56	162.37	166.64	161.70
ć	Conc.	DPM's/g	140.57	6728.24	1843.08	1548.58	4935.58	5042.21	2709.03	2973.10	9145.73	8779.47	3402.17	3421.54	959.11	878.64	10495.15	10641.88	154.28	146.78	145.54	134.40	106.16	145.12	125.58	118.68	447.15	825.48	182.09	153.11	284.68	286.53	278.16	263.98	548.13	545.14	375.00	374.41	259.44	286.26	290.53	285.59
Ċ	G	S.M.G	28	1639	387	365	966	1075	292	619	1274	1676	626	737	129	202	2056	2404	33	31	31	32	25	33	30	27	11	\$	36	32	63	٤	90	69	119	128	75	42	25	90	69	65
: :	Kep. wt.	6	0.2063	0.2438	0.2154	0.2367	0.2018	0.2132	0.2093	0.2082	0.1393	0.1909	0.1840	0.2154	0.1345	0.2299	0.1959	0.2259	0.2139	0.2112	0.2130	0.2381	0.2355	0.2206	0.2389	0.2275	0.1722	0.2229	0.1977	0.2286	0.2213	0.2443	0.2157	0.2235	0.2171	0.2348	0.2000	0.2110	0.2197	0.2096	0.2375	0.2276
	운	6	30.9410	28.9273	30.9401	30.9401	23.0964	23.0964	27.6846	27.6846	28.5090	28.5090	34.8602	34.8602	30.4521	30.4521	35.1128	35.1128	20.6447	20.6447	23.8038	23.8038	39.7434	39.7434	33.8792	33.8792	30.4188	30.4188	31.1199	31.1199	23.8908	23.8908	23.8076	23.8076	29.8692	29.8692	34.7389	34.7389	34.7708	34.7706	41.7729	41.7729
Tare + Feces + RO	Water Wt.	6	130.7810	128.1328	130.0080	130.0080	123.5784	123.5784	127.1511	127.1511	126.2727	128.2727	132.3228	132.3228	129.8346	129.8346	132.4731	132.4731	118.2752	118.2752	121.1086	121.1086	136.6235	136.6235	130.9696	130,9696	127.8620	127.8520	130.6698	130.6698	123.6723	123.6723	123.0798	123.0798	127.2570	127.2570	131.9846	131.9848	133.8168	133.8168	141.3802	141.3802
	Ď	6	6.9025	7.2937	7.5848	7.5848	5.0988	5.0988	6.6511	6,6511	7.5288	7.5288	8.9622	8.9622	7.5843	7.5843	9.0799	9.0799	5.2046	5.2046	6.0769	6.0769	10.7455	10.7455	8.7907	8.7907	7.5026	7.5028	8.2701	8.2701	5.7254	5.7254	5.8103	5.8103	7.1194	7.1194	8.5929	8.5929	8.8098	8.8098	11.6532	11.6532
Tare +	Feces Wt.	6)	108.7425	108.4987	106.6527	106.8527	105.5808	105.5808	106.1176	106.1176	105.2925	105.2925	106.4248	106.4248	106.9668	106.9668	106.4402	106.4402	102.8351	102.8351	103.3817	103,3817	107.6256	107.6256	105.8811	105.8811	104.9358	104.9358	107.8200	107.8200	105,5069	105.5069	105.0825	105.0825	104.5072	104.5072	105.8386	105.8386	107.8560	107.8560	111.2605	111.2805
		-1	99.8400	2077	99.0679	99.0679	100.4820	100.4820	99.4665	99.4665	97.7637	97.7637	97.4626	97.4626	99.3825	99.3825	97.3603	97.3603	97.6305	97.6305	97.3048	97.3048	96.8801	96.8801	97.0904	97.0904	97.4332	97.4332	99.5499	99.5489	99.7815	99.7815	99.2722	99.2722	97.3878	97.3878	97.2457	97.2457	99.0462	99.0462	99.6073	99.6073
		Group	2	) e	, m	e	eo	ю	e	e.	4	4	4	4	4	4	4	4	  -	<del>-</del>	-	-	61	<b>8</b>	<b>8</b>		8	<b>რ</b>	60	e0	6	e0	e0	3	4	4	4	4	4	4	4	4
į	<u></u>	- 1			72	72hr		72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	96hr	96hr	96hr	96hr	98 PF	98	96hr	96hr	96hr	96hr	98hr	96hr	96hr	형										
	A i			78.2	08422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	85

Counts in bold letters are repeats. These samples were flagged in the spreadsheets indicating non-uniformity of the sampling.

Control samples from #C8419 and C8420 (72 hr) were replaced with not contaminated control feces.

			ıL	l			1											1							l			ŀ				ı						
			% R		¥	:	≨	ž		Ϋ́		7.87	•	8.	90 0	Ì	19.5		1.6		1.16	•	3.8	1.97		<b>∀</b>		≨	:	₹ Ž	Ą		6.9		7.92		24.9	
	JL.	Cum.	dose		¥	=	₹	ž	1	ΑA		0.012	9	0.013	0.014		0.013		0.011		0.011		0.012	0.012		Ϋ́		≨	3	₹ Ž	ž		0.015		0.014		0.015	
	Female 96hr Male 96hr		% Dose		¥	ž	¥	Š	:	¥		0.012	6	0.013	0.014		0.013		0.011		0.011		210.0	0.012		¥		≨		ž	ž		0.003		0.001		0.001	
	DPM/g DPM/g		Dose (DPM)	0	0	0 0	١	<b>-</b> -	0	0	86175960	86175960	92063400	92063400	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839/20	108282720	0	0	0	0	<b>-</b>			86175960	86175960	92063400	92063400	87214920	87214920	84444360
	82 83	Dose	(gm)	0	0	0 0	٥	- 0	0	0	149.3	149.3	159.5	159.5	151.	146.3	146.3	186.8	186.8	173.8	173.8	185.1	180.1	187.6	0	0	0	٥	<b>&gt;</b> 0	<b>&gt;</b> c	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3
	BKG= BKG=	Conc. ua	Eq/g KOH		¥	1	ž	ž	•	NA		960.0	6	131	0.116	2	0.114		0.132		0.118	9	0.128	0.138		¥		₹	414	£	¥		0.026		0.014		0.011	-
	Female 72hr   Male 72hr	Total DPM in	sample		¥	4	Š	Ž		NA		10092	1	11/45	12235		10996		12030		11358	17807	1777	12643		Ϋ́	:	¥	414	ž	ž		2811		1192		1102	
	DPM/g DPM/g	Ava	DPM's/g		≨	47	ž	¥		ΑA		55.48		75.48	68.89		65.73		76.09		68.26	6	73.81	79.37		¥	;	ž	4	₹	ž		15.27		7.81	,	6.22	•
	87	DPM's/a	corrected		¥	4	ž	ž		Ν	57.66	53.30	73.67	67.77	66.69	72.13	59.33	75.48	76.70	68.65	67.86	75.21	78.50	80.15		¥	:	ž	414	Ź	¥	21.14	9.40	7.50	8.12	7.00	5.45	6.90
	BKG= BKG=	Conce	DPM's/g	11	\$	8	2 8	8 6 6	87	81	140	135	126	159	152	25	141	159	160	152	152	159	<u>8</u>	164	83	79	6 1	20 8	78 8	8 &	8	102	8	88	83	88	98	88
	Female 48h Male 48hr		Rep. DPM's	37	40	4 5	8	3 <del>2</del> 2	45	39	29	49 1	9 2	9 9	2 2	75	69	75	77	73	2 1	<u> </u>	e 6	8 8	40	38	æ :	38	4 :	4 6	43	49	43	43	43	45	41	45
577200 DPMs/mg	DPM/g DPM/g	Rep. Wt.	(6)	0.4788	0.4778	0.4781	4/04/04	0.4670	0.4853	0.4810	0.4795	0.4728	0.4880	0.4769	0.4735	0.4864	0.4880	0.4713	0.4802	0.4793	0.4752	0.4847	0.4806	0.4884	0.4796	0.4815	0.4829	0.4780	0.4803	0.4/40	0.4828	0.4814	0.4775	0.4878	0.4844	0.4792	0.4762	0.4797
577200	88	KOH	Wt. (g)	177.7		172.6		192.9	173.7		181.9	,	155.6	0,00	104.3	167.3		158.1		166.4		172.3	450.2	28.5	166.1		168.8	0 01,	0.07	160.3	2	184.1		152.7		177.1	(	193.1
µCi/mg=	BKG= BKG=	Tare +	Wt. (g)	341.1		336.9		358.8	340.0		346.5	,	319.8	0.47.0	3	331.8		324.0		331.6	,	336.9	0.700	324.9	330.2		334.4		333.5	324 K	25.5	349.9		318.7		342.3	,	.358.6
0.26	DPMg Female 24h DPMg Male 24hr	Vial Tare	Wt.(g)	163.4		164.3	,	165.9	166.3		164.6	•	164.2	7 7 7 7	4.	164.5		165.9		165.2	1	164.6	40.0	0.00	164.1		165.6		163.5	164.2	<u>.</u>	165.8		166		165.2	ı	165.5
S.A.=	DPM/g DPM/g	Group/S	e e	1/F	1/F	₩.	<u></u>	Z Z	Z N	2/M	3/F	3/F	₩	ا ا	ر ا	3/F	3/F	4/M	4/M	4/M	W/4	₹ :	¥	ξ 4 Σ <b>Σ</b>	1/F	1/F	<del> </del>	4	¥ 7	Z 2	Z 2	3/F						
olution (	8 8	<b>9</b> E	<u> </u>	24hr	24hr	24hr	24Nr	24hr 24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	48hr	48hr	48hr	48hr	184 164	48hr	48	48hr						
Dosing solution S.A.≖	BKG= KOH	Anima		C8419	C8419	C8420	25	C8425 C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8454	C8424	C8427	C8427	C8428	C8428	C8429	C8429	2 2 3 3 3 5 8 5 8	C8419	C8419	C8420	C8479	C8425	5 5 5	28428	C8421	C8421	C8422	C8422	C8423	C8423	C8424

女

	L									1																<u> </u>							ļ				[				1			
	% R	51.5		200		200	8	200	90.2		₹		¥		₹	3	≨		200		<b>5</b> 00		##		##		79.5		39.5	9	6.77	82.9		¥		₹		₹		¥		200		161
S. E.	esop	0.015		0.012		0.011	2	210.0	0.012		¥		¥		¥	:	≨		0.016		0.014		0.015		0.015		0.013		0.013	9	0.01s	0.013		¥		ž		¥		¥		0.016		0.017
	% Dose	0.002		0.000		0.000		0.000	0.000		ş		₹		¥	:	¥		0.001	;	0.000		0.000		0.000		0.001		0.001	3	0.001	0.001		¥		¥		¥		¥		0.001		0.003
	Dose (DPM)	84444360	107820960	107820960	100317360	100317360	106839720	10833720	108282720	0	0	0	0	0	0	0 (	0	86175960	86175960	92063400	92063400	87214920	87214920		84444360	107820960					108282720			0	0	0	0	0	0	0	86175960		_	92063400
Dose	(gm)	146.3	186.8	186.8	173.8	173.8	185.1	187.6	187.6	0	0	0	0	0	0	0 (	اد	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	187.6	187.6	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5
Conc. ug	Eq/g KOH	0.016		0.004		0.001	000	0.003	0.004		¥		₹		¥	3	¥		0.006		0.000	,	0.000		0.000		0.014		0.012	2	<u>†</u>	9000		¥		Ν		<b>¥</b>		¥		0.005		0.031
Total DPM in Conc. ud	sample	1795		488		<u>\$</u>	385	607	460		ž	;	₹		₹	414	ž	i	551	;	4	,	0	ı	0		1378		1121	1331	720	549		¥		NA		¥		¥		551	!	3047
Ava.	ුපා	9.30		2.41		0.55	67	6.	2.51		≨	;	₹		≨	2	₹ Ž	6	3.30	. (	0.26	•	0.00	,	0.00		8.14		6.65	20.0	3	3.28		¥		¥.		≨		¥		3.16	!	18.09
DPM's/a	corrected	11.69	4.82	0.00	0.0	1.10	5 G	3.66	1.38		¥	;	ž	;	≨	4	<u> </u>	0.50 0.50	0.00	0.51	0.00	0.00	0.00	0.0	0.00	4.90	11.38	5.34	7.97	4 6.83 44 53	1.92	4.64		₹		ΑĀ		¥		ž	6.32	0.00	3.54	32.63
C) Onc	DPM's/g	92	93	87	82	8 8	7 K	8 8	6	8	88	\$	83	8	8 7	5 4	2	56.53	5 6	≽ 6	<b>6</b> 2	82	<b>8</b>	မ္ဆ	2	စ္ဆ	8	<b>&amp;</b> :	8 8	3 8	3 8	82	· 98	8	78	8	80	98	78	\$	88	83	32	114
	Rep. DPM's	44	46	42	4 :	4 <u>4</u>	‡ ₹	<del>.</del> 4	. <del>6</del>	9	42	<b>4</b>	45	45	34	D 4	8	<del>ડ</del> ર	D (	4 5	<b>6</b> i	37	82	<del>1</del>	40	4	4	<del>.</del>	<b>4</b> :	3 £	4 4	4	41	88	37	40	38	42	37	40	42	ස	4 ;	22
Rep. Wt.	(6)	0.4765	0.4933	0.483	0.4801	0.4803	0.4003	0.4779	0.4788	0.4785	0.4876	0.4878	0.4816	0.4752	0.4752	0.4787	0.4700	0.4818	474.0	0.481	0.4869	0.4758	0.4582	0.4763	0.4751	0.4788	0.4777	0.4764	0.4961	0.4780	0.4840	0.4803	0.4740	0.4774	0.4767	0.4778	0.4744	0.4889	0.4770	0.4767	0.4763	0.4778	0.4801	0.4804
KOH Sample	Wt. (g)		202.6		189.3	470.4	66.	183.7		163.9		167.2		169.1		104.0		0.791	7 64	6./CL	•	163.6	į	172.2		169.2	•	168.6	6797	7.	167.6		178.7		179.7		167.0		184.4		174.3	;	168.5	
Tare + Sample	Wt. (g)		368.1		353.7	0.376	340.4	347.8	:	329.4		332.7		334.5	3	331.0	000	332.9	6	324.0		329.3		337.6		335.0	;	334.8	0	500.5	332.9		344.7		345.6		332.9		350.0		340.2	:	334.6	
Vial Tare	Wt.(g)		165.5	:	164.4	465.5	00.0	164.1		165.5		165.5		165.4	000	7.001	9.50	165.9	7 007	199.1		165.7		165.4		165.8		166.2	7 007	- 00	165,3		166		165.9		165.9		165.6		165.9		166.1	
Group/S	· ×	3/F	4/M	₩.	₩.	¥	ξ. ¥.	¥ 4 ∑	A/A	1/F	1/∓	<b>₽</b> !	1/2	<u>X</u>	<b>X</b> 5	E 2	E 1	بار بار	۶ ر د	¥ 5	₩ ;	٦ ا	3/∓	F i	3/F	<b>4</b> / <b>X</b>	₹ :	₹ :	Σ,	4/M	₩.	4/M	1/F	<b>#</b>	1/F	1/F	2/M	<b>%</b>	<b>%</b>	2/M	3/F	3/∓	F. i	뚪
Ħ E	전	48hr	48hr	48hr	48hr	48hr	48h	484	48hr	72hr	72hr	72hr	7 <u>7</u>	72hr	/2hr	JE 2	17	E 7	JUZ/	JU7/		72hr	72 <u>1</u>	72 1	72hr	72	73.	15 i	727	727	12 T	72hr	96hr	96hr	<b>36h</b> r	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	3 <u>6</u> 11
Animal	₽	C8424	C8427	C8427	C8428	C8428		C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	2826	2	282	282	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8478		284.29	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422

		u.												
	_	% ¤		168		51.7		22.6		171		36.6		200
	Cum. %	dose		0.016		0.017		0.014		0.013		0.015		0.013
		% Dose		0.00		0.00		0.001		0.000		0.001		0.001
		Dose (DPM)	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
	Dose	(gm)	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
	Conc. ug	Eq/g KOH		0.002		0.015		0.007		0.004		0.012		0.007
	Total DPM in Conc. ug	sample		233		1563		17.1		451		1327		703
	Avg	DPM's/g		1.22		8.42		4.22		2.48		7.20		3.81
	DPM's/g	corrected	2.25	0.20	6.25	10.60	3.74	4.70	0.35	4.61	8.52	5.89	0.00	7.62
	Conc.	DPM's/g	\$	83	88	92	98	87	82	<b>8</b>	8	88	22	83
		Rep. DPM's	40	38	42	44	40	41	39	41	43	4	36	43
	Rep. Wt.	( <b>6</b> )	0.4756	0.4753	0.4767	0.4759	0.4672	0.4736	0.4743	0.4741	0.4757	0.4672	0.4798	0.4805
<u>б</u>	Sample	Wt. (g)	190.8		185.5		182.5		181.6		184.2		184.6	
Tare +	Sample	Wt. (g)	356.0		351.2		347.7		348.1		349.6		350.1	
	Vial Tare	Wt.(g)	165.2		165.7		165.2		166.5		165.4		165.5	
				3/F					₩,	₩,	₩,	₩/4		4/M
	Time	ጟ	96hr	96hr	96hr	96hr	₽ 198	96hr						
	Animal		l			C8424	l							

			ıĿ																																								
			% RR		114.96		6.82		2.83		0.99		1.1		0.94		#VALUE!		3.43		0.18		1.35		0.87		5.64	!	1.18	0.65		1.33		0.21		¥		¥		Υ Y		¥	
		Cum. %	qose		0.000		0.00		0.000		0.002		0.003		0.004		no sample #VALUE!	•	0.002		0.008		0.008		0.004		0.007		600.0	0.00		0.00		0.009		¥		¥		¥		¥	
Female 96hr Male 96hr			% Dose		0.000		0.000		0.000		0.002		0.003		0.004		no sample		0.002		0.008		200.0		0.003		0.004		0.00	0.005		0.009		0.007		¥		¥		¥		ΑΝ	
DPM/g A			Dose (DPM)	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	10/820960	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0	86175960
73		Dose	(шд)	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	100.0 173.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0	0	0	0	٥	149.3
BKG= BKG=		Conc. ug	Eq/g urine		0.021		0.093		0.970		3.046		3.023		3.872		#DIV/0i		1.847		3.990		4.241		3.212		1.923	3	5.00.5	5.894		3.915		3.768		₹		NA		¥	;	¥	•
Female 72hr Male 72hr		Total DPM in	sample		12		76		316		1955		3148		3745		#DIV/0i		2025		7141		6857		3015		3709	600	2000	5225		9287		7249		¥		NA		¥	;	₹	٠
DPM/g F			DPM's/g		12.41	-	53.92		559.98		1758.01		1744.96		2235.11		#DIV/0i		1066.09		2303.22		2447.76		1853.86	:	1110.23	4722 80	50.00	3402.18		2259.61		2175.12		¥		ΑN		¥	:	¥	
71 75		DPM's/g	corrected	19.54	5.28	52.08	55.76	552.07	567.90	1749.27	1766.75	1754.58	1735.35	2245.66	2224.55	no sample	no sample	1047.78	1084.40	2301.16	2305.29	2464.33	2431.19	1845.77	1861.96	1078.94	1141.52	1723.64	3413.20	3391.16	2244.62	2274.60	2177.45	2172.78		¥		¥		¥	;	¥	737.81
BKG=		Conc.	DPM's/g	95.20	80.94	127.74	131.42	627.73	643.56	1824.93	1842.41	1831.80	1812.57	2322.88	2301.77	no sample	no sample	1125.00	1161.62	2376.82	2380.95	2539.99	2506.85	1921.43	1937.62	1154.60	1217.18	1800.86	3490.42	3468.38	2321.84	2351.82	2254.67	2250.00	86.24	70.04	69.39	76.98	84.39	73.16	71.73	79.61	813.47
Female 48 Male 48hr		Rep.	DPM's	24	20	35	33	158	156	467	470	477	470	900	298			288	299	603	610	921	640	<u>ጵ</u>	497	295	306	463	94	916	909	615		576	2	18	18	20	2	9	6 3	21	215
DPM/g DPM/g		Rep. Wt.	- 1	0.2521	0.2471	0.2505	0.2511	0.2517	0.2424	0.2559	0.2551	0.2604	0.2593	0.2583	0.2598	no sample	no sample	0.256	0.2574	0.2537	0.2562	0.2563	0.2553	0.2571	0.2565	0.2555	0.2514	0.2571	0.281	0.2641	0.261	0.2615	0.2568	0.256	0.2435	0.2570	0.2594	0.2598	0.2607	0.2597	0.2649	0.2638	0.2643
DPMs/mg 72 75		Sample	(Urine) Wt. (g)	0.9508	0.9508	1.4047	1.4047	0.5650	0.5650	1.1120	1.1120	1.8039	1.8039	1.6754	1.6754	no sample	no sample	1.8993	1.8993	3.1006	3.1006	2.8013	2.8013	1.6265	1.6265	3.3407	3.3407	3.5084	1.5359	1.5359	4.1100	4.1100	3.3329	3.3329	9.2803	9.2803	7.5155	7.5155	2.3427	2.3427	7.9932	7.9932	3.7467
577200 D BKG= BKG=	Tare +		ı	98.5827	98.5827	98.84	98.84	98.0287	98.0287	100.3451	100.3451	98.6669	98.6669	99.3515	99.3515	no sample	no sample	101.6175	101.6175	100.4883	100.4883	100.1381	100.1381	99.1787	99.1787	100.5552	100.5552	101.7689	98.6724	98.6724	102.5751	102.5751	100.3127	100.3127	106.5161	106.5161	104.7942	104.7942	99.8077	99.8077	105.2875	105.2875	101.2183
0.26 μCl/mg= DPM/g Female 24hr DPM/g Male 24hr		Vial Tare	Wt.(g)	97.6319	97.6319	97.4353	97.4353	97.4637	97.4637	99.2331	99.2331	96.863	96.863	97.6761	97.6761			99.7182	99.7182	97.3877	97.3877	97.3368	97.3368	97.5522	97.5522	97.2145	97.2145	98.2605	90.2003	97.1365	98.4651	98.4651		- 1	97.2358	97.2358	97.2787	97.2787	97.4650	97.4650	97.2943	97.2943	97.4716
			Group	3	ო	က	ო	က	ო	ო	3	4	4	4	4	4	4	4	4	ဗ	က	က	က	က	က	ო (	က	ব -	1 4	- 4	4	4	4	4	-	<del>-</del>	₩.	-	7	7	7	7	က
solution 76 77		Time	죠.	6hr	9hr	<u>ф</u>	6hr	9pr	ehr	6hr	<u>ө</u> рг	6hr	<del>6</del>	ehr	ehr	<u>9</u>	<del>9</del>	6hr	6hr	12hr	12hr	12hr	12h	12hr	12h	12h	12hr	15 15 17	1 <u>5</u>	<b>₹</b>	12hr	12hr	12hr	12hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr
Dosing solution BKG= 76 BKG= 77		Animal	Ω	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421

	u.																	1				1														1						
	% RR	1.24	,	4.0	2.82		2.07		7.57	i	0.71	0.58	3	3.69		¥	:	₹	;	Š	VIV	٤	6.35		1.39		1.49	,	3.42	13		5.19		21.45	:	29.08		₹	:	ž	;	Ž
Cum.	dose	0.012	3	1.0.0	0.007		0.010		0.012		0.014	0.013	2	0.013		¥	;	≨	:	ž	Š	٤	0.013		0.012		0.008		0.0	0.015		0.015		0.014	;	0.015		¥	:	≨	;	₹ 2
	% Dose	0.003	6	0.003	0.003		0.003		0.004		0.005	0 004		0.004		¥	;	¥	•	ž	ΑN	<u> </u>	0.00		0.002		0.001	0	0.002	0.002		0.001		0.001	•	0.002		≨	:	≨	1	₹ Z
	Dose (DPM)	86175960	92063400	92063400 87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	108282720	108282720	0	0	0	٥	0 0	<b>-</b>	<b>&gt;</b>	88475080	86175960	92063400	92063400	87214920	87214920	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282/20	108282720	0	0	0 (	٥	0 (	>
Dose	(BE)	149.3	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	187.6	187.6	0	0	0	٥	<b>5</b> 6	<b>&gt;</b> c	<b>-</b>	1403	149.3	159.5	159.5	151.1	151.1	146.3	186.3	186.8	173.8	173.8	185.1	185.1	18/.6	187.6	0	0	0 (	٥	0 0	>
Conc. ud		1.286	1	R <b>7</b> ).	1.732		1.166		1.493		1.515	1375		1.221		₹	;	₹	•	Ž	Ā	<u> </u>	0.303		0.350		0.478	0	0.200	0.469		0.216	:	0.413	,	0.316	;	≨	-	ž		≨ ,.
Total DPM in	sample	2782	0	6797	2666		2360		4246	!	4583	4134	<u>:</u>	4437		¥	:	¥	:	¥ Ž	ĄN	Š	1210	!	1740		154	7707	3	2178		1413		1500		2024	;	ž	:	₹	3	<b>§</b>
Ava	, O	742.39	07	996.13	999.97		673.17		861.73	;	874.60	793.51		705.04		₹	;	₹ Z		Ž.	Ā	<u> </u>	174.97		202.24		276.13	00 047	130.30	270.90		124.48	;	238.40		182.27	;	ž	3	¥	***	Ź
DPM's/a	corrected	746.98	1001.84	1014.08	985.85	666.21	680.13	829.09	894.36	871.52	877.69	797.95	718.06	692.01		₹	;	≨	3	Ž	Ą	180 52	169.41	203.65	200.83	278.18	274.08	157.44	253.20	288.50	121.25	127.71	263.97	212.82	77.807	155.76	;	≨	414	ž	-	Ź
Conc	DPM's/g	822.64	1077.50	1089.74	1061.52	741.87	755.79	906.31	971.58	948.74	954.91	868.41	795.28	769.23	72.35	77.13	67.62	72.88	81.18	70.45	85.13	252.02	241.90	276.15	273.33	350.68	346.57	229.93	328.57	363.78	196.52	202.99	339.24	288.10	284.05	231.04	73.16	69.02	62.28	77.58	74.32	77.1
S G	DPM's	218	282	284 289	283	<u>4</u>	199	237	253	248	525	8 7 C	203	700	19	8	<b>8</b> :	<u>6</u>		2 6	3 ¢	7,4	S &	99	2	83	<b>6</b> 8	ន	8 8	8 8	25	23	88	9 1	ટ :	8	<u>ლ</u>	<b>∞</b> :	မှ ဒ	8	8 9	<u> </u>
Ren Wf		1	0.2645	0.2652	0.2666	0.2615	0.2633	0.2615	0.2604	0.2614	0.2639	0.2023	0.2628	0.2600	0.2626	0.2593	0.2662	0.2607	0.2587	0.2538	0.252/	0.2373	0.2563	0.2390	0.2561	0.2652	0.2568	0.2392	0.2349	0.2584	0.2646	0.2611	0.2594	0.2638	0.25/0	0.2597	0.2597	0.2608	0.2569	0.2578	0.2691	0.2008
Sample	(Urine) Wt. (g)	3.7467	2.8347	2.834/	2.6660	3.5065	3.5065	4.9268	4.9268	5.2397	5.2397	5 2000	6.2931	6.2931	9.2203	9.2203	7.2630	7.2630	2.1264	2.1264	9.9912	8.5512	6.9182	8.6017	8.6017	4.1808	4.1808	8.9365	0.9303 8 0387	8.0387	11.3473	11.3473	6.2901	6.2901	11.1022	11.1022	8.0562	8.0562	8.7948	8.7948	0.8819	9.8819
Tare +			100.2100	100.2100	100.1435	100.9983	100.9983	102.2716	102.2716	102.7769	102.7769	102.4955	103.3375	103.3375	106.3360	106.3360	104.4724	104.4724	99.1079	99.1079	107.2951	107.2331	105,7803	107.3345	107.3345	102.2999	102.2999	107.7391	106.7391	106.4666	109.8612	109.8612	105.0263	105.0263	109.7408	109.7408	106.9207	106.9207	107.2124	107.2124	99.5146	99.5146
Viai Tare	Wt.(g)	97.4716	97.3753	97.3753	97.4775	97.4918	97.4918	97.3448	97.3448	97.5372	97.5372	97.7856	97.0444	97.0444	97.1157	97.1157	97.2094	97.2094	96.9815	96.9815	97.3039	97.3039	98.8621	98.7328	98.7328	98.1191	98.1191	98.8026	96.8020	98.4279	98.5139	98.5139	98.7362	98.7362	98.6386	98.6386	98.8645	98.8645	98.4176	98.4176	98.6327	98.632/
	Group	6	es (	n n	က	က	3	4	4	4	4 .	4 -	4	4	-	-	<b>-</b>	-	Ν (	N	7 6	7 6	. e	, w	ო	ო	ო	ო (	2	4	4	4	4	4	4	4	-	-	-	-	~	N
j. L		١	24hr	24hr 24hr	24hr	24hr	24hr	24hr	24hr	24hr	24hr	24Pf	24pr	24hr	48hr	48hr	48hr	48 <u>P</u>	48hr	48h	4 4 5 1 4 7		48hr	<b>4</b>	48hr	48hr	48hr	48hr	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	₩ 1	48hr	48hr	48hr	48hr	48hr	48hr	72hr	72hr	72hr	72hr	72h 1	/znr
Animal	<u></u>	C8421	C8422	C8422 C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	282	C8430	C8430	C8419	C8419	C8420	C8450	C8425	C8425	28428	6469	2 2	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	084 19	C8420	C8420	C8425	C8425

火

	ட																																									1
	% RR		W		10.09	;	22.95		5.78		7.95		3.96		32.54		9.32		0.56		¥		¥		ž		¥		32.74		22.41	i	8.51	101	,7,	8 57	Š	9.41	r r	16.08	20.5	40.66
Cum. %	dose		₹		0.014		0.013		0.00		0.012		0.016		0.015		0.015		0.015		¥		₹		¥		¥		0.014		0.014		0.009	4	20.0	0.016	2	0.016	>	0.015	?	0.015
	% Dose		₹		0.001		0.001		0.000		0.001		0.001		0.001		0.001		0.000		₹		₹		¥		AN.		0.00		0.001		0.000	6	00.0	000	·	000	· ·	000	•	0.000
	Dose (DPM)	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	8/214920	8/214920	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
Dose	(gm)	0	٥	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5		151.1	146.5	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Conc. ug	Eq/g urine		¥	;	0.109		0.197		0.105		0.127		0.195		0.089		0.147		0.049		¥		¥		ž		¥		0.080		0.117	,	0.081	0 180	0.102	0.137	;	0.071	· ;	0.136	<b>&gt;</b>	0.029
Total DPM in Conc. ug	sample		¥	:	495		902		400		621		1063		538		633		309		¥		ΑA		¥		¥		300		991		/07	033	256	735	<u>:</u>	365	<b>;</b>	542	!	176
Avg.	DPM's/g	-	Ϋ́	;	63.04	;	113.60	*	60.57		73.08		112.41		51.34		84.93		28.44		Ą		N A		¥		¥		46.06		67.52	,	46.50	104 83	25.50	79.23	}	41.26	Ì	78.21	į	16.58
DPM's/g	corrected		₹	66.22	59.86	126.63	100.56	58.82	62.32	70.17	75.98	114.63	110.18	59.69	42.99	88.90	80.96	28.52	28.36		¥		AN		¥		¥	38.52	53.60	59.95	75.08	44.02	48.48 408.64	100.04	82.62	75.83	39.32	43.20	71.92	25	19.95	13.21
Conc.	DPM's/g	79.58	76.05	136.73	130.37	197.14	171.07	129.33	132.83	140.68	146.49	189.92	185.47	134.98	118.28	164.19	156.25	103.81	103.65	69.61	78.09	73.67	68.83	71.75	79.49	71.94	80.03	111.07	126.15	132.50	147.63	70.71	27.03	172.57	158.42	151.64	115.12	119.00	147.73	160.31	95.75	89.01
Rep.	DPM's	21	8	9	<b>ਲ</b> :	21	4	¥			88	49	48	32	31	45	4	27	27	18	8	6	17	19	7	19	8	53	33	¥	8	- S	, , ,	÷ ₹	4	38	දි දි	3 5	. g	: 4	23	23
Rep. Wt.	(6)	0.2639	0.2630	0.2633	0.2608	0.2587	0.2572	0.2629	0.2635	0.2559	0.2594	0.2580	0.2588	0.2593	0.2621	0.2558	0.2624	0.2601	0.2605	0.2586	0.2561	0.2579	0.2470	0.2648	0.2642	0.2641	0.2499	0.2811	0.2616	0.2566	0.2574	0.2040	0.2044	0.2334	0.2588	0.2506	0.2606	0.2605	0.2840	0.2620	0.2611	0.2584
Sample	(Urine) Wt. (g)	9.4440	9.4440	7.8496	7.8496	7.9440	7.9440	6.6121	6.6121	8.4975	8.4975	9.4550	9.4550	10.4877	10.4877	7.4476	7.4476	10.8802	10.8802	7.7085	7.7085	13.7614	13.7614	3.5036	3.5036	10.5618	10.5618	6.5049	6.5049	9.7833	9.7833	5.7307	5.736/ 8 0032	8 9032	9.2780	9.2780	8.8371	8.8371	6.9242	6.9242	10.6138	10.6138
Tare + Sample		108.1674	108.1674	106.4377	106.4377	106.3208	106.3208	105.4578	105.4578	106.9285	106.9285	107.8780	107.8780	109.1718	109.1718	106.1549	106.1549	109.9346	109.9346	105.9071	105.9071	112.5206	112.5206	102.2718	102.2718	108.9824	108.9824	106.6616	106.6616	109.8339	109.8339	100.000	105.6559	100.3410	109.2293	109.2293	108.8376	108.8376	106.2324	106.2324	111.0180	111.0180
Vial Tare	Wt.(g)	98.7234	98.7234	98.5881	98.5881	98.3768	98.3768	98.8457	98.8457	98.4310	98.4310	98.4230	98.4230	98.6841	98.6841	98.7073	98.7073	99.0544	99.0544	98.1986	98.1986	98.7592	98.7592	98.7682	98.7682	98.4206	98.4206	100.1567	100.1567	100.0506	100.0506	99.9192	99.919Z	99.4300	99.9513	99 9513	100.0005	100.0005	99.3082	99.3082	100.4042	100.4042
	Group	2	2	က	თ -	m ·	က	က	က	ო	ဗ	4	4	4	4	4	4	4	4	-	-	Ψ-	-	7	7	7	7	က	က	က	ი (	n (	י מי	° 0	9 4	4	. 4	. 4	+ 4	. 4	4	4
Time	<b>T</b>	72hr	72hr	72hr	72hr	72hr	72h	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	72hr	96hr	3ehr	96hr	ъ 196 1			g y		198	. J	1495 1495	198	- 196 196 197	8	9ehr								
Animal	0	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	5 53	20424	C8427	C8427	C8428	C8428	C8429	C8429	08.43 08.43	C8430

Study # 9345

Rounding errors may occur due to electronic handling of numbers.

	<u>.</u>								1															
	% RR	δŅ.	<u> </u>	₹		¥		¥		102.17		200		158.2		200		60.68		200		24.44		#DIV/0i
	% Dose	V.	<u> </u>	¥		₹		¥		0.000		0.001		0.001		0.000		0.002		0.000		0.000		0.000
	Dose (DPM) % Dose	0 0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
Dose	(BB)	0 0	0	0	٥	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Conc. ug Eq/g Gl	content	ΔN	£	¥		₹		NA		0.087		0.116		0.161		0.060		0.272		0.020		0.078		0.000
Total DPM in	homog.	Ą	É	¥		¥		NA		345		463		804		274		1888		117		346		0
Avg.	DPM's/g	8	<u> </u>	¥		¥		NA		12.86		15.94		21.77		8.13		38.60	٠	2.77		10.35		0.00
DPM's/g	corrected	Ą	<u> </u>	¥		≨		¥.	19.43	6.29	31.87	0.00	4.55	38.99	16.25	0.00	26.89	50.31	5.53	0.00	11.62	9.09	0.00	0.00
Conc.	DPM's/g	156.69 155.16	180.78	114.79	143.92	115.69	183.53	189.36	171.28	158.14	183.73	147.66	156.40	190.84	168.11	146.09	185.01	208.44	163.66	152.97	169.74	167.21	134.29	126.35
Rep.	DPM's	, 18 18	8	56	29	52	39	37	34	99	32	59	32	4	32	31	40	45	53	27	32	36	28	88
Rep. Wt.	(B)	0.1787	0.2102	0.2265	0.2015	0.2161	0.2125	0.1954	0.1985	0.1897	0.1905	0.1964	0.2046	0.2096	0.2082	0.2122	0.2162	0.2015	0.1772	0.1765	0.2062	0.2153	0.2085	0.2216
Homogen.	Wt. (g)	33.9034	28.2941		44.5664		52.4154		26.8032		29.0422		36.9198		33.7003		48.8973		42.2740		33.4515		49.2078	
	RO water	133.8976	128.8679		144.571		151.8964		126.3383		128.9635		136.5513		133.3229		148.5117		142.3673		132.6275		148.5281	
		8.5934	6.6521	6.6521	10.7422	10.7422	_	12.7240	6.8435	6.8435	6.9213	6.9213	8.6389	8.6389	7.9360	7.9360	12.0396	12.0396	10.0495	10.0495	7.6940	7.6940	11.9440	11.9440
DPMs/mg Sample + Rinse Wf.	(6)	8.5934	8.6521	8.6521	13.7422	13.7422	15.7240	15.7240	6.8435	6.8435	8.9213	8.9213	11.6389	11.6389	10.9360	10.9360	14.0396	14.0396	13.0495	13.0495	10.6940	10.6940	14.9440	14.9440
	water Wt.	108.5876	109.2259	109.2259	113.7468	113.7468	115.2050	115.2050	106.3786	106.3786	108.8426	108.8426	111.2704	111.2704	110.5586	110.5586	113.654	113.654	113.1428	113.1428	109.87	109.87	114.2643	114.2643
F ge F	Wt.(g)	99.9942	_		100.0046	00.0046	99.4810	99.4810	99.5351	99.5351	99.9213	99.9213	99.6315	99.6315	99.6226	99.6226	99.6144	99.6144	100.0933	100.0933	99.1760	99.1760	99.3203	99.3203
0.26 DPM/g F DPM/g N	Group			-	2	7	7	7	က	က	က	က	က	ო	ო	က	4	4	4	4	4	4	4	4
ution S.A 152 [ 158 [ ontent	Time Pt.	96hr	196 196	<b>36</b>	96hr	196	96hr	36hr	96hr	96hr	96hr	96hr	96h	<del>2</del> 65	96hr	96hr	96hr	96hr	96hr	<b>36</b> h	<del>1</del> 96	96hr	96hr	96hr
Dosing solution S.A BKG= 152 BKG≈ 158 GI Tract Content	Animal ID Time Pt. Group	C8419	C84 5	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430

女

	ш.																								
	% RR		ž		ΑĀ		¥		¥		15.68		66.77		13.05		2.11		8.87		19.86		17.97		6.99
	% Dose		¥		¥		¥		¥		0.00		0.000		0.00		0.000		0.001		0.00		0.000		0.000
1	Dose (DPM)	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
1	Dose (mg)	0	0	0	۰	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Conc. ug	Eq/g GI tract		≨		ž		₹		ž		0.117		0.091		0.111		0.114		0.134		0.082		0.105		0.092
Total	DPM in sample		₹		≨		¥		¥		411		375		415		398		284		372		495		4
	Avg. DPM's/g		¥		≨		¥		¥		29.23		24.81		28.73		28.33		31.56		19.71		25.87		22.91
	DPM's/g corrected		Ź.	:	≨		¥		¥	31.52	26.94	33.09	16.53	26.86	30.60	28.63	28.03	30.16	32.95	21.67	17.76	23.54	28.19	22.11	23.71
ė	Conc. DPM's/g	46.78	37.54	39.05	42.52	44.80	46.32	43.78	43.42	72.99	68.41	74.57	58.00	68.33	72.08	70.10	69.50	74.74	77.53	66.25	62.34	68.12	72.77	69.99	68.29
Ċ	Kep. DPM's	24	9	ຊ :	21	83	ន	23	21	36	34	37	23	봈	32	32	34	36	33	33	31	¥	98	33	33
:	Kep. Wt. (g)	0.5130	0.5061	0.5122	0.4939	0.5134	0.4965	0.5025	0.4837	0.4932	0.4970	0.4962	0.5000	0.4976	0.4856	0.4993	0.4892	0.4817	0.5030	0.4981	0.4973	0.4991	0.4947	0.4948	0.4832
	Homog. Wt. (g)	14.4314	14.4314	15.1432	15.1432	18.2908	18.2908	19.5180	19.5180	14.0490	14.0490	15.1254	15.1254	14.4594	14.4594	14.0412	14.0412	18.5157	18.5157	18.8902	18.8902	19.1371	19.1371	19.3973	19.3973
Sample	(Gi tract) Wt. (g)	6.4512	6.4512	7.1694	7.1694	7.3428	7.3428	8.5498	8.5498	6.0596	6.0596	7.1117	7.1117	6.4975	6.4975	6.0477	6.0477	7.5783	7.5783	7.8990	7.8990	8.1649	8.1649	8.3945	8.3945
	Solubilizer Solubilizer Wt. (g) Wt. (g)	114.0424	114.0424	114.0507	114.0507	116.707	116.707	119.7767	119.7767	112.408	112.408	114.6673	114.6673	113.0003	113.0003	113.7692	113.7692	117.5070	117.5070	117.0741	117.0741	117.4611	117.4611	118.0602	118.0602
577200 Tare +	Solubilizer Wt. (g)	107.5912	107.5912	106.8813	106.8813	109.3642	109.3642	111.2269	111.2269	106.3484	106.3484	107.5556	107.5556	106.5028	106.5028	107.7215	107.7215	109.9287	109.9287	109.1751	109.1751	109.2962	109.2962	109.6657	109.6657
ቸ <b>&amp;</b> <del>፫</del>	rare Wt.(g)	•		98.9075	98.9075	98.4162	98.4162	100.2587	100.2587	98.359	98.359	99.5419	99.5419	98.5409	98.5409	99.728	99.728	98.9913	98.9913	98.1839	98.1839	98.324	98.324	98.6629	98.6629
<u> </u>	Group	-	<del></del>	-	-	8	7	7	7	3	က	က	က	က	ო	ო	ဗ	4	4	4	4	4	4	4	4
	를 권 권	ъц 98	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr
Dosing solution S BKG= 41 BKG= 45 Gl Tract emptied)	Animal ID	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430

		ı	-																								
		1	% KK		₹		NA		₹		¥		#DIV/0i		#DIV/0i		#DIV/0		#DIV/0i		#DIV/0i		81.65		200		200
			% Dose		¥		ΝΑ		¥		¥		0.00		0.00		0.000		0.00		0.00		0.00		0.000		0.000
	1	Dose	(DPM)	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	8444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
	1	Dose	E E	0	0	0	0	0	0	0	0		149.3	159.5	159.5	151.1	151.1	146.3	146.3	•	•	•	•	185.1	•	•	187.6
	,	Conc. ug	Eq/g fat		₹		NA		¥		NA		0.00		0.000		0.000		0.00		0.000		0.085		0.036		0.005
	Total	E .	sample		₹		Ą		¥		¥		0		0		0		٥		0		16		4		-
		Avg.	DPM's/g		¥		¥		¥		¥		0.00		0.00		0.00		0.00		0.00		8.36		2.10		0.67
	;	DPM's/g	corrected		<b>₹</b>		NA		¥		¥	0.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	11.77	4.95	0.00	4.20	0.00	1.35
		Conc.	DPM's/g	74.60	82.81	72.87	85.27	79.94	74.80	79.66	68.52	71.19	69.25	72.82	70.59	71.32	65.94	73.38	67.62	70.42	74.48	87.50	80.68	75.16	79.94	73.23	77.08
	1	Rep	DPM's	<b>₽</b>	7	28	22	50	19	19	17	17	17	18	18	8	11	48	17	18	19	7	7	6	8	<del>2</del>	19
	;	Rep. Wt.	(6)	0.2413	0.2536	0.2470	0.2580	0.2502	0.2540	0.2385	0.2481	0.2388	0.2455	0.2472	0.2550	0.2524	0.2578	0.2453	0.2514	0.2556	0.2551	0.2400	0.2603	0.2528	0.2502	0.2458	0.2465
		Homog.	Wt. (g)	1.8099	1.8099	1.9112	1.9112	1.9593	1.9593	1.7835	1.7835	1.7889	1.7889	1.8882	1.8882	1.7966	1.7966	2.1058	2.1058	1.9375	1.9375	1.9357	1.9357	1.7806	1.7806	2.1350	2.1350
DPMs/mg	Sample	(fat) Wt.	(6)	0.2064	0.2064	0.2945	0.2945	0.3708	0.3708	0.1762	0.1762	0.1917	0.1917	0.2792	0.2792	0.1868	0.1868	0.4865	0.4865	0.3203	0.3203	0.3284	0.3284	0.1796	0.1796	0.5270	0.5270
Tare +	Sample +	TEAH Wt.	(6)	19.0153	19.0153	19.1878	19.1878	19.2006	19.2006	18.966	18.966	19.0921	19.0921	19.1111	19.1111	18.9945	18.9945	19.4685	19.4685	19.1374	19.1374	19.2031	19.2031	19.0519	19.0519	19.3959	19.3959
577200 Ir	Tare +	TEAH Wt.	6	18.8089	18.8089	18.8933	18.8933	18.8298	18.8298	18.7898	18.7898	18.9004	18.9004	18.8319	18.8319	18.8077	18.8077	18.982	18.982	18.8171	18.8171	18.8747	18.8747	18.8723	18.8723	18.8689	18.8689
0.26 µCi/mg= 577200 DPM/g Female 96hr DPM/g Male 96hr		Tare	Wt.(g)	17.2054	17.2054	17.2766	17.2766	17.2413	17.2413	17.1825	17.1825	17.3032	17.3032	17.2229	17.2229	17.1979	17.1979	17.3627	17.3627	17.1999	17.1999	17.2674	17.2674	17.2713	17.2713	17.2609	17.2609
0.26 DPM/g I DPM/g I			Group	1	-		-	2	7	7	8	6	က	က	က	က	က	က	က	4	4	4	4	4	4	4	4
ution S. 78.89 75.73		Time	죠.	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr
Dosing solution S. BKG= 78.89 BKG= 75.73 Fat		Animal	Q	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430

Rounding errors may occur due to electronic handling of numbers.

ய																	
% RR	Υ <sub></sub>	ΑN	Š	₹		1.24	99 83		43.54	#DIV/0i		171.77	76.07		192.25		0.36
% Dose	¥	¥	¥	ž		0.00	000		0.000	0.000		0.000	0.000		0.000		0.000
Dose (DPM) % Dose	000	0 0	00	00	86175960	86175960	92063400	87214920	87214920	84444360 84444360	107820960	107820960	100317360	106839720	106839720	108282720	108282720
Dose (mg)	000	0 0	00	00	149.3	149.3	159.5	151.1	151.1	146.3	186.8	186.8	173.8	185.1	185.1	187.6	187.6
Conc. ug Eq/g spleen	¥	Ą	¥	¥		0.179	0.116	2	0.116	0.000		0.054	0.078		0.073		0.060
Total DPM in sample	¥	¥	¥	¥		32	8	l	23	0		<u>ದ</u>	11		16		16
Avg. DPM's/g	¥	¥	¥	¥		18.01	11.54		11.65	0.00		6.64	8.62		8.11		7.96
DPM's/g corrected	Ϋ́	Ą	¥	¥	18.12	17.90	5.78	14.18	9.11	0.00	12.35	0. r. 40. s.	11.89	15.90	0.31	7.98	7.95
Conc. DPM's/g	65.71 69.39	62.52 57.89	62.82 69.04	69.88 61.49	82.00	81.78	69.66 81.18	78.06	72.99	62.28 61.97	78.16	66.75	77.70	81.71	66.12	73.79	73.76
Rep.	17 18	16 15	16 18	8 9	21	72	<del>2</del> 2	; R	19	9 9	20	7 4	8	77	1	19	9
	0.2587	0.2559 0.2591	0.2547 0.2607	0.2576 0.2602	0.2561	0.2568	0.2584	0.2562	0.2603	0.2569	0.2559	0.2547	0.2574	0.2570	0.2571	0.2575	0.2576
Homogen ate Wf. (g)	1.9440	1.9699	1.9945	2.0279	1.9404		1.9433	1.9240		1.9895	2.0304	1 9810		1.9790		2.0538	
DPMs/mg Sample It (spleen) Wt. (g)	0.3582	0.3910	0.4003	0.4225	0.3382		0.3362	0.3359		0.3868	0.4308	0 3784	5	0.3811		0.4747	
	19.2059	19.178	19.4023	19.1346	19.1895		19.0704	19.1893		19.2183	19.2792	10 2620	200	19.1516		19.3792	
577200 r Tare + EAH Wt. : (9)	18.8477	18.787	19.002	17.1067 18.7121	18.8513		18.7342	18.8534		18.8315	18.8484	19 8836	2000	18.7705		18.9045	
0.26 µCi/mg= 577200 DPM/g Female 96hr DPM/g Male 96hr Tare + Tare TEAH Wf.	17.2619	17.2081	17.4078	17.1067	17.2491		17.1271	17.2653		17.2288	17.2488	47 2840	207.	17.1726		17.3254	
0.26 DPM/g N DPM/g N			0 0	0 0	9	က	ო ი	n	က	ოო	4	4 -	. 4	4	4	4	4
colution 63.88 65.81 Time	96hr 96hr	96hr 96hr	798 198 198 198 198 198 198 198 198 198 1	196 196 197	<u></u>	96hr	96hr	96 196	₩ 196	96h 96h	96hr	96 1496	196 196 196 196 196 196 196 196 196 196	96 Pr	96hr	96hr	- R
Dosing solution BKG= 63.88 BKG= 65.81 Spleen Animal Time ID Pt.	C8419 C8419	C8420 C8420	C8425	C8426	C8421	C8421	C8422	C8423	C8423	C8424 C8424	C8427	C8427	C8428	C8429	C8429	C8430	C8430

×

	ц																								
	Ω Ω %	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	¥		N A		ž		¥		37.39		38		38.76		46.16		183.83		60.09		16.52		14.19
	asoC %	2	¥		¥		₹		¥		0.000		0.00		0.00		0.000		0.000		0.00		0.000		0.00
	Bose (DPM) % Dose	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
	Dose	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Conc. ug	Eq/g	Colling	¥		NA		₹		¥		0.101		0.067		0.102		0.078		0.055		0.059		0.077		0.072
Total	DPM in		¥		NA		¥		¥		28		38		2		51		4	-	22		49		89
	Avg.	5	¥		NA		≨		¥		16.24		10.94		17.41		14.16		10.35		12.31		13.23		16.14
	DPM's/g	POROLLO	¥		NA		ž		¥	19.27	13.20	8.86	13.02	20.78	14.03	10.89	17.43	0.84	19.87	8.61	16.00	12.14	14.32	14.99	17.28
	Conc.	71.60	53.56	65.56	69.10	58.18	60.77	74.01	67.97	84.23	78.16	73.82	76.77	85.74	78.99	75.85	82.39	20.99	85.11	73.84	81.24	77.37	79.55	80.22	82.51
	Rep.	<u>8</u>	4	17	18	15	16	18	16	22	20	19	8	23	8	19	21	17	23	19	2	8	20	8	2
	Rep. Wt.	0.2514	0.2614	0.2593	0.2605	0.2578	0.2633	0.2432	0.2354	0.2612	0.2559	0.2574	0.2565	0.2566	0.2532	0.2505	0.2549	0.2573	0.2585	0.2573	0.2585	0.2585	0.2514	0.2493	0.2545
Homogen	ate Wt.	3.6484		3.7189		3.9997		3.9393		3.6001		3.5980		3.6955		3.6166		3.8527		4.0730		3.6738		4.2308	
DPMs/mg Sample	(kidney)	1.0671		1.1220		1.4174		1.3533		0.9997		1.0180		1.0972		1.1357		1.2484		1.4665		1.0923		1.6407	
Tare + Sample +	TEAH Wt. Solubilizer (kidney)	20.9212		21.1046		21.2652		21.1689		20.9208		17.2436 19.8236 20.8416		20.8746		20.9535		21.1931		21.2118		20.8777		21.5709	
577200 nr Tare +	TEAH Wt.	19.8541		19.9826		19.8478 21.2652		19.8156		19.9211		19.8236		19.7774		19.8178		19.9447		19.7453		19.7854		17.3401 19.9302	
0.26 µCl/mg= 577200 DPM/g Female 96hr DPM/g Male 96hr Tare +	Tare	17.2728		17.3857		17.2655		17.2296		17.3207		17.2436		17.1791		17.3369		17.3404		17.1388		17.2039		17.3401	
0.26 DPM/g DPM/g		- J	-	-	_	~	8	7	7	3	က	က	က	ო	ო	က	ო	4	4	4	4	4	4	4	4
Mution 64.95 65.23	Time	- Je	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	- Ag	96hr	ų,
Dosing solution BKG= 64.95 BKG= 65.23 Kldney	Animal	C8419				•	C8425				C8421	C8422	C8422	C8423	C8423			C8427							

Dose (DPM) % Dose % RR F

Dose

Conc. ug Eq/g liver

DPM in sample

Tare +

98.9404

Wt.(g) Tare

Group

Time Pt.

C8419 C8419 C8420

Animal

18.79

0.000 0.000

86175960 92063400 87214920

0.141

302

149.3 149.3

92063400 87214920 8444360 84444360

159.5 159.5 151.1

0.128

378

₹

₹ ≨

₹ ≨

≨ ₹

≨

≨ ₹

98.7845

96

C8425 C8425 C8425 C8426 C8426 C8421 C8421

99.4177 98.2197

96hr

**36h**r 96hr

C8422 C8422 C8423 C8424 C8424

≨

≨ ₹

≨

29.2

52.32

0.000

99.57

0.00 0.00

46.3 146.3 86.8

0.11

151.1

0.094

287 380 6.32

107820960 107820960

37.49

0.001 0.000 0.00

00317360 06839720 08282720

73.8

0.147

745

100317360

186.8 173.8

0.089

106839720

185.1 185.1

0.100

457 425

08282720

187.6

0.077

6.08 91.9

Study # 9345

Dosing solution S.A.

62.45 58.31

Liver

98.8261 109.9512

96hr 96hr 96hr

C8424 C8427 C8427 C8428 C8428

C8429 C8429

C8430 C8430

×

	% RR F		¥		¥		Y Y		NA		200		200		85.08		#DIV/0i		200		11.64		192.28		#DIV/0i
			- ¥		¥		_ ₹		NA		0.000								0.000		0.000		0.000		0.000
	) % Dose		z		Z		Z		Z		0.0		0.00		0.00		0.00			_		_			- [
	Dose (DPM)	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
g C	(mg)	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
,	Eq/g eyes		¥		¥		₹		¥		0.005		0.013		0.045		0.000		0.022		0.052		0.053		0.00
Total	sample		¥		₹		≨		¥		₹		7		ဖ		0		ო		_		7		٥
<b>C</b>	DPM's/g		≨		₹		¥		NA		0.37		1.01		3.26		0.00		1.49		3.64		4.02		0.00
S) eX eQ C	corrected		¥		¥		ž		A	0.00	0.75	2.02	0.00	4.64	1.87	0.00	0.00	0.00	2.98	3.85	3.43	0.16	7.88	0.00	0.00
ć	DPM's/g	75.76	77.88	71.23	66.15	74.63	73.44	79.11	69.42	62.62	73.50	74.77	62.89	77.40	74.63	70.84	69.93	70.53	77.13	78.00	77.58	74.31	82.03	70.81	66.25
Š	DPM's	19	8	18	17	19	5	8	18	16	19	19	17	8	19	18	18	18	8	8	8	19	73	8	4
**************************************	(9)	0.2508	0.2568	0.2527	0.2570	0.2546	0.2587	0.2528	0.2593	0.2555	0.2585	0.2541	0.2580	0.2584	0.2546	0.2541	0.2574	0.2552	0.2593	0.2564	0.2578	0.2557	0.2560	0.2542	0.2566
		2.2675		1.8469		1.7179		1.7773		1.8346		1.8387		1.8241		1.8087		1.8143		1.8153		1.8198		1.7809	
	(eye) wr. (g)	0.2274		0.2405		0.1304		0.1855		0.2327		0.2414		0.2296		0.1998		0.2122		0.2207		0.2378		0.1860	
+ -		19.4772		19.0342		19.0273		19.0691		19.0730		19.0739		19.1220		19.1454		19.0745		19.0527		19.1044		19.2138	
577200	. EAT W.	19.2498	19.2498	18.7937	18.7937	18.8969	18.8969	18.8836	18.8836	18.8403	18.8403	18.8325	18.8325	18.8924	18.8924	18.9456	18.9456	18.8623	18.8623	18.8320	18.8320	18.8666	18.8666	19.0278	19.0278
μCi/mg= emale 96hr Aale 96hr	Mt.(g)	17.2097	17.2097	17.1873	17.1873	17.3094	17.3094	17.2918	17.2918	17.2384	17.2384	17.2352	17.2352	17.2979	17.2979	17.3367	17.3367	17.2602	17.2602	17.2374	17.2374	17.2846	17.2846	17.4329	17.4329
0.26 DPM/g F DPM/g N	Group	-	-	-	<b>,</b>	2	8	7	7	3	ო	က	က	ო	က	က	က	4	4	4	4	4	4	4	4
	Time Pt. Group	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr	96hr
<b>%</b>	Animai ID Tir	C8419				C8425				C8421								C8427						C8430	

и	-	-														
9 0 0	¥ Z	¥	¥	¥		#DIV/0i	#DIV/0I	#DIV/0i	#DIV/0i		10/AIQ#	200		200		1.67
8	¥	₹	¥	Ą		0.000	0.000	0.000	0.000		0.000	0.000		0.000		0.001
(MOT) esch	0 0	00	000	. 0	86175960	86175960 92063400	92063400	87214920 87214920	84444360 84444360	107820960	107820960 100317360	100317360	106839720	106839720	108282720	108282720
Dose	0 0	00	000	0	149.3	149.3 159.5	159.5	151.1 151.1	146.3	186.8	1 <b>86.8</b> 173.8	173.8	185.1	185.1	187.6	187.6
Group Avg ug/g	₹	¥	¥	Ą Y					0.000							0.038
Avg. ugEq/g	≨	₹	¥	¥	000	0.000	0.000	0.000	0.000		0.000	0.026		0.019		0.106
Conc. ug Eq/g	¥	¥	¥	¥	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.052	0.038	0.000	0.105	0.107
Total DPM /rat	¥	¥	¥	A A	0.00	0 0 0 0 0	0.00	0.0 0.0	0 0 0 0	0.00	<b>9</b> 0	329.80	233.49	0.0	704.21	716.09
BW (a)	146.1	148.5	184.6 184.6 0.3 0.3	193.0	143.9	143.9	146.0	147.6 147.6	152.7 152.7	185.0	185.0 192.4	192.4	184.8	184.8	202.9	202.9
Avg.	₹	≨	₹	¥	6	90.0	0.00	0.00	0.00		9	14.96		11.03	;	61.09
DPM's/g	Ą	Ą	¥	Ą	0.00	0.0 0.0	0.00	0.0 0.0	0.00	0.00	<b>3</b> 0	29.93	22.06	0.00	60.58	61.60
Conc.	258.96 221.04	216.85	244.87 203.41 216.17	218.34	207.01	227.46 235.29	216.85	176.68 120.42	225.56 211.55	189.57	216.00	250.63	242.76	215.05	281.28	282.30
Rep.		8 8	3 स स	3 23	92 13	3 %	92	2 2 2 3	27	24	<b>8</b> 73	30	3	28	29	56
Blood wt.	0.1004	0.1198	0.1266 0.1524 0.1249	0.1145	0.1256	0.1187	0.1199	0.1415	0.1197	0.1266	0.1250	0.1197	0.1277	0.1302	0.1031	0.0921
Tare + blood + Solubilizer	17.9312 18.0766	18.0713	na na 17 8993	17.8134	17.9938	18.1138 17.9923	17.8915	<u> </u>	17.9543	e C	na 17.9032	17.9049	Ē	22	룓	ם
CI/mg= male 96hr ale 96hr Tare + hlubilizer	17.8308 17.9635	17.9514	na na 17 7744	17.6989	17.8682	17.9951 17.8648	17.7716	e e	17.8346	EU.	na 17.7782	17.7852	e E	na	ВE	
DPM/g Me	1/F	##	<b>Z Z</b> Z	Z Z Z	3/F	3/F	3/F	3/F	3/F	4/M	4 2 X	4/M	₩,	₩	₩	4/R
и	98h	- Je	96hr 96hr	₩ 198	96hr	96 96 14 16 16 16 16 16 16 16 16 16 16 16 16 16	96hr	96hr 96hr	- 198 - 198 - 198	96hr	<b>96h</b> r	96hr	96hr	96hr	96hr	96hr
Dosing solution S.A.= BKG= 237 BKG= 221 Blood radioactivity	C8419	C8420 C8420	C8425 C8425	C8426	C8421	C8421 C8422	C8422	C8423 C8423	C8424 C8424	C8427	C8427	C8428	C8429	C8429	C8430	C8430

Counts in bold letters are repeats due to non-uniformity of sampling

Dosing solution S.A.= BKG= 94 BKG= 89	ion S.A.= 94 89	0.26 DPM/g F	0.26 μCi/mg= DPM/g Female 96hr DPM/α Male 96hr	577200	DPMs/mg														
Carcass	}																		
					Tare +														
			ı			Sample	:	:	(	(				Conc. ug					
Ci lemin A	Š		(a) W	¥	Solubilizer	(carcass)	Homog.	Kep. Wt.	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	Conc.	DPM's/g	Avg.	Total DPM				2		
C8419	. Par	1	384.2	579 R	698 5	118.7	314.3	0 2706	2 2	200	collect.	200	וון אמוווילום	calcass	(Biri) ason	Dose (IIIg) Dose (DriM) % Dose	% DOSE	70 KK	ا۔
C8419	196		!	•			2	0.2819	2 2 2	92.23	¥	Ž	Ą	Ą	<b>,</b>	o c	ΔĀ	ΔN	
C8420	96hr	-	383.8	568.3	689.1	120.8	305.3	0.2791	92	93.16			<u>.</u>		0	, 0	•	<u>:</u>	
C8420	36hr	_						0.2641	<b>5</b> 8	98.45	¥	¥	ž	¥	0	0	¥	¥	
C8425	96hr	2	383.9	569.2	716.6	147.4	332.7	0.2724	22	80.76					0	0			1
C8425	36hr	7						0.2687	52	93.04	¥	¥	¥	¥	0	0	¥	ž	
C8426	96hr	7	385.3	578.3	731.4	153.1	346.1	0.2949	54	81.38					0	0			
C8426	96hr	2						0.273	27	98.90	ΝΑ	¥	¥	¥	0	0	¥	Ϋ́	
C8421	96hr	3	384.6	575.9	694.8	118.9	310.2	0.2655	31	116.76	22.71				149.3	86175960			
C8421	96hr	က						0.2735	83	102.38	8.32	15.51	4812	0.070	149.3	86175960	9000	92.72	
C8422	96hr	က	384.2	576.1	694.7	118.6	310.5	0.2907	27	92.88	0.00				159.5	92063400			
C8422	96hr	ო						0.2846	25	87.84	0.00	0.0	0	0.000	159.5	92063400	0.00	#DIV/0i	
C8423	96hr	က	385.1	572.5	691.5	119.0	306.4	0.2781	82	104.28	10.22				151.1	87214920			
C8423	96hr	က						0.266	27	101.50	7.45	8.84	2707	0.039	151.1	87214920	0.003	31.41	
C8424	96hr	က	385.0	567.1	9.069	123.5	305.6	0.275	83	101.82	7.76				146.3	84444360			
C8424	96hr	3						0.2605	27	103.65	9.59	8.68	2652	0.037	146.3	84444360	0.003	21.08	
C8427	96hr	4	384.1	570.4	717.1	146.7	333.0	0.313	38	121.41	32.88				186.8	107820960			1
C8427	96hr	4						0.2833	32	123.54	35.02	33.95	11306	0.134	186.8	107820960	0.010	6.3	
C8428	96hr	4	383.6	579.5	733.5	154.0	349.9	0.2914	22	92.66	4.13				173.8	100317360			
C8428	96hr	4						0.3334	82	83.98	0.00	2.07	723	0.008	173.8	100317360	0.001	200	
C8429	96hr	4	384.3	580.8	731.9	151.1	347.6	0.2796	22	89.41	0.89				185.1	106839720			
C8429	96hr	4						0.3374	32	94.84	6.32	3.61	1253	0.014	185.1	106839720	0.001	150.57	
C8430	96hr	4	384.4	280	740.9	160.9	356.5	0.2625	<b>5</b> 8	99.05	10.53				187.6	108282720			
C8430	96hr	4						0.2899	82	100.03	11.51	11.02	3928	0.042	187.6	108282720	0.004	8.96	

Appendix A Cage Rinse

Dosing solution S. 0.26 µCl/mg= 577200 DPMs/mg
BKG= 39 DPM/g Female 96hr
BKG= 40 DPM/g Male 96hr

Study # 9345

		ட					1																			
		% RR		¥	•	Ą		ž		ž		152.71		71.26		55.25		21.79		5.51		63.31		200		#DIV/0i
		% Dose		ž		¥		ž		¥		0.00		0000		0.000		0.002		0.001		0.001		0.000		0.000
		Dose (DPM)	0	0	0	0	0	0	0	0	86175960	86175960	92063400	92063400	87214920	87214920	84444360	84444360	107820960	107820960	100317360	100317360	106839720	106839720	108282720	108282720
	Dose	(mg)	0	0	0	0	0	0	0	0	149.3	149.3	159.5	159.5	151.1	151.1	146.3	146.3	186.8	186.8	173.8	173.8	185.1	185.1	187.6	187.6
Conc. ug	Eq/g	sample		¥		¥		¥		¥		0.01		0.0		0.00		0.03		0.02		0.02		0.01		0.00
Total	DPM in	sample		¥		¥		¥		¥		589		329		71		1417		1013		1010		390		0
	Avg.	DPM's/g		¥		¥		¥		¥		5.58		4.10		0.82		17.60		13.12		10.71		3.74		0.00
	DPM's/g	corrected		¥		ž		₹		¥	1.32	9.83	5.56	2.64	1.05	0.59	15.68	19.51	12.76	13.49	14.10	7.32	7.48	0.00	0.00	0.00
	Conc.	DPM's/g	43.04	37.59	38.33	37.74	41.17	38.49	42.65	37.94	40.49	49.01	44.73	41.81	40.22	39.77	54.86	58.69	52.82	53.55	54.16	47.38	47.54	37.97	33.64	35.90
	Rep.	DPM's	19	11	17	4	18	17	19	17	18	23	20	19	28	<b>\$</b>	74	56	23	74	74	7	7	17	5	16
	Rep. Wt.	6)	0.4414	0.4522	0.4435	0.4505	0.4372	0.4417	0.4455	0.4481	0.4445	0.4489	0.4471	0.4544	0.4475	0.4526	0.4375	0.4430	0.4354	0.4482	0.4431	0.4432	0.4417	0.4477	0.4459	0.4457
	Sample	Wf. (g)	74		57.8		54.9		79.1		105.6		80.3		87		80.5		77.2		<b>8</b>		104.2		106.7	
Tare +	Sample	W. (9)	244.6		229.5		225.6		251.5		276.9		252.4		259.2		251.5		249.5		266.3		276.2		278.2	
	Tare	Wt.(g)	170.6		171.7		170.7		172.4		171.3		172.1		172.2		171		172.3		172.0		172.0		171.5	
	(	dnou 5	<del>-</del>	-	-	-	2	7	7	2	က	ო	က	ო	ო	က	ო	3	4	4	4	4	4	4	4	4
	i		96hr	96h	96hr	96hr	96hr	96hr	96hr	<b>₩</b>	96hr	96hr	96hr	96hr	96h	<b>2</b>	<u>두</u>	96hr	<b>3</b>	96hr						
	Animal	2	C8419	C8419	C8420	C8420	C8425	C8425	C8426	C8426	C8421	C8421	C8422	C8422	C8423	C8423	C8424	C8424	C8427	C8427	C8428	C8428	C8429	C8429	C8430	C8430

Appendix A Cumulative Tables

Study # 9345

% Dose Excreted in urine, feces, GI content, expired air, cage rinse and CO<sub>2</sub> (KOH)

Fischer	Fischer 344, Females	õ						
				Content of				% Dose
Animal I	Group	Urine	Feces	GI tract	Cage rinse	Expired air	<b>CO2 (KOH</b>	excreted
C8421	3	0.014	86.003	0.000	0.001	0.004	0.001	86.022
C8422	က	0.014	84.874	0.001	0.000	0.002	0.003	84.895
C8423	က	0.00	85.582	0.001	0.000	0.001	0.000	85.594
C8424	ဗ	0.013	87.967	0.000	0.002	0.001	0.002	87.985
				Content of				% Dose
Animal I	Group	Urine	Feces	GI tract	Cage rinse*	Expired air	O2 (KOH)	excreted
C8421	3	0.014	86.003	0.000	0.000	0.004	0.000	86.021
C8422	ო	0.014	84.874	0.001	0.00	0.002	0.000	84.891
C8423	ო	0.009	85.582	0.001	0.000	0.001	0.00	85.593
C8424	ო	0.013	87.967	0.000	0.000	0.001	0.000	87.981
	Average	0.012	86.107	0.001	0.000	0.002	0.000	86.122
	SEM	0.001	0.663	0.000	0.000	0.001	0.000	0.662

				Content of	Cage			% Dose
Animal I	Group	Urine	Feces	GI tract	rinse	Expired air	<b>CO2 (KOH</b>	excreted
C8427	4	0.016	88.228	0.002	0.001	0.005	0.001	88.252
C8428	4	0.016	89.754	0.000	0.001	0.003	0.000	89.775
C8429	4	0.015	90.839	0.000	0.000	0.003	0.001	90.858
C8430	4	0.015	89.622	0.000	0.000	0.003	0.001	89.641

980	)ted	51	74	28	41	31	
% Dose							
	_		0.000				
	Expired air	0.005	0.003	0.003	0.003	0.003	0.000
Cage	rinse	0.001	0.001	0.000	0.000	0.001	0.000
Content of	Gl tract*	0.000	0.000	0.000	0.000	0.000	0.000
	Feces	88.228	89.754	90.839	89.622	89.611	0.535
	Urine	0.016	0.016	0.015	0.015	0.016	0.000
	Group	4	4	4	4	Average	SEM
	Animal	C8427	<b>C8428</b>	C8429	<b>C8430</b>		

<sup>\*</sup> not greater than zero based on statistical analysis

Fischer 344, Females

Appendix A Cumulative Tables

% Dose recovered in blood, carcass, eyes, fat, spleen, kidneys, liver and GI tract (emptied)

	ı				i					,					1												ses							
% Dose recovered in tissues& carcasses	0.007	0.001	0.004	0.004		%Dose	recovered	in fleetibe &	500000000000000000000000000000000000000	Calcasses	0.00	0.001	0.004	0.004	0.004	0.001	%Dose	recovered	in tissues&	carcasses	0.011	0.002	0.002	0.005	%Dose	recovered	(emptied) in tissues& carcasses	0.001	0.001	0.001	0.001	0.001	0.000	
GI tract (emotied)	0.000	0.000	0.000	0.000			GI tract		(belling)	(allipued)	20.00	0.00	0.000	0.00	0000	0.00		GI tract		(emptied)	0.001	0.000	0.000	0.000	i	GI tract	(emptied) ir	0.001	0.000	0.000	0.000	0.000	0.000	
Liver	0.000	0.00	0.00	0.00					-0.4		000	0.000	0.00	0.00	0.00	0.000	-			Liver	0.00	0.00	0.000	0.000		i	Liver	0.000	0.001	0.00	0.000	0.00	0.000	
Kidnevs	0.000	0.000	0.000	0.000					0,00p17	o ooo	30.	0.000	0.00	0.000	0000	0.000				Kidneys	0000	0.000	0.000	0.000			Kidneys	0000	0.000	0.00	0.000	0.000	0.00	
Spleen	0.000	0.000	0.000	0.000					Coloon	lippido O	20.0	0.000	0.00	0.000	0.000	0.000				Spleen	0.000	0.000	0.000	0.000			Spleen	0.000	0.000	0.00	0.000	0.000	0.000	
Ţ.	0.000	0.000	0.000	0.000					1 1 1	1000	0000	0:000	0.000	0.000	0.000	0.000				Fat	0.000	0.000	0.000	0.000			Fat*	0.000	0.000	0.000	0.000	0.000	0.000	
Eyes	0.000	0.000	0.000	0.000					#400 H	2000	0000	0.000	0.000	0.000	0.000	0.000			•	Eyes	0.000	0.00	0.00	0.000			Eyes	0.000	0.000	0.00	0.000	0.000	0.000	, N
Carcass	0.006	0.000	0.003	0.003					Carrace	9000	000	0.000	0.003	0.003	0.003	0.001				Carcass	0.010	0.001	0.001	0.004			Carcass*	0.000	0.000	0.00	0.000	0.000	0.000	* not greater than zero based on statistical analysis
Blood	0.000	0.000	0.000	0.000					Blood*	200	9 6	0.000	0.000	0.000	0.000	0.000				Blood	0.000	0.000	0.000	0.001			Blood*	0.000	0.000	0.000	0.000	0.000	0.000	o based on s
Group	e 0	, (1)	m	3					S. C.	200	,	77	ო	က	Average	SEM	4, Males			Group	4	4	4	4			Group	4	4	4	4	Average	SEM	ər than zen
Animal I	C8421	C8422	C8423	C8424					Animal	C8424	00150	C8422	C8423	C8424			Fischer 344, Males			Animal I	C8427	C8428	C8429	C8430			Animal I	C8427	C8428	C8429	C8430	~	<b>4</b> )	* not greate

۶.

Appendix A Cumulative Tables

# % Dose Recovered (all samples)

, 2			
and the contract of the second of the			
		emales	
		Fischer 344, Female:	
		Fisch	

Fischer 344, Males

		1				1		
Total Recovery	` %	88.251	89.776	90.859	89.642	89.632	0.535	1.070
% Dose recovered in	carcasses*	0.000	0.000	0.000	0.000	0000	0.000	0.000
% Dose recovered in	tissues	0.001	0.001	0.001	0.001	0.001	0.000	0.000
% Dose	Excreted							
	Group	4	4	4	4	Average	SEM	SDEV
	Animal ID	C8427						
Total Recovery	(%)	86.027	84.892	85.597	87.985	86.125	0.663	1.325
% Dose Total recovered in Recovery								
	carcasses	9000	0.000	0.003	0.003	0.003		0.002
% Dose recovered in	in tissues carcasses	0.001 0.006	0.001 0.000	0.001 0.003	0.001 0.003	0.001 0.003	0.000 0.001	0.002
% Dase % Dase recovered in	Group Excreted in tissues carcasses	86.021 0.001 0.006	3 84.891 0.001 0.000	3 85.593 0.001 0.003	3 87.981 0.001 0.003	0.001 0.003	0.000 0.001	0.000 0.002

<sup>\*</sup> not greater than zero based on statistical analysis

% Dose excreted in feces and total dose recovery corrected for processing efficiency

Fischer 344, Fernales

	Feces	(% Total	recovery)	99.97	99.98	99.98	99.98	99.98		
Corrected	Total	recovery	(% Dose)	93.506	92.272	93.039	95.635	93.613	0.720	1.441
	Total	recovery	(% Dose)	86.027	84.892	85.597	87.985	86.125	0.663	1.325
		Corrected %	dose excreted	93.499	92.271	93.035	95.630	93.609	0.720	1.440
Corrected	% Dose	recovered	in feces	93.482	92.254	93.024	95.617	93.594	0.720	1.440
	% Dose	recovered in	feces	86.003	84.874	85.582	87.967	86.107	0.663	1.325
		- manufa <sup>r</sup>	Group	က	ო	ო	က	Average	SEM	SDEV
			Animal I	C8421	C8422	C8423	C8424			

### Fischer 344, Males

			Corrected			Corrected	
		% Dose	% Dose		Total	Total	Feces
		recovered in	recovered	Corrected %	recovery	recovery	(% Total
Animal	Group	feces	in feces	dose excreted	(% Dose)	(% Dose)	recovery)
C8427	4	88.228	95.900	95.923	88.251	95.923	99.98
C8428	4	89.754	97.559	97.579	89.776	97.580	96.66
C8429	4	90.839	98.738	98.757	90.859	98.758	99.98
C8430	4	89.622	97.415	97.434	89.642	97.435	99.98
	Average	89.611	97.403	97.423	89.632	97.424	99.98
	SEM	0.535	0.582	0.581	0.535	0.581	
	SDEV	1.071	1.164	1.163	1.070	1.163	

Percent dose recovered in feces was corrected for the sample processing efficiency Total recovery= % dose excreted + % dose recovered in carcasses and tissues

DC Study No. 9345 Appendix B DC Report No. 2001-l0000-50844 Security - Internal

### DOW CORNING CORPORATION HEALTH & ENVIRONMENTAL SCIENCES CONTRIBUTING SCIENTIST REPORT

Title:

Qualitative Analysis of the Radioactivity Profile of Fecal

Homogenates from Male and Female Fischer 344 Rats Following a

1000mg/kg Oral Gavage Dose of <sup>14</sup>C-Polydimethylsiloxane, 350cst

Study No.:

9345

Test Article:

<sup>14</sup>C-Polydimethylsiloxane, 350cst (<sup>14</sup>C-PDMS)

Study Director:

Marina L. Jovanovic, M.S.

**Associate Toxicology Specialist** 

Contributing Scientist:

Debra A. McNett, B.S.

Associate Research Specialist

Sponsor:

**Dow Corning Corporation** 

Sponsor Representative:

Kathleen P. Plotzke, Ph.D.

Manager, Toxicology

**Testing Facility:** 

**Dow Corning Corporation** 

Health and Environmental Sciences

Midland, MI 48686-0094

Contributing Scientist Report

Completion Date:

November 6, 2001

Security Statement:

Dow Corning Internal. This report may be reproduced and shared with any Dow Corning employee. Distribution outside the Corporation must be approved by the Director of Health and Environmental sciences. When this INTERNAL report is no longer needed, it may be placed in office waste

baskets for destruction.

### **TABLE OF CONTENTS**

ABST	RACT4
APPR	OVAL SIGNATURES6
OBJE	CTIVE7
EXPE	RIMENTAL DESIGN7
	Introduction7
	Sample Processing and Analysis7
	Part 1 – Groups 1-47
	Part 3 – Groups 7-89
DEVIA	ATIONS11
RESU	LTS AND DISCUSSION11
CONC	LUSIONS15
ARCH	IVE15
REFE	RENCES15
LIST	OF TABLES
1.	HPLC Equipment and Parameters for Fecal Extract Analysis10
2.	Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Samples and
	Study 12-hr, 24-hr, and 48-hr Feces Samples with Tetrahydrofuran (THF)16
3.	Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Samples and
	Study 12-hr, 24-hr, and 48-hr Feces Samples with Toluene17
4.	Extraction Efficiency Results from the Extraction of Study 12-hr, 24-hr, and 48-hr Feces Samples
	with Toluene Compared to Solubilization and Analysis Done Concurrently18
5.	Stability Analysis: Comparison of Solubilizations and Analyses After Initial Analysis and After
	Storage19
6.	Spiking Experiment: Extraction Recovery Results for Homogenized Feces Samples (Spiked After
	Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After Spiking)
	After 1 Day of Frozen Storage20
7.	
	Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After Spiking)
	After 30 Days of Frozen Storage21
8.	Spiking Experiment: Solubilization Recovery Results for Homogenized Feces Samples (Spiked
	After Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After
	Spiking) After 1 Day and 30 Days of Frozen Storage22
9.	Extraction Efficiency Results from the Extraction of Study 12-hr, 24-hr, and 48-hr Feces
	Samples from Part 3 with Toluene and Tetrahydrofuran (THF)

<ol><li>Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Sam</li></ol>	ples from
Part 3 with Toluene and Tetrahydrofuran (THF)	24
LIST OF FIGURES	
1. Example Radio-Chromatograms from THF Extracts of Fecal Homogenates	25
2. Example Radio-Chromatograms of THF Solvent Standards of <sup>14</sup> C-PDMS, 350cSt and	<sup>14</sup> C-D <sub>4</sub> 26
3. Example Radio-Chromatograms from Toluene Extracts of Fecal Homogenates	27
LIST OF ATTACHMENTS	4
Attachment A	28
Attachment B	36
Attachment C	49
Attachment D	53
Attachment E	59

### **ABSTRACT**

The objective of the work reported in this contributing scientist report was to evaluate the radioactivity profile from feces collected from male and female Fischer 344 rats following an oral gavage dose of approximately 1000 mg <sup>14</sup>C-PDMS, 350cst/kg body weight. Feces were collected from animals housed in Roth style glass metabolism cages designed for the separate collection of expired volatiles, expired <sup>14</sup>CO<sub>2</sub>, urine, and feces. The feces were homogenized with Milli-Q water in a 3:1 v:w ratio of water to feces. Aliquots of the fecal homogenates were solubilized and analyzed by liquid scintillation counting (LSC) as part of the protocol to determine the radioactivity content in each sample. After reviewing the results from these analyses, the samples having radioactivity contents greater than 100,000 dpm/g fecal homogenate were selected for extraction. Aliquots of the 12-hour, 24-hour and 48-hour fecal homogenates were selected and initially extracted with tetrahydrofuran and analyzed by high performance liquid chromatography with radiochemical detection using a gel-permeation column. The amount of radioactivity extracted was compared to the amount of radioactivity found by solubilization and liquid scintillation analysis of the fecal homogenates in order to determine the extraction efficiency. The resulting extraction efficiencies from the tetrahydrofuran extraction averaged 77%, 85%, and 73% for 12-, 24-, and 48-hour fecal homogenate extracts, respectively. The tetrahydrofuran extracts were then analyzed by HPLC with radiometric detection for a qualitative determination of the profile of radioactivity present in the fecal homogenate extracts. The results of these analyses of all samples and at all time points gave similar radioactivity profiles as a solvent standard of 350 cSt PDMS fluid as well as matrix standards containing 350cSt PDMS fluid (extracts of spiked control fecal homogenates) indicating that all of the radioactivity present in the fecal homogenates was parent 350cSt PDMS. Several additional experiments were performed in order to improve the extraction efficiencies. Results of these experiments indicated that PDMS binds to feces after frozen storage and this bound PDMS is un-extractable in a one solvent extraction. However, the radioactivity can still be quantified by solubilization and liquid scintillation analysis, although, some loss may occur that can be attributed to loss of PDMS to the glass container.

An additional dosing experiment was done where samples were immediately processed for extraction with toluene, and subsequently also with tetrahydrofuran (THF) in order to avoid the sample storage/freeze-thaw instability seen previously. These results showed that extraction of PDMS, 350cst from feces obtained from dosed animals could be done quantitatively (92%) with

DC Report No. - 2001-l0000-50844 Security - Internal

DC Study No. - 9345 Appendix B

a two solvent extraction consisting of toluene first and then THF and that the radioactivity present in the feces was confirmed to be unchanged PDMS, 350cst.

### **APPROVAL SIGNATURES**

This report consists of pages 1 through 73 including Tables 1-10, Figures I-3, and Attachments A-E.

Debra M. Monett

*flov. 6, 2001*Date

Debra A. McNett., B.S.

Associate Research Specialist

**Contributing Scientist** 

**Bioanalytical Support** 

### **OBJECTIVE**

The objective of the work reported in this contributing scientist report was to evaluate the radioactivity profile from feces collected from male and female Fischer 344 rats following an oral gavage dose of approximately 1000 mg <sup>14</sup>C-PDMS 350cst/kg body weight.

### **EXPERIMENTAL DESIGN**

### Introduction

Experimental design and specific information regarding the test article, test system, route of exposure, dose groups, sample collection, and statistical analysis can be found in the body of the main report.

### Sample Processing and Analysis

The results reported in this contributing scientist report pertain to the rats in dose groups 1-4 (Part 1), 7 and 8 (Part 3).

### Part 1 - Groups 1-4

Feces samples and contents of GI tracts were weighed following collection and processed for radioactivity analysis by liquid scintillation counting (LSC). The feces and GI content samples were homogenized with Milli-Q water at 3:1 v:w ratio of water to feces or GI content. The aliquots of the fecal or GI content homogenates were solubilized using 35% TEAH and processed for radioactivity analysis by LSC. The results of these analyses were reviewed to determine which samples had greater than 100,000 dpm/g homogenate which would give sufficient sensitivity upon analysis. Only the 12-hr, 24-hr and 48-hr fecal homogenate samples had sufficient radioactivity levels greater than 100,000 dpm/g homogenate.

Aliquots of the 12-hour, 24-hour and 48- hour fecal homogenates were initially extracted with tetrahydrofuran (THF) three times combining the three extracts for each sample. In addition quality control (QC) samples were prepared by spiking varying amounts of the <sup>14</sup>C-PDMS dosing solution into control fecal homogenate samples. These QC samples were then extracted with THF along with the study samples at the same time using the same procedure. A qualitative assessment was then made of the THF extracts using high performance liquid chromatography (HPLC) with radiochemical detection on a gel-permeation column in order to determine if the radioactivity present in the feces was

DC Study No. - 9345 Appendix B

unchanged <sup>14</sup>C-PDMS. In addition, the amount of radioactivity extracted into the THF extracts was determined by LSC. The amount of radioactivity found in the extracts was then compared to the amount of radioactivity found by solubilization and liquid scintillation analysis of the fecal homogenates in order to determine the extraction efficiency. For the QC samples, the amount of radioactivity present in the THF extracts was compared to the amount of radioactivity spiked into the control fecal homogenates in order to determine the extraction efficiency.

After evaluation of the extraction efficiencies found from the THF extraction of the QC samples and the fecal homogenate samples, the protocol was amended to include extraction of the samples with toluene in order to try to attain higher extraction efficiencies for the QC samples and fecal homogenate samples. After some method development with toluene as the extraction solvent with QC samples, aliquots of the 12-hour, 24-hour and 48hour fecal homogenates were extracted with toluene following the THF extraction procedure (3 extractions) with the exception that toluene was used as the extraction solvent instead of THF. As before, QC samples were prepared by spiking varying amounts of the <sup>14</sup>C-PDMS dosing solution into control fecal homogenate samples. These QC samples were then extracted along with the study samples at the same time using the same toluene extraction procedure. A qualitative assessment was then made of the toluene extracts using high performance liquid chromatography (HPLC) with radiochemical detection on a gelpermeation column in order to determine if the radioactivity present in the feces was unchanged <sup>14</sup>C-PDMS in the same manner as before with the THF extracts. In addition, the amount of radioactivity extracted into the toluene extracts was determined by LSC. The amount of radioactivity found in the extracts was again compared to the amount of radioactivity found previously by solubilization and liquid scintillation analysis of the fecal homogenates in order to determine the extraction efficiency. For the QC samples, the amount of radioactivity present in the toluene extracts was compared to the amount of radioactivity spiked into the control fecal homogenates in order to determine the extraction efficiency.

Upon investigation of the extraction efficiencies, additional aliquots of the 12-hour, 24-hour and 48-hour fecal homogenate samples were taken. Single aliquots of each sample were extracted a second time with toluene and the extracts were analyzed by liquid scintillation analysis. Duplicate aliquots of the same samples were also taken at the same time, solubilized with 35% TEAH and analyzed by liquid scintillation analysis.

Additional method development with fecal sample spikes was initiated to determine the cause of the low extraction efficiencies that were seen with the previous sample experiments. Two concentrations of <sup>14</sup>C-PDMS spiked samples and one control sample were prepared for analysis on the same day by each of two different procedures (six samples total). In the first procedure, control feces were homogenized. The control feces homogenate was separated into three fecal homogenate samples in sizes similar to those collected as study samples (approximately 6g feces & 18g homogenate total) and into the same jars as used for the study samples. The samples were then fortified with 0g, 0.033g, or 0.058g of <sup>14</sup>C-PDMS test article. These samples were then mixed by vortexing for approximately 5 minutes. In the second procedure, three control fecal pellet samples (nonhomogenized) in sizes similar to those collected as study samples (approximately 6g) and the same jars as used for study samples were fortified with 0g, 0.0392g or 0.0598g of <sup>14</sup>C-PDMS test article. The six jars of fecal samples (both homogenized and non-homogenized) were then stored frozen at -80±10°C overnight. The next day all six samples were removed from frozen storage and allowed to thaw on ice. The three samples that had not been homogenized prior to spiking, were then homogenized (see deviation). Aliquots were removed from each of the six jars for extraction with toluene (3 times) and direct analysis by liquid scintillation analysis of the toluene extract. In addition, aliquots of the six fecal homogenate samples were removed from each jar for solubilization with TEAH and liquid scinitallion analysis of the solubilized samples. The six jars were placed back in frozen storage at -80±10°C for 30 days. After frozen storage for 30 days, the six jars were removed from storage, allowed to thaw on ice, and aliquots were removed from each of the six jars for extraction with toluene (3 times) and analysis by liquid scintillation analysis as described previously. At the same time, aliquots were again removed from each jar for solubilization and subsequent liquid scintillation analysis.

### Part 3 - Groups 7-8

In order to fully account for all of the radioactivity present in the feces, a new dosing experiment was initiated. Details of the dosing and animal care for this additional experiment can be found in the body of the main report. The feces samples collected from the two additional male and two additional females dosed in this additional experiment were immediately homogenized with Milli-Q water at 3:1 v:w ratio of water to feces with a tissue homogenizer following collection at the 12-hour, 24-hour and 48-hour timepoint on each day. Immediately after the feces samples were homogenized, aliquots were taken for

solubilization with 35% TEAH and subsequent LSC analysis as well as for extraction with toluene (3x) and subsequent analysis by HPLC/RAD and LSC. At no time were the samples stored frozen or thawed, instead they were processed immediately following collection in order to avoid the extraction efficiency problems seen in Part 1 of the experiment. As was done in Part 1, at the same time, QC samples were prepared by spiking control fecal homogenate samples with varying amounts of <sup>14</sup>C-PDMS and processed and analyzed in the same manner as the samples. Upon analysis of the toluene extraction efficiencies found for these samples by LSC analysis, the fecal residues remaining from the toluene extraction were extracted with THF (3x), followed by solubilization of the remaining fecal residue with 35% TEAH to determine the unextractable radioactivity remaining. QC's were also made for THF extraction and analyzed along with the samples. Aliquots of the THF extract as well as the solubilized fecal residue remaining were analyzed by LSC for radioactivity determination. Aliquots of both the toluene and THF extracts were analyzed separately by HPLC/RAD as previously described for a qualitative assessment of the radioactivity present.

The following table details the HPLC conditions used for analysis in both Parts 1 and 3:

Table 1. HPLC Equipme	ent and Parameters for Fecal Extract Analysis
Equipment/Parameter	System Specifications
Pump	Hewlett Packard 1050 Quaternary HPLC Pump
Detector	Packard Radiomatic A-515A
Autosampler	Hewlett Packard 1050 Series Autosampler
Data Acquisition	IBM Personal Computer 350
	Hewlett Packard Chemstation for LC Rev. A.05.01
	Packard Radiomatic FLO-ONE/Data Control Series
	A-500, Version 3.5.5
Analytical Column	Plgel 5µm 100A column, 300mm x 7.5mm ID
Mobile Phase	100% Tetrahydrofuran, or 100% Toluene
·	depending on which extraction solvent
	was used
Run Time	60 minutes
Injection Volume	100 μL
Flow Rate	HPLC at 1.0 mL/minute
	Radiomatic at 3.0 mL/minute
Liquid Scintillation Cocktail	Ultima Flo M

DC Study No. - 9345 Appendix B

All remaining sample processing and analysis parameters can be found in the body of the main report.

### **DEVIATIONS**

1. An SOP deviation was reported from SOP #PKM.2.16 when the non-homogenized (homogenized after spiking) samples were homogenized. The weights of the total sample of feces plus the Milli-Q water added for homogenization were not recorded for these three samples. As a result, the concentration (dpm/g of homogenate) of <sup>14</sup>C-PDMS could not be exactly gravimetrically calculated from the dpm/g of feces. A theoretical dilution of 0.25 (1/4) was used as the SOP requires dilution of the feces 1:3 w:v with Milli-Q water. In the original homogenizations of the study samples, where the final weights were properly taken as specified in the SOP, the average dilution was 0.2516. Based on this, it is assumed that using the theoretical dilution of 0.25 does not make the final dpm/g homogenate significantly different than it would have been if the exact dilution was known. As a result, this assumption that had to be made does not adversely affect the study outcome.

### **RESULTS AND DISCUSSION**

Individual extraction efficiency results from the THF extraction of the 12-, 24-, and 48-hour fecal homogenates as well as the QC samples can be found in table 2 and all calculations can be found in attachment A. The THF extraction efficiencies averaged 77%, 85%, and 73% for 12-, 24-, and 48-hour fecal homogenate extracts, respectively and 78% for the QC samples. The THF extracts were then analyzed by HPLC with radiometric detection for a qualitative determination of the profile of radioactivity present in the fecal homogenate extracts. The results of these analyses of all samples and at all time points gave similar radioactivity profiles as a THF solvent standard of 350 cst PDMS fluid as well as the QC samples indicating that all of the THF extractable radioactivity present in the fecal homogenates was parent 350cSt PDMS. Example radio-chromatograms of a 12-hour male, 12-hour female, and a QC fecal homogenate THF extracts are presented in figure 1. Example radio-chromatograms of THF solvent standards containing <sup>14</sup>C-PDMS or <sup>14</sup>C-octamethylcyclotetrasiloxane (<sup>14</sup>C-D<sub>4</sub>) are presented in figure 2.

Due to the less than optimum extraction efficiencies found with the THF extractions for both the study samples when compared to the solubilizations and analyses, and for the QC samples,

method development work was initiated to try to find a more suitable extraction solvent. It was determined as a result of this method development work (see attachment B) that extraction of QC samples with toluene resulted in extraction efficiencies closer to 100%. As a result, a protocol amendment was written to include extraction of the study samples with toluene in order to account for a larger percentage of the total radioactivity. Individual extraction efficiency results from the toluene extraction of the 12-, 24-, and 48-hour fecal homogenates as well as the QC samples can be found in table 3 and calculations can be found in attachment B. The toluene extraction efficiencies averaged 72%, 81%, and 50% for the 12-, 24-, and 48-hour fecal homogenate extracts, respectively, and 95% for the QC samples. The toluene extracts were also analyzed by HPLC with radiometric detection for a qualitative determination of the profile of radioactivity present in the fecal homogenate extracts. The results of these analyses of all samples and at all time points gave similar radioactivity profiles as toluene extracted QC samples indicating that all of the toluene extractable radioactivity present in the fecal homogenates was parent 350cSt PDMS. Example radio-chromatograms of a 12-hour male, 12-hour female, and a QC fecal homogenate toluene extracts are presented in figure 3.

Upon finding even lower extraction efficiencies for the toluene extractions of the study samples when compared to the original solubilizations and LSC analyses than observed with the THF extractions, even though the QC samples run along with these samples showed quantitative extraction (95%), it was postulated that the PDMS was perhaps migrating and binding to the glass jars after prolonged frozen storage of aqueous fecal homogenate. The initial extractions with THF were performed on 3/28/00 and the toluene extractions were initiated on 6/13/00. In order to test this hypothesis, aliquots of the 12-, 24-, and 48-hour samples were once again taken for toluene extraction and LSC analysis on 8/7/00. In addition, at the same time, aliquots were taken for solubilization and analysis by LSC. Comparisons were made between the analyses of the toluene extractions and the solubilizations done at the same time. Results from these analyses can be found in table 4. Individual results can be found in attachment C. The extraction efficiencies averaged 31%, 43%, and 30% for the 12-, 24-, and 48-hour fecal homogenates when compared to the solubilization and analysis done concurrently. The solubilization analyses done originally (table 2) and done at the same time as this extraction (table 4) were also compared. Results from this comparison can be found in table 5 and individual results can be found in attachment C. The average % recovery (8/7/00 analysis / original analysis x 100) comparing these different times of analyses was 100%. As a result, even though the extraction efficiencies continued to decrease after storage, the amount found upon solubilization and direct LSC analysis stayed the same. Based on these results, it was

DC Study No. - 9345 Appendix B

presumed that the loss of PDMS upon extraction was either due to un-extractable binding to the fecal components or to degradation of the PDMS to polar products that are un-extractable with toluene.

A spiking experiment was designed to try to further understand the cause of the extraction efficiency losses seen. The experiment consisted of two types of samples as described in the Sample Processing and Analysis section. The first type (homogenized and then spiked) was used to test to see if any loss was found due to migration to the glass jar. The second type (Non-homogenized – spiked and homogenized after) represented how the study samples were handled (the study sample feces were collected and stored frozen prior to homogenization). The samples were then homogenized and aliquots were taken for solubilization in 35% TEAH and extraction in toluene. Aliquots of these six samples (3 homogenized and 3 nonhomogenized) were taken after 1 day of frozen storage for analysis by extraction and solubilization. The six homogenized samples were returned to frozen storage for 30 days, at which time, aliquots were again removed for analysis by extraction and solubilization. Extraction efficiencies were determined by comparison to the solubilizations and analyses done concurrently. Results from the extractions and solubilizations performed 1 day and 30 days following spiking can be found in tables 6 and 7, respectively. Individual results including all calculations can be found in attachment D. The average extraction efficiencies of the spiked homogenized feces (compared to solubilization) were 92% after 1 day of storage and 90% after 30 days of storage. The variability for this type of sample was quite high, however, indicating that the homogeneity of the PDMS in the samples that had been homogenized prior to spiking was poor. In spite of this variability, the recoveries indicated that the PDMS was not binding to the feces after homogenization. In contrast, the average extraction efficiencies of the nonhomogenized sample (homogenized 1 day after spiking) after 1 day of storage was 84% and 44% after 30 days of storage. The variability was low for these samples indicating that the homogeneity of the PDMS was quite good. The loss after 30 days of storage in these samples that most closely mimic how the study samples were handled could be attributed to binding of the PDMS to the feces that cannot be extracted. This binding apparently cannot be broken through extraction with toluene and it becomes more pronounced with increased storage time. The binding apparently only occurs if the PDMS is initially in direct contact with the fecal pellets, i.e. not diluted with water and homogenized. Another possibility is that the PDMS is degrading with freeze-thaw cycles and the degradation products may be polar and hence not extractable with toluene.

In addition, the solubilization and analyses of these spiked samples were compared after 1 and 30 days of storage to the actual amount of PDMS spiked. These results can be found in table 8. Individual results and all calculations can be found in attachment D. The average radioactivity recovery found by solubilization and LSC analysis of the homogenized samples after 1 day of storage was 104% and after 30 days of storage it was 86%. Again, the variability was high, indicating a problem with homogeneity of the highly hydrophobic PDMS in the aqueous feces homogenate. The average radioactivity recovery from the non-homogenized samples (homogenized after spiking) after solubilization was 92% of the amount spiked after 1 day of storage, and 89% after 30 days of storage. Results from this comparison may indicate that some loss (approximately 10%) can be attributed to loss of the PDMS to the sample processing and binding to the glass container. This has been seen with another hydrophobic siloxane, octamethylcyclotetrasiloxane. 1,2 The efficiency of solubilization and LSC analysis done in the same container without transferring from aqueous samples was previously determined during method development and averaged 104%. These results further indicated that the approximately 10% loss seen for the solubilization processing efficiencies (when an aliquot is transferred from the aqueous sample) can be attributed to binding of the hydrophobic PDMS to the glass container.

In order to fully account for all of the radioactivity present in the feces, a new dosing experiment was initiated. As described in the Sample Processing and Analysis section, the feces collected from the 2 male and 2 female rats from the 12-hour, 24-hour and 48-hour time points were processed for analysis by both extraction with toluene (3x) and solubilization immediately following collection. The results from the toluene extraction of these samples can be found in Table 9 and the results from the extraction of QC samples run alongside these samples can be found in Table 10. Individual results and calculations can be found in attachment E. The extraction of the samples in toluene when compared to the solubilization and LSC analysis gave an average of 77%. Upon this discovery, the remaining fecal residues were extracted with THF (3x). These additional extractions gave an additional average of 14% (also shown in Table 9). The total amount extracted in the two solvents was an average of 92% when compared to the solubilization and LSC analysis. The remaining fecal residue after both solvent extractions was also solubilized and analyzed by LSC and resulted in only an additional average of 1% remaining unextracted. In addition, both the toluene and THF extracts were analyzed by HPLC/RAD separately along with the respective QC sample extracts. The results from these analyses indicated that the radioactivity in both solvents was consistent with 14C-PDMS as seen in the QC sample extracts (extracts of <sup>14</sup>C-PDMS spiked control feces) as well as with the

respective solvent standards of <sup>14</sup>C-PDMS. This result further supports that the low recoveries were not attributed to degradation to polar metabolites that aren't extractable into the extraction solvent, but rather that the PDMS binds to the feces and requires a two solvent extraction.

### **CONCLUSIONS**

The results from the analysis of feces samples showed that extraction of PDMS, 350cst from the feces could be done quantitatively with a two solvent extraction (toluene and THF) and that the radioactivity present in the feces was confirmed to be unchanged PDMS, 350cst, indicating that neither metabolism prior to excretion nor degradation upon storage or freeze-thaw cycles is occurring. In addition, some loss (approximately 10%) is seen due to PDMS binding to the glass container.

### **ARCHIVE**

Study related records, inclusive of, but not limited to sample preparation records, Excel worksheets, and the final report, will be maintained in the archives of Dow Corning Corporation, Midland, MI.

### REFERENCES

- 1. Seaton, M.J., and K.P. Plotzke (1998) Non-regulated Study: Determination of the Fate of Octamethylcyclotetrasiloxane (D<sub>4</sub>) in Selected Rat Tissues. Dow Corning Report # 1998-10000-44446.
- 2. McNett, D.A., J.A. Durham, K.P. Plotzke, and M.J. Seaton, (2000) An Evaluation of Methods for Determining <sup>14</sup>C-Octamethylcyclotetrasiloxane (<sup>14</sup>C-D<sub>4</sub>) Disposition: Sample Stability on Storage. Dow Corning Report # 2000-10000-48364.

Table 2. Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Samples and Study 12-hr, 24-hr, and 48-hr Feces Samples with Tetrahydrofuran (THF) done on 3/28/00 (~ 1 month following collection)

<del></del>		AVg. DPM's/g			
1		found from			
		solubilization	Avg. DPM's/g		% Avg.
1	Time	or spiked (for	found from	%	_
Animal ID	Point	QC's)	extraction		Recovery For
Ammario	POMIL			Recovery	Timepoint
DI(-			Feces QC Samp	les	
Blank		0	0		
Spike A		9684	7109	73	78
Spike B		354069	296090	84	
Spike C		783444	614390	78	
			Extracted Fece	_	
C8421	12-hr	3390019	2320117	68	77
C8422	12-hr	2982693	2430921	82	
C8423	12-hr	799785	658305	82	
C8424	12-hr	4148561	3385183	82	
C8427	12-hr	3036609	2205748	73	
C8428	12-hr	4509974	3596152	80	
C8429	12-hr	4474675	3297609	74	
C8430	,12-hr	827921	648594	78	
		24-Hour THF	<b>Extracted Feces</b>	5	
C8421	24-hr	5822632	5241812	90	85
C8422	24-hr	3460076	2913768	84	
C8423	24-hr	6346882	5456971	86	
C8424	24-hr	2671982	2158175	81	
C8427	24-hr	6309211	5229793	83	
C8428	24-hr	4278045	3630806	85	
C8429	24-hr	3548588	2791073	79	
C8430	24-hr	4247633	3990625	94	
		48-Hour THF	<b>Extracted Feces</b>	•	
C8421	48-hr	378824	264870	70	73
C8422	48-hr	96260	72579	75	
C8423	48-hr	431253	338292	78	
C8424	48-hr	89762	66005	74	
C8427	48-hr	475761	352008	74	
C8428	48-hr	259009	181853	70	
C8429	48-hr	81744	52032	64	
C8430	48-hr	223590	167887	75	

Table 3. Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Samples and Study 12-hr, 24-hr, and 48-hr Feces Samples with Toluene done 6/13/00 (~ 4 months following collection)

		AVg. DPM'S/g			
		found from			
		solubilization	Avg. DPM's/g		% Avg.
	Time	or spiked (for	found from	%	Recovery For
Animal ID	Point	QC's)	extraction	Recovery	Timepoint
Ailliatio		Toluene Extracte			
Blank		0	0		
Spike A		20513	19230	94	95
Spike A		571882	541766	95	
Spike C		1324648	1260037	95	
Opike C			ne Extracted Fe	ces	
C8421	12-hr	3390019	2827024	83	72
C8422	12-hr	2982693	2329299	78	
C8423	12-hr	799785	330950	41	
C8424	12-hr	4148561	2829295	68	
C8427	12-hr	3036609	2037298	67	
C8428	12-hr	4509974	3655997	81	
C8429	12-hr	4474675	3595321	80	
C8430	12-hr	827921	620079	75	
00.00		24-Hour Tolue	ne Extracted Fe	ces	
C8421	24-hr	5822632	6548106	112	81
C8422	24-hr	3460076	2783603	80	
C8423	24-hr	6346882	5539934	87	•
C8424	24-hr	2671982	1986908	74	
C8427	24-hr	6309211	4036856	64	
C8428	24-hr	4278045	3348558	78	
C8429	24-hr	3548588	2449814	69	
C8430	24-hr	4247633	3510330	83	
		48-Hour Tolue	ne Extracted Fe	ces	
C8421	48-hr	378824	230843	61	50
C8422	48-hr	96260	43555	45	
C8423	48-hr	431253	337098	. 78	
C8424	48-hr	89762	44246	49	
C8427	48-hr	475761	191906	40	
C8428	48-hr	259009	80023	31	
C8429	48-hr	81744	41145	50	
C8430	48-hr	223590	102322	46	

Table 4. Extraction Efficiency Results from the Extraction of Study 12-hr, 24-hr, and 48-hr Feces Samples with Toluene Compared to Solubilization and Analysis Done Concurrently on 8/7/00 (~ 5 months following collection)

	***************************************	AVg. DPM's/g			
		found from			
		solubilization	Avg.		% Avg.
		done	DPM's/g		Recovery
	Time	concurrently with	found from	%	For
Animai ID	Point	extraction	extraction	Recovery	Timepoint
		12-Hour Toluene	Extracted Fe	ces	
C8421	12-hr	2894319	1636016	57	31
C8422	12-hr	3522034	1575317	45	
C8423	12-hr	Not enough sample	remaining for	analysis	•
C8424	12-hr	4299474	1108032	26	
C8427	12-hr	2629325	310738	12	
C8428	12-hr	4542362	1086456	24	
C8429	12-hr	3930450	1299604	33	
C8430	12-hr	675749	144557	21	
		24-Hour Toluene	Extracted Fe		
C8421	24-hr	5552707	2816443	51	43
C8422	24-hr	3568235	1521461	43	
C8423	24-hr	6965786	3547250	51	
C8424	24-hr	2605425	960845	37	
C8427	24-hr	5486894	2146492	39	
C8428	24-hr	4740681	1989137	42	
C8429	24-hr	3645123	2015688	55	
C8430	24-hr	4290316	1293691	30	
		48-Hour Toluene	Extracted Fe		
C8421	48-hr	356954	143195	40	30
C8422	48-hr	131349	24569	19	
C8423	48-hr	417789	198296	47	
C8424	48-hr	89437	44126	49	
C8427	48-hr	457411	97914	21	
C8428	48-hr	286296	35722	12	
C8429	48-hr	83245	28875	35	
C8430	48-hr	228630	32602	14	

Table 5. Stability Analysis: Comparison of Solubilizations and Analyses After Initial Analysis and After Storage done 8/7/00 (~ 5 months following collection)

	<del> </del>		·		
		Avg. DPM's/g	Avg. DPM's/g		% Avg.
		found from	found from		Recovery
	Time	solubilization	solubilization	%	For
Animal ID	Point	done originally	after storage	Recovery	Timepoint
		12-Hour So	lubilized Feces		
C8421	12-hr	3390019	2894319	85	95
C8422	12-hr	2982693	3522034	118	
C8423	12-hr	799785	Not enough sample	e remaining f	or analysis
C8424	12-hr	4148561	4299474	104	
C8427	12-hr	3036609	2629325	87	
C8428	12-hr	4509974	4542362	101	
C8429	12-hr	4474675	3930450	88	
C8430	12-hr	827921	675749	82	
		24-Hour So	lubilized Feces		
C8421	24-hr	5822632	5552707	95	101
C8422	24-hr	3460076	3568235	103	
C8423	24-hr	6346882	6965786	110	
C8424	24-hr	2671982	2605425	98	
C8427	24-hr	6309211	5486894	87	
C8428	24-hr	4278045	4740681	111	
C8429	24-hr	3548588	3645123	103	
C8430	24-hr	4247633	4290316	101	
		48-Hour So	lubilized Feces		
C8421	48-hr	378824	356954	94	105
C8422	48-hr	96260	131349	136	
C8423	48-hr	431253	417789	97	
C8424	48-hr	89762	89437	100	
C8427	48-hr	475761	457411	96	
C8428	48-hr	259009	286296	111	
C8429	48-hr	81744	83245	102	
C8430	48-hr	223590	228630	102	
			Aver	age of all =	100

Table 6. Spiking Experiment: Extraction Recovery Results for Homogenized Feces Samples (Spiked After Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After Spiking) After 1 Day of Frozen Storage

Sample ID	Avg. DPM's/g found from solubilization	Avg. DPM's/g found from extraction	% Recovery	% Avg. Recovery For Level
Homogen	ized Feces Sample	es (Spiked After H	łomogenizat	ion)
Blank 1-HOM	174	2127		
Blank 2-HOM	132	2217		
Blank 3-HOM	171	1937		
Spike A-1-HOM	2369126	2481592	105	108
Spike A-2-HOM	2424086	3432373	142	
Spike A-3-HOM	2927358	2299338	79	
Spike B-1-HOM	3701558	4157822	112	76
Spike B-2-HOM	10049672	4895983	49	
Spike B-3-HOM	6114122	4019993	<b>6</b> 6	
		Average of be	oth levels =	92
Non-Homo	genized Feces Sar	nples (Homogeni	zed after Spi	king)
Blank 1-NON	. 113	1756		
Blank 2-NON	108	1732		
Blank 3-NON	118	1760		
Spike A-1-NON	791201	633207	80	81
Spike A-2-NON	739606	629251	85	
Spike A-3-NON	780374	605479	78	
Spike B-1-NON	1281280	1139051	89	88
Spike B-2-NON	1289873	1130867	88	
Spike B-3-NON	1279340	1115932	87	
·		Average of be	oth levels =	84

Table 7. Spiking Experiment: Extraction Recovery Results for Homogenized Feces Samples (Spiked After Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After Spiking) After 30 Days of Frozen Storage

F	Ava Delivora	Ave Brillia		
	Avg. DPM's/g found from	Avg. DPM's/g found from	<b>a</b> /	% Avg.
Comple ID			%	Recovery
Sample ID	solubilization	extraction	Recovery	For Level
	ized Feces Sample		łomogenizat	ion)
Blank 1-HOM	133	2343		
Blank 2-HOM	133	2223		
Blank 3-HOM	134	1989		
Spike A-1-HOM	2609406	3530569	135	106
Spike A-2-HOM	2530738	2076846	82	
Spike A-3-HOM	2263887	2311849	102	·
Spike B-1-HOM	6375996	3087703	48	73
Spike B-2-HOM	4304158	3964176	92	
Spike B-3-HOM	3946319	3128189	79	
		Average of bo	oth levels =	90
Non-Homo	genized Feces San	nples (Homogeni:	zed after Spi	king)
Blank 1-NON	142	2343	-	
Blank 2-NON	133	1914		
Blank 3-NON	121	1802		
Spike A-1-NON	732256	309826	42	44
Spike A-2-NON	745617	330733	44	
Spike A-3-NON	749244	342738	46	
Spike B-1-NON	1237402	536107	43	43
Spike B-2-NON	1271085	513975	40	
Spike B-3-NON	1234887	567235	46	
		Average of bo	th levels =	44

Table 8. Spiking Experiment: Solubilization Recovery Results for Homogenized Feces Samples (Spiked After Homogenization) and Non-Homogenized Feces Samples (Homogenized 1 Day After Spiking) After 1 Day and 30 Days of Frozen Storage

Sample ID	DPM's/g Spiked	Avg. DPM's/g found from solubilization after 1 Day	% Recovery after 1 Day	% Avg. Recovery after 1 Day For Level	Avg. DPM's/g found from solubilization after 30 Days	% Recovery after 30 Days	% Avg. Recovery after 30 Days For Level
	Homoge	enized Feces Sar	nples (Spike	d After Homo	genization)		
Blank 1-HOM	0	174			133		
Blank 2-HOM		132			133		
Blank 3-HOM		171			134		
Spike A-1-HOM	3047541	2369126	78	84	2609406	86	81
Spike A-2-HOM		2424086	80		2530738	83	
Spike A-3-HOM		2927358	96		2263887	74	
Spike B-1-HOM	5327567	3701558	69	124	6375996	120	92
Spike B-2-HOM		10049672	189		4304158	81	
Spike B-3-HOM		6114122	115		3946319	74	
		Average of bo	oth levels =	104	Average of	f both levels =	86
N <sub>1</sub>	Non-Hom	ogenized Feces	Samples (Ho	omogenized a	fter Spiking)	•	
Blank 1-NON		113			142		
Blank 2-NON		108			133		
Blank 3-NON		118			121		
Spike A-1-NON	828561	791201	95	93	732256	88	90
Spike A-2-NON		739606	89		745617	90	
Spike A-3-NON		780374	94		749244	90	
Spike B-1-NON	1398384	1281280	92	92	1237402	88	89
Spike B-2-NON		1289873	92		1271085	91	
Spike B-3-NON		1279340	91		1234887	88	
		Average of bo	th levels =	92	Average of	both levels =	89

DC Study No. - 9345

Page 23

Table 9. Extraction Efficiciency Results from the Extraction of Study 12-hr, 24-hr, and 48-hr Feces Samples from Part 3 with Toluene and Tetrahydrofuran (THF)

Animal ID	Time	Avg. DPM's/g found from extraction with Toluene	Avg. DPM's/g found from solubilization	% Extracted in Toluene vs.	Avg. DPM's/g found from subsequent extraction with THF after toluene extraction	% Extracted in THF vs.	Combined % Extracted in Toluene and THF vs.	DPM's/g found from solubilization of extracted fecal homogenate pellet remaining after extractions	% Left in fecal homogenate as unextracted vs. solubilized of original sample
C9230	12-hr	1990910	2270901	87.7	261153	- 	000	ASTEA	
C9232	12-hr	2657225	2922228	6.06	141673	4 5 &	9 9 9 8	\$ 65 \$ 75 \$ 75 \$ 75 \$ 75 \$ 75 \$ 75 \$ 75 \$ 7	- 6
C9238	12-hr	1016287	1199244	84.7	213056	17.8	102.5	12818	6.5
C9239	12-hr	1268	2593	N/AP <sup>a</sup>	188	N/AP	N/AP <sup>a</sup>	912	N/APª
C9230	24-hr	4191526	5719188	73.3	976928	17.1	90.4	34112	9
C9232	24-hr	3240245	4265658	76.0	620039	14.5	90.5	38156	9 o
C9238	24-hr	4585369	6216968	73.8	1230915	19.8	93.6	38801	0.0
C9239	24-hr	3696482	5317172	69.5	938626	17.7	87.2	50394	6.0
C9230	48-hr	606611	789688	76.8	84870	10.7	87.6	1399	00
C9232	48-hr	363351	487924	74.5	59489	12.2	86.7	2541	100
C9238	48-hr	782468	1094462	71.5	180914	16.5	88.0	11215	7 .0
C9239	48-hr	574223	783933	73.2	112336	14.3	87.6	4745	0.0
	Averag	Average Percentages for all timepoints =	all timepoints =	77.4		14.3	91.7		0.8


N/AP2 = amount of radioactivity in this sample was too low for extraction and quantitation

Table 10. Extraction Efficiency Results from the Extraction of Quality Control (QC) Feces Samples from Part 3 with Toluene and Tetrahydrofuran (THF)


Sample ID	Time Point	Avg. DPM's/g spiked ir Toluene Extrac	Avg. DPM's/g found from extraction	%. Recovery	% Avg. Recovery For Timepoint
Blank	12-hr	0	0	o Gumpioo	
Spike A	12-hr	16303	14746	90	94
Spike B	12-hr	625081	595429	95	0.
Spike C	12-hr	1432056	1388591	97	
- <b>-</b>	24-Hou	r Toluene Extrac	ted Feces Q	Samples	
Blank	24-hr	0	0		
Spike A	24-hr	17715	14707	83	90
Spike B	24-hr	612610	564421	92	
Spike C	24-hr	1356933	1286657	95	
	48-Hou	r Toluene Extrac	ted Feces Q0	Samples	
Blank	48-hr	0	0		
Spike A	48-hr	13592	14713	108	99
Spike B	48-hr	605416	575049	95	٠
Spike C	48-hr	1439133	1342000	93	
		Average of al			94
	7	HF Extracted Fe	ces QC Samp	oles	
Blank		0	0		
Spike A		13490	11707	87	89
Spike B		549987	482036	88	
Spike C		1269638	1177458	93	

Figure 1. Example Radio-Chromatograms of THF Extracts of Fecal Homogenates 4334 2890 1446 GPC Radio-Chromatogram of a 12-hr Male Rat Fecal THF Extract 3557 1779 0.00 (min) GPC Radio-Chromatogram of a 12-hr Female Rat Fecal THF Extract 5924 4443 2962 GPC Radio-Chromatogram of a <sup>14</sup>C-PDMS, 350 cSt, Spiked Control Fecal THF Extract

Figure 2. Example Radio-Chromatograms of THF Solvent Standards of <sup>14</sup>C-PDMS, 350cSt and <sup>14</sup>C-D<sub>4</sub>




GPC Radio-Chromatogram of a <sup>14</sup>C-PDMS, 350 cSt THF Solvent Standard




GPC Radio-Chromatogram of a <sup>14</sup>C-D<sub>4</sub> THF Solvent Standard


Figure 3. Example Radio-Chromatograms of Toluene Extracts of Fecal Homogenates



GPC Radio-Chromatogram of a 12-hr Male Rat Fecal Toluene Extract



GPC Radio-Chromatogram of a 12-hr Female Rat Fecal Toluene Extract



GPC Radio-Chromatogram of a <sup>14</sup>C-PDMS, 350 cSt, Spiked Control Fecal THF Extract

### **ATTACHMENT A**

Tetrahydrofuran Extraction and Analysis of Feces Collected from Animals Dosed

By Oral Gavage 1000mg/kg <sup>14</sup>C-PDMS

Individual Results and Example Calculations

# **EXAMPLE CALCULATIONS**

HPLC System Recovery

HPLC CPM detected / uL injected % System Recovery == Ave. LSC CPM detected / uL counted

x 100

### Feces OC Spikes

Spiking Standard Solution Calculations

[PDMS] mg/g Stock A = weight of Std or Stock Added (g) / Total Soln. Weight (g) x 1000 mg/g

[PDMS] mg/g Stock B = weight of Std or Stock Added (g) x [PDMS] mg/g of stock / Total Soln. Weight (g)

uCi/g solvent Stock A = weight of Std or Stock Added (g) x Specific Activity of 14C-PDMS (mCi/g) /

Total Soln. Weight (g) x 1000uCi/mCi

uCi/g solvent Stock B = weight of Std or Stock Added (g) x uCi/g solvent of stock / Total Soln. Weight (g)

dpm/g = uCi/g solvent x 2.22x106 dpm/uCi

## QC Spike Calculations

Weight of Extractant = Tare Weight + Extractant (g) - Weight. Of empty Extractant vial (g)

ug PDMS added in spike = Weight of spike added (g) x [PDMS] mg/g (for applicable standard) x 1000 ug/mg

uCi PDMS spiked = Weight of spike added (g) x dpm/g (for applicable standard) x 1uCi/2.22x106 dpm

uCi PDMS/g solvent spiked = uCi PDMS spiked / Weight of extractant (g)

dpm PDMS/g solvent spiked = uCi PDMS/g solvent spiked x 2.22x10<sup>6</sup> dpm/uCi

### QC Spike Results

dpm theo = LSC aliquot weights 1,2 (g) x dpm PDMS/g solvent spiked

dpm - blank = dpm actual - average of dpm actual in blanks

% Recovery (for dpm) = dpm-blank / dpm theo x 100

dpm/g found = dpm blank / LSC aliquot weights 1,2 (g)

Average % Recovery (for dpm/g) = dpm/g found / dpm PDMS/g solvent spiked x 100

### Sample Results

Aliquot Weight of Feces Homogenate Extracted (g) = Tare weight + aliquot of feces homogenate (g) - Tare weight of sample Vial (g)

Weight of solvent extractant (g) = Tare + extractant weight (g) - weight of empty extractant vial weight (g)

dpm/g feces homogenate found from extraction = dpm found from extractant / LSC aliquot weight (g) x wt. of extractant (g)

Aliquot weight of feces homogenate extracted (g)

% Recovery = Average dpm/g / Ave. dpm/g found from solubilization x 100

### 12 Hour Feces - THF Extraction on 3/28/00

		LSC (~300ul)	Average	HPLC (~100ul) CPM	
	actual	СРМ	LSC	detected at	% Syster
Sample ID	injected	detected	CPM's	~ 6.9 min	Recover
C8421-1	100	122470.00	118974.50	40221.00	101
C8421-2	100	115479.00			
C8422-1	100	125022.00	120108.50	46860.00	117
C8422-2	100	115195.00			
C8423-1	100	21920.60	21969.55	6901.00	94
C8423-2	100	22018.50			
C8424-1	100	147323.00	143228.00	54016.00	113
C8424-2	100	139133.00			
C8427-1	100	105069.00	75711.30	41639.00	165
C8427-2	100	46353.6			
C8428-1	100	143563.00	150011.50	63353.00	127
C8428-2	100	156460.00			
C8429-1	100	138660.00	141520.00	54196.00	115
C8429-2	100	144380.00			
C8430-1	100	29279.80	29109.70	9644.00	99
C8430-2	100	28939.60			
					116

### 24 Hour Feces - THF Extraction on 3/28/00

Sample ID	actual injected	LSC (~300ul) CPM detected	Average LSC CPM's	HPLC (~100ul) CPM detected at ~ 6.9 min	% System Recovery
C8421-1	100	168502.00	165433.00	64196.00	116
C8421-2	100	162364.00	100 100.00	01100.00	
C8422-1	100	126615.00	121124.00	47483.00	118
C8422-2	100	115633.00			
C8423-1	100	241369.00	242168.50	92642.00	115
C8423-2	100	242968.00			
C8424-1	100	84954.00	84353.95	29738.00	106
C8424-2	100	83753.90			
C8427-1	100	218514.00	208090.50	82228.00	119
C8427-2	100	197667.00			
C8428-1	100	153208.00	151953.00	59655.00	118
C8428-2	100	150698.00			
C8429-1	100	127524.00	124472.50	53264.00	128
C8429-2	100	121421.00			
C8430-1	100	137095.00	140205.50	52862.00	113
C8430-2	, <b>100</b>	143316.00			
					117

### 48 Hour Feces - THF Extraction on 3/28/00

Sample ID	actual injected	LSC (~300ul) CPM detected	Average LSC CPM's	HPLC (~100ul) CPM detected at ~ 6.9 min	% System
C8421-1	100	12256.80	12244.70		Recovery
C8421-1	100	12230.60	12244.70	3230.00	79
C8422-1	100	3162.96	3149.35	BLQ	
C8422-2	100	3135.74			
C8423-1	100	15935.60	15929.15	5620.00	106
C8423-2	100	15922.70			
C8424-1	100	3215.11	3147.76	BLQ	
C8424-2	100	3080.40			
C8427-1	100	16226.10	16427.45	5510.00	101
C8427-2	100	16628.80			•
C8428-1	100	8371.72	8224.43	3323.00	121
C8428-2	100	8077.14			
C8429-1	100	2434.50	2388.61	BLQ	
C8429-2	100	2342.71			
C8430-1	100	7164.81	7378.92	2131.00	87
C8430-2	100	7593.03			
•					99

BLQ = below quantitation limit of HPLC Detector

DC Study No. 9345 Appendix B Attachment A

Feces QC Spikes

Spiking Standard Solution Calculations
Specific activity of 14C-PDMS, 350 cSt 0.26

mCl/g

00C0080 00C0081 42887367 4111692 dpm/g uCl/g THF 19.32 1.85 [PDMS] mg/g 75.402 7.229 Total Soln. Weight (g) 0.9761 0.8866 Weight of Standard/Stock Standard or Added ID stock added (g) 0.0736 0.0850 14C-PDMS QC STK A QC STK A QC STK B Standard

QC Spike Calculations

uCI PDMS uCI PDMS/g dpm PDMS/g THF spiked THF spiked 9684 354069 783444 0.00 spiked 0.00 0.49 extractant (g) added in spike ug PDMS 0.00 23.13 829.42 1900.13 Weight of 1.3245 1.3587 1.3324 1.3795 + Extractant **Tare Weight** 6.9609 7.0357 6.9406 7.0254 <u>(6</u> Weight of empty extractant vial (g) 5.6364 5.6770 5.6082 5.6459 Weight of Spike Added (g) 0.0032 0.0000 0.0252 none QC STK B **QC STK A** QC STK A Added ID Spiked Stock Spike C Spike A Spike B Feces Blank

**QC Spike Results** 

Average %			ş	2	5	ţ	7	2	78
Ave dpm/g found	c	Þ	7100	2	208090	7	614390		
dpm/g found	- -	o c	7223	8004	206437	205742	622090	606691	
average % Recovery of 2 aliquots			73	•	28		28		78
% Recovery			75	72	8	<b>%</b>	79	77	
dpm - blank % Recovery	0	0	1918	1907	78793	79111	167964	161683	
dpm actual	20.08	19.52	1937.43	1927.15	78812.8	79130.8	167984	161703	
dpm theo	0	0	2571	2641	94111	94713	211530	208788	
LSC Aliquot weights 1,2 (9)	0.2695	0.2662	0.2655	0.2727	0.2658	0.2675	0.2700	0.2665	٠
dpm PDMS/g THF spiked	0		9684		354069		783444		
Feces	Blank		Spike A		Spike B		Spike C		

×

9345E01a 12,24,48 hr rslts32800

			ſ																																								
	% Ave	Recovery For Timlepoint	11															82																73									
		% Recovery	88		82	6	3	82		23		80		74		78		06		25		86		81		83		85		4		94		20		75		78		74		74	
	Average of	(g/mdp)	2320117		2430921	658305		3385183		2205748		3596152		3297609		648594		5241812		2913768		5456971		2158175		5229793		3630806		2791073		3990625		264870		72579		338292		98005		352008	
dpm/g feces	homogenate found from	extraction	2390421	2249812	2511145 2350698	656399	660211	3464297	3306068	2440301	1971194	3453280	3739024	3235808	3359410	654024	643164	5316919	5166704	3014420	2813116	5488021	5425920	2170612	2145737	5532277	4927309	3676615	3584998	2831309	2750837	3876584	4104865	264569	265171	72980	72178	334692	341893	66863	85147	348553	355464
_	dpm found t	extractant	129734	122328	132178	23159.2	23259.6	155858	147211	111488	48679.1	152073	165807	146433	152531	30698.4	30342.9	178035	171316	133953	122288	255837	257355	89947.1	88650.4	231940	209785	162545	159923	135487	128916	145057	151761	12951.9	12937.6	3326.66	3297.53	16906	16901.9	3411.27	3268.1	17247.3	17679.9
	LSC allouot		0.2735	0.2740	0.2808	0,2732	0.2728	0.2725	0.2897	0.2701	0.1460	0.2719	0.2738	0.2712	0.2721	0.2740	0.2754	0.2863	0.2637	0.2712	0.2853	0.2686	0.2735	0.2675	0.2867	0.2840	0.2681	0.2663	0.2687	0.2710	0.2854	0.2685	0.2853	0.2671	0.2862	0.2664	0.2870	0.2770	0.2711	0.2749	0.2703	0.2716	0.2730
	Weight of THF	3	1.1898		8162.1	1.2970		1.2980		1.2977		1.3318		1.3412		1.4156		1.3003		1.3573		1.3522		1.3369		1.3337		1.3354		1.3467		1.3203		1.2729	•	1.3658		1.3397		1.3843	0000	1.3239	-
1	Tare + extractant		6.8315		0.8487	6.9526		6.9601		6.9739		7.0091		6.9886		7.0498		6.9507		6.9970		7.0018	. (	6.9910		6.9813		6.8452	1	6.9555		6.9929		6.8829		6.9952		7.0394		6,9584	0000	8/08.0	
Weight of	empty extractant	vial (g)	5.6417		5,017.3	5.6556		5.6621		5.6762		5.6773		5.8474		5.6342		5.6504		5.6397	•	5.6496		5.6541		5.6478		5.5098		5.6088	i c	5.6726		5.6100		5.6294		5.6997		5.5941	0000	5.0040	
Aliquot Weight	of feces homogenate	extracted (g)	0.2361	0000	8067.0	0.1675		0.2143		0.2195		0.2157		0.2238		0.2425		0.1635		0.2224	•	0.2345		0.2071		0.2118		7122.0		0.2378	0707.0	0.1840		0.2333	1	0.2337		0.2443	0	0.2532	0.244.0	0.2412	
	Tare weight + Aliquot of feces	homogenate (g)	5.2088	2000	0.445)	5.1268		5.2001		5.2406		5.1790		5.2127	,	5.2415		5.1909		5.1563		5.2151	•	9.7765		5.1696	7	5.1689		5.2035	4050	ACZ L'C		5.2385		5.2168		5.2/54	2000	7877.c	A 2244	0.62.0	
	Tare weight of	9	4.9727	0000	1.8840	4.9593		4.9858		5.0211		4.9633		4.9889		4.9990	į	5.0274		4.9339		4.9806	6	5.0184		4.95/8	,	4.84/2	1000	4.800/	0770	A + 40.4		20005	,	4.8631	7700	1150.6	0400	4.e/ 00	4 0800	1.000	
		5	3390019	COSCOC	607087	799785		4148561		3036609		4208974	!	4474675		827921		5822632		3460076	00000	6346882	7644000	7081.707	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	6309211	2700704	42/0045	00000	3340300	4747699	424/033		3/8624	0000	09298	2	431233	60780	70/80	4757R1		
	Time	Point	12hr	4. 2.	<u> </u>	12hr	;	12hr	į	12hr	į	<u> </u>	į	127	į	12h		74PL	4	74UL	7476	740	2445	<del> </del>	3,44,5	7#UL	244,	7	244	TH.7	244	<del>   1</del>	101	1004	1017	48UF	401-	104	4ah	= 0 1	48hr	5	
		Animal ID	C8421	CBADO	7	C8423	:	C8424		C8427	00,00	C8478		C8429		C8430	70,70	C842.	00700	C8422	00400	2423	7673	C0424	10707	C0442/	00730	0440	00700	C01423	C8430	2	7070	C047.1	00700	C0422	00400	C0463	CBADA	C0444	C8427		

9345E01a 12,24,48 hr rsits32800

	•					
% Ave Recovery For Timlepoint						
% Recovery	2		64		75	
Average of duplicate (dpm/g)			52032		167887	
dpm/g feces homogenate found from extraction	183909	179796	52470	51593	162891	172883
dpm found from extractant	8890.82	8570.44	2581.58	2482.43	7802.12	8050.67
LSC allquot weight (g)	0.2718	0.2680	0.2721	0.2861	0.2726	0.2720
Weight of THF extractant (g)	1.3381		1.3638	-	1.3411	
Tare + extractant weight (g)	6.9527		7.0028		6,9506	
Weight of empty extractant vial (g)	5.6146		5.6390		5.6095	
Allquot Weight of feces homogenate extracted (g)	0.2380		0.2486		0.2296	
A Tare weight of Aliquot of faces I Sample vial (g) homogenate (g)	5.1977		5.2787		5.2024	
Tare weight of Sample vial (g)	4.9597		5.0321		4.9728	
Avg. DPM's/g found from T solubilization S	259009		81744		223590	
	48hr		48hr		48	
Time Animal ID Point	C8428		C8429	٠	C8430	

### **ATTACHMENT B**

Toluene Extraction and Analysis of Feces Collected from Animals Dosed

By Oral Gavage 1000mg/kg <sup>14</sup>C-PDMS

Individual Results and Example Calculations

# **EXAMPLE CALCULATIONS**

# Method Development Feces QC's

# Spiking Standard Solution Calculations

[PDMS] mg/g Stock A = weight of Std or Stock Added (g) / Total Soln. Weight (g) x 1000 mg/g

[PDMS] mg/g Stock B = weight of Std or Stock Added (g) x [PDMS] mg/g of stock / Total Soln. Weight (g)

Total Soln. Weight (g) x 1000uCi/mCi

uCi/g solvent Stock A = weight of Std or Stock Added (g) x Specific Activity of 14C-PDMS (mCi/g) /

uCi/g solvent Stock B = weight of Std or Stock Added (g) x uCi/g solvent of stock / Total Soln. Weight (g)

dpm/g = uCi/g solvent x 2.22x10<sup>6</sup> dpm/uCi

# Samples Extracted in Toluene or THF

dpm/g of extractant = Total dpm (extractant) from LSC / Wt. of LSC Aliquot (g)

dpm/g (extractant) corrected for blanks = dpm/g of extractant - average dpm/g of extractant in blanks

Total weight of extractant (g) = Tare Wt. + extractant (g) - Tare Wt. of extractant vial (g)

dpm (pellets) corrected for blanks = Total dpm (pellets) from LSC - Average Total dpm (pellets) from LSC in blanks

Total dpm Ext. + pellet = Average Total dpm in Extractant (of 2 aliquots) + dpm (pellets) corrected for blanks

Total dpm calculated = Wt. of spike added (g)  $\times$  dpm/g actual from LSC (for appropriate QC STK used)

% Recovery in Extractant = Duplicates averaged dpm in Extractant / Total dpm calculated  $\times$  100

% Recovery in Pellet = dpm (pellets) corrected for blanks / Total dpm calculated  $\times$  100

# Samples Spiked but Not Extracted

dpm (pellets) corrected for blanks = Total dpm (pellets) from LSC - Average Total dpm (pellets) from LSC in blanks

Calculated dpm spiked = Wt. of spike added (g) x dpm/g actual from LSC (for appropriate QC STK used)

% Recovery = dpm (pellets) corrected for blanks / Calculated dpm spiked  $\times$  100

## **HPLC System Recovery**

% System Recovery = HPLC CPM detected / uL injected × 100 Ave. LSC CPM detected / uL counted

### Feces QC Spikes

# Spiking Standard Solution Calculations

[PDMS] mg/g Stock A = weight of Std or Stock Added (g) / Total Soln. Weight (g) x.1000 mg/g

[PDMS] mg/g Stock B = weight of Std or Stock Added (g) x [PDMS] mg/g of stock / Total Soln. Weight (g)

uCi/g solvent Stock A = weight of Std or Stock Added (g) x Specific Activity of 14C-PDMS (mCi/g) / Total Soln. Weight (g) x

1000uCi/mCi

uCi/g solvent Stock B = weight of Std or Stock Added (g) x uCi/g solvent of stock / Total Soln. Weight (g)

dpm/g = uCi/g solvent x 2.22x10<sup>6</sup> dpm/uCi

## QC Spike Calculations

Weight of Extractant = Tare Weight + Extractant (g) - Weight. Of empty Extractant vial (g)

ug PDMS added in spike = Weight of spike added (g) x [PDMS] mg/g (for applicable standard) x 1000 ug/mg

uCi PDMS spiked = Weight of spike added (g)  $\times$  dpm/g (for applicable standard)  $\times$  1uCi/2.22x10<sup>8</sup> dpm

uCi PDMS/g solvent spiked = uCi PDMS spiked / Weight of extractant (g)

dpm PDMS/g solvent spiked = uCi PDMS/g solvent spiked x 2.22x10<sup>8</sup> dpm/uCi

### **QC Spike Results**

dpm theo = LSC aliquot weights 1,2 (g) x dpm PDMS/g solvent spiked

dpm - blank = dpm actual - average of dpm actual in blanks

% Recovery (for dpm) = dpm-blank / dpm theo x 100

dpm/g found = dpm blank / LSC aliquot weights 1,2 (g)

Average % Recovery (for dpm/g) = dpm/g found / dpm PDMS/g solvent spiked x 100

### Sample Results

Aliquot Weight of Feces Homogenate Extracted (g) = Tare weight + aliquot of feces homogenate (g) – Tare weight of sample Vial (g)

Weight of solvent extractant (g) = Tare + extractant weight (g) – weight of empty extractant vial weight (g)

dpm/g feces homogenate found from extraction = dpm found from extractant / LSC aliquot weight (g) x wt. of extractant (g)

Aliquot weight of feces homogenate extracted (g)

% Recovery = Average dpm/g / Ave. dpm/g found from solubilization x 100

Page B41

Spiking Standard Solution Calculations Specific activity of 14C-PDMS, 350 cS 0.28

DC Study No. 9345 Appendix B Attachment B

mC//g

	_			
	dpm/g actual	from LSC	40516967	4397878
wt. or	analyzed	by LSC	0.0244	0.0123
	dpm actual	from LSC	988614	54093.9
		Lot #	0000000	00C0081
		dpm/g	42887367	4111692
		UCI/g THF	19.32	1.85
	(POMS)	mg/g	75.402	7.229
	Total Soln.	Weight (g)	0.9761	0.8866
Weight of Standard or	stock added	(6)	0.0736	0.0850
	Standard/Stock	Added ID	14C-PDMS	QC STK A
		Standard		

345	
65	m
Žω	ጀ
ΣĘ	Ĕ
S P	혍
≱ֿֿ	₹

Samples	Samples Extracted in Toluene	n Toluene															
						DPIMg											
						(extractant)	Tare Wt. Of Extractant	Tara Wit +	Total wt of	Total DPM in	Duplicates Averaged DPM	Total DPM DPM (pellets)	_	Total DPM	Total DPM	% Recovery	% Becomes
	Splke Added	Added (g)	Allquot (g)	from LSC	Eductant	Blanks		~	_	- 1	in Extractant	)SI		Ext. + Pellet	Calculated		in Pettet
Blank 1		00000	0.1322	14.96	113		5.7856	6,9949	1.2093			28.43					
			0.1325	20.09	152												
Blank 2		0.000	0.1338	17.48	<del>1</del> 3		5.7115	6.9257	1.2142			27.68					
			0.1358	14.45	106												
Spike A1	QC STK B	0.0032	0.1346	1395.57	10368	10243	5.7373	6.8793	1.1420	11697	11609	1553.52	1525	13134	14073	82.49	10.84
			0.1337	1365.54	10213	10088				11521							
Spike A2	OC STIK B	0.0031	0.1327	1317.00	9925	9799	5.7170	6.9051	1.1881	11642	11661	1116.11	1088	12749	13633	85.53	7.98
•			0.1333	1327.20	9828	9831				11680							
Spike B1	QC STK A	0.0111	0.1346	52007.0	386382	386256	5.6639	6.8440	1.1801	455821	456323	8466.94	8439	464762	449738	101.46	1.88
			0.1341	51927.9	387233	387107				456825							
Spike B2	QC STK A	0.0110	0.1345	53468.8	397523	397397	5.7427	6.9133	1.1708	465193	465795	8562.04	8534	474329	445687	104.51	1.91
			0.1341	53445.7	398551	398426				486397							
Spike C1	QC STIK A	0.0244	0.1344	112842	839598	839473	5.7036	6.9005	1.1969	1004765	1005068	13929.0	13901	1018969	988614	101.66	1.41
			0.1336	112238	840105	839979				1005371							
Spike C2	QC STK A	0.0232	0.1344	111821	832001	831876	5.7157	6.8670	1.1513	957739	964438	12985.6	12958	977395	939994	102.60	1.38
			0.1333	112457	843638	843513				971136							
Complee	Complee Extracted in THE	777															
Janipies	EALIBORE					DPMin											
			;			(endractant)	Tare Wt. Of	;			Duplicates	Total DPM	DPM (pellets)				
	Snite Added	Wt. of Spike Added (a)	Wt. of LSC Alfauot (a)	(extractant) from LSC	DPM per g of Extractant	corrected for Blanks	Vial (g)	Extractant (g)	Extractant (g)	Extractant	Averaged DPM (	perieds) from LSC	corrected for blanks	Total DPM Ext. + Pellet	Calculated	% Recovery %	% Recovery In Pellet
Blank 3	name i much		0.1420				ı		1.1864	1		31.85					
			0.1434	19.77	138												
Blank 4		0.0000	0.1431	17.98	126		5.7237	6.9433	1.2198			26.90					
			0.1428	16.60	116												
Spike A3	QC STK B	0.0036	0.1428	1304.38	9134	2005	5,7271	6.8479	1.1208	10095	10094	2635.02	2606	12700	15832	63.76	16.46
			0.1440	1315.06	9132	9005				10083							
Spike A4	QC STK B	0.0035	0.1429	1320.09	9238	9111	5.7349	6.8320	1.0971	9866	8922	2816.35	2787	12709	15393	64.46	18.11
			0.1431	1302.64	9103	8976				9848							
Spike B3	QC STK A	0.0114	0.1439	48167.5	334729	334602	5.7331	6.9820	1.2489	417884	419785	20992.3	20963	440748	461893	90.88	4.54
			0.1440	48639.3	337773	337646				421686							
Spike B4	QC STK A	0.0109	0.1440	47343.4	328774	328647	5.7716	6.9354	1.1638	382479	380641	43206.5	43177	423818	441635	86.19	9.78
			0.1430	46563.0	325615	325488				378803							
Spike C3	QC STK A	0.0249	0.1431	108615	759015	758888	5.6773	6.8976	1.2203	926071	918809	54424.8	54395	973204	1008872	91.07	5.39
			0.1441	107659	747113	746986				911547							
Spike C4	QC STK A	0.0239	0.1431	113954	796324	796197	5.6965	6.8583	1.1618	925022	920527	33908.1	33879	954406	968356	92.06	3.50
			0.1429	112689	788586	788459				916032							

DC Study No. 9345 Appendix B Attachment B

## Samples Spiked but Not Extracted

1	pe pe		Total DPM	(mellate)		
Ĭ	pepp					
I	pepp	Wr. of Spike	(pellets) from	corrected for	Calculated	
ľ		Added (g)	ည္သ	blanks	DPM Spiked	% Recovery
		0.000	27.86		0	
		0.0000	29.91		0	
	8	0.0034	15410.4	15382	14953	102.87
	80	0.0035	15227.0	15198	15393	98.74
	5	0.0110	483031	463002	445687	103.89
	₹.	0.0109	484020	463991	441635	105.08
Spike C5 acsTKA	5	0.0247	1061200	1061171	1000769	106.04
	5	0.0244	1032849	1032820	988614	104.47
						103.51

### 12 Hour Feces - Toluene Extraction on 6/14/00

			HPLC	
			(~100ul)	
	LSC (~50ul)	Average	CPM	
actual	CPM	LSC	detected at	% System
injected	detected	CPM's	~ 6.5 min	Recovery
100	28504.00	28291.15	61902.00	109
100	28078.30			
100	12998.70	13058.70	27358.00	105
100	13118.70			
100	3688.64	3855.49	7809.00	101
100	4022.34	-		
100	16051.50	16141.30	33426.00	104
100	16231.10			
100	19739.20	18973.50	40377.00	106
100	18207.8			
100	24281.60	24173.15	54504.00	113
100	24064.70			
100	21694.30	22307.70	47702.00	107
100	22921.10			•
100	5411.59	5435.64	10734.00	99
100	5459.69			
				105
	injected 100 100 100 100 100 100 100 100 100 10	actual         CPM           injected         detected           100         28504.00           100         28078.30           100         12998.70           100         13118.70           100         3688.64           100         4022.34           100         16051.50           100         16231.10           100         19739.20           100         24281.60           100         24064.70           100         22921.10           100         5411.59	actual         CPM         LSC           injected         detected         CPM's           100         28504.00         28291.15           100         28078.30         13058.70           100         12998.70         13058.70           100         13118.70         3688.64         3855.49           100         4022.34         4022.34         4022.34           100         16051.50         16141.30         16051.50         16141.30           100         19739.20         18973.50         100         18207.8           100         24281.60         24173.15         24064.70           100         21694.30         22307.70           100         22921.10         5435.64	LSC (~50ul)   Average   CPM   CPM   detected at injected   detected   CPM's   ~6.5 min   61902.00   100   28078.30   13058.70   27358.00   100   13118.70   13058.70   27358.00   100   3688.64   3855.49   7809.00   100   4022.34   100   16051.50   16141.30   33426.00   100   16231.10   100   18207.8   100   24281.60   24173.15   54504.00   100   22921.10   100   5411.59   5435.64   10734.00

### 24 Hour Feces - Toluene Extraction on 6/14/00

			•	HPLC	
				(~100ul)	
		LSC (~50ul)	Average	CPM	
	actual	CPM	LSC	detected at	% System
Sample ID	injected	detected	CPM's	~ 6.5 min	Recovery
C8421-1	100	47077.20	46847.70	96870.00	103
C8421-2	100	46618.20			
C8422-1	100	22486.70	22164.25	48382.00	109
C8422-2	100	21841.80			
C8423-1	100	37662.20	38405.15	82206.00	107
C8423-2	100	39148.10			
C8424-1	100	15402.00	15331.50	29912.00	98
C8424-2	100	15261.00			
C8427-1	100	32988.90	32919.20	73611.00	112
C8427-2	100	32849.50			
C8428-1	100	18184.80	18197.85	38570.00	106
C8428-2	100	18210.90			
C8429-1	100	12927.00	12926.50	25598.00	99
C8429-2	100	12926.00			
C8430-1	100	28690.80	28419.85	65092.00	115
C8430-2	100	28148.90			
					106

48 Hour Feces - Toluene Extraction on 6/14/00

				HPLC (~100ul)	
	actual	LSC (~50ul) CPM	Average LSC	CPM detected at	4/ Santana
Sample ID	injected	detected	CPM's	~ 6.5 min	% System Recovery
C8421-1	100	2983.28	2904.56	5332.00	92
C8421-2	100	2825.83			
C8422-1	100	683.23	703.46	955.00	68
C8422-2	100	723.68			
C8423-1	100	4244.20	4151.51	8265.00	100
C8423-2	100	4058.82			
C8424-1	100	476.79	491.00	BLQ	
C8424-2	100	505.20			
C8427-1	100	1488.73	1513.00	2038.00	67
C8427-2	100	1537.27			
C8428-1	100	526.97	541.54	BLQ	
C8428-2	100	556.11			
C8429-1	100	496.99	506.45	BLQ	
C8429-2	100	515.91			
C8430-1	100	1341.99	1367.90	BLQ	
C8430-2	100	1393.81			
					82

BLQ = below quantitation limit of HPLC Detector

9345E02 QC's 061400 analysis

DC Study No. 9345 Appendix B Attachment B

### Feces QC Spikes

	E
	0.26
Spiking Standard Solution Calculations	Specific activity of 14C-PDMS, 350 cSt

Check of	specific act.	% recovered	100	66
	٠	from LSC	58784740	6093152
wt. of sample	analyzed by	rsc	0.0173	0.0165
	dpm actual	from LSC	1016976	100537.0
		Lot #	00F0179	00F0180
		g/mdp	58954882	6127132
		uCI/g THF	26.56	2.76
		[D4] mg/g	103.651	10.772
	Total Soln.	Weight (g)	0.9011	0.9035
Weight of	Standard or	stock added (g)	QC STK A 14C-PDMS 0.0934 0.	0.0939
	Standard/Stock	Added ID	14C-PDMS	QC STK A
	,	Standard	QC STK A	QC STK B

## QC Spike Calculations

	dpm D4/a	toluene	spiked	0	20513	571882	1324648
	uCi PDMS/g		spiked	0.00	0.01	0.26	0.60
			spiked	0.00	0.01	0.30	0.66
		ug PDMS	) added in spike	0.00	38.78	1160.89	2560.18
		Weight of	extractant (g)	•	1.0753	1.1546	1.0993
	<b>Tare Weight</b>	+ Extractant	(B)	6908.9	6.7113	6.7698	6.7646
Weight of	empty	extractant	vial (g)	5.6576	5.6360	5.6152	5.6653
	Weight of	Spike	Added (g)		0.0036	0.0112	0.0247
	Spiked	Stock	Added ID	none	QC STK B	QC STK A	QC STK A
			Feces	Blank	Spike A	Spike B	Spike C

### QC Spike Results

Average % Recovery			70	,	9	3	9	3	92
Ave dpm/g found	c	ò	19230		541766		1260037		
dpm/g found	0	· c	19810	18650	541019	542513	1260731	1259343	
average % Recovery of 2 allquots			8		92		92		. 56
% Recovery			97	91	92	92	95	92	
dpm - blank	£-	က	810	845	22560	23871	52572	55863	
dpm actual	13.76	18.88	826.55	861.18	22576.8	23886.9	52588.8	55679.3	
dpm theo	0	0	839	929	23847	25163	55238	58549	
LSC Allquot weights 1,2 (g)	0.0400	0.0438	0.0409	0.0453	0.0417	0.0440	0.0417	0.0442	
dpm D4/g toluene spiked	0		20513		571882		1324648		
Feces	Blank		Spike A		Spike B		Spike C		

5		
j		α
-	Ø	ţ
Ì	혛	Ě
?	ē	2
3	₹	A
	_	

% % Ime nt																												•									
Ave % Recovery for Time	İ													<u>e</u>														S									
% Recovery	83	78	) :	4	ď	3	49		26	8		75		. 112	\$	8	78	5	74		8	i	<b>8</b> 2	Q	3	83		61		45		78		64	•	9	
Average of duplicate (dpm/g)	2827024	2329299		330950	2820205	207070	2037298		3655997	3595321		620079		6548106	20000	2/03003	5530034		1986908		4036856		3348558	2440814		3510330		230843		43555		337098		44246		191906	
dpm/g feces homogenate found from extraction	2838903.297	2332350.248	2326246.775	320774.0409	341125.6993	2841791 446	2066166.933	2008429.893	3658640.192	3653354.618 3598791.669	3591849.384	616302.5617	623854.9068	6557217.752	6538994.627	28/0382.6/3	5430314 531	5649553.352	2023238.494	1950577.627	4045144.118	4028587.003	333/490.45/	2422926 558	2476700.852	3539636,05	3481024.479	228889.3872	232796.7419	43998.63368	43111.98307	333505.021	340691.4748	44123.08858	44369.04048	195384.3279	1004.7.4001
dpm found from extractant	30924.6	30454.8	14219.4	4001.01	4362.45	17595.3	21410.6	19757.3	26329.9	26101.8 23528.7	24854.6	5867.82	5912.91	51067.1	50583.4	243/0.0	40821 7	42469.8	16701.9	16550.4	35773.3	35626.7	19/21.3	14018.4	14016,5	31125.9	30536.2	3235.19	3065.56	741	784.65	4604.49	4403.7	516.94	547.92	1613.64	20001
LSC aliquot weight (g)	0.0436	0.0433	0.0440	0.0435	0.0448	0.0408	0.0434	0.0412	0.0415	0.0412	0.0435	0.0443	0.0441	0.0447	0.0444	0.043	0.0436	0.0438	0.0431	0.0443	0.0408	0.0408	0.0400	0.0412	0.0403	0.0412	0.0411	0.0439	0.0409	0.0409	0.0442	0.0439	0.0411	0.0407	0.0428	0.0409	355
Weight of Toluene extractant (g)	1.1139	1.1546		1.1753	1 0767		1.1773		1.1562	1.0800		1.1916		1.13/6	1104	<u>.</u>	1.1420	<u> </u>	1.1455		1.0828		1.1365	1.1479		1.1254		1.0439		0.9413		1.1024		1.0724	0000	1.0786	-
Tare + extractant weight (g)	6.7647	6.7935		6.8095	6.6622		6.8131	;	6.7948	6.7127		6.8385		6.7329	2 7893	0.7004	6.7430		6.7269		6.7128		9.7800	6.7729		6.7621		6.7006		6.5530		6.7773		6.6564	0 1000	6./368	
Weight of empty extractant vial (g)	5.6508	5.6389		5.6342	5,5855		5.6358		5.6386	5.6327		5.6469		5.5853	8 8 4 6 9	2010	5.8010		5.5814		5.6300	č	5.0421	5.6250		5.6367		5.6587		5.6117		5.6749		5.5840	6670	2,60,7	
Allquot Weight of feces homogenate extracted (g)	0.2783	0.1604		0.3370	0.1642	!	0.2811		0.2005	0.1718		0.2561	9	0.1982	08000	0.220	0.1969		0.2194		0.2347	9	0.165/	0.1612		0.2402		0.3361		0.3876		0.3467		0.3087	0	0.2180	
Tare weight + Aliquot of feces homogenate (g)	5.2639	5.1316		5.3260	5.1582	!	5.2620		5.2015	5.1600		5.2284	5	1502.c	8906	0.500	5.2433	<u> </u>	5,2388		5.1933		5,1435	5.2070		5.2421		5.3067		5.4002		5.2592		5.2784	6.4570	2/01.0	
Tare weight of Sample vial (g)	4.9856	4.9712		4.9890	4 9920		4.9809		5.0010	4.9882		4.9723	6	5900°C	4 0799		5.0484		5.0194		4.9586		4. 0	5.0458		5.0019		4.9706		5.0128		4.9125	i	4.9697	7 0000	4.8382	
Avg. DPM's/g found from solubilization(Or iginal)		2982893		799785	4148581		3038609		4509974	4474675		827921		2822632	970094c	2	6346882		2671982		6309211		4278045	3548588		4247633		378824		96260		431253		89762	701317	4/5/61	
Time s	12hr	12hr		12hr	12hr	į	12hr	į	12hr	12hr		12hr	3	74NF	244,	# <b>7</b>	24hr		24hr		24hr	1	<b>7</b> 411	24hr		24hr		48hr		48hr		48hr	į	48hr	404.	48nr	
Animal ID	1	C8422	<u> </u>	C8423	C8424		C8427		C8428	C8429	٠	C8430	70,00	C8421	6422	C0466	C8423		C8424		C8427	67.60	C0420	C8429		C8430		C8421		C8422		C8423		C8424	00101	C842/	

9345E02 12,24,48 hr rslts61300

DC Study No. 9345 Appendix B Attachment B

DC Report No. - 2001-10000-50844 Security - Internal

Ave % Recovery for Time						
% Recovery	31		8		46	
Average of duplicate (dom/o)	80023		41145		102322	
dpm/g feces homogenate found from extraction	80144.1994	79902.37776	41523.3544	40767.11747	103722.137	100921.9799
dpm found from extractant	571.39	602.77	538.82	559.6	1454.98	1511.68
LSC allquot welght (a)	0.0413	0.0437	0.0415	0.0439	0.0413	0.0441
Weight of Toluene extractant (g)	1.0317		1.0976	-	1.0549	
Tare + extractant weight (0)	6.6717		6.7439		6.6699	
Weight of empty extractant vial (a)	5.6400		5,6463		5.6150	
Allquot Weight of feces homogenate extracted (g)	0.1781		0.3432		0.3583	
Tare weight + Aliquot Aliquot of Weight c feces feces homogenate homogen	5.1842		5.3444		5.3515	
Tare weight of Sample vial (d)	5.0061		5.0012		4.9932	
Avg. DPM's/g found from solubilization(Or Tare weight of innal) Sample vial (a)	259009		81744		223590	
Time	4 호		48hr		48hr	
Anima	C8428		C8429		C8430	

### ATTACHMENT C

Second Toluene Extraction and Analysis and Solubilization/Analysis of Feces Collected from Animals Dosed

By Oral Gavage 1000mg/kg <sup>14</sup>C-PDMS

Individual Results and Example Calculations

# **EXAMPLE CALCULATIONS**

## Sample Extracted Results

dpm/g from solubilization = dpm from solubilized feces / wt. of feces solubilized

Aliquot Weight of Feces Homogenate Extracted (g) = Tare weight + aliquot of feces homogenate (g) - Tare weight of sample Vial (g)

Weight of solvent extractant (g) = Tare + extractant weight (g) – weight of empty extractant vial weight (g)

dpm/g feces homogenate found from extraction = dpm found from extractant / LSC aliquot weight (g) x wt. of extractant (g) Aliquot weight of feces homogenate extracted (g)

% Recovery = Average dpm/g / Ave. dpm/g found from solubilization 080800 x 100

# Sample Solubilized Results

dpm/g from solubilization = dpm from solubilized feces / wt. of feces solubilized

9 × % Recovery solubilization on 8/8/00 compared = avg. dpm's/g found from solubilization on 8/8/00 avg. dpm's/g found from solubilization (original)

DC Study No. 9348 Appendix B Attachment C

9345E03a 12,24,48 hr rslts80800

The burn		% Recove	29	\$			8		4	24	i	ន	7	7	5		<del>4</del>	50	;	37		ස	ç	į	8		8		<b>\$</b>	ā	?	47		<b>4</b>	?	7	2	!	ક્ષ		<del>4</del>
The part   Park   Par	Average of dupilcate	(g/mdp)	1638018	1575317			1108032		310738	1086458		1299604	144667	Ĩ	2816443		1521461	3547250		960845	!	2146492	1980137	200	2015688		1283691		143196	24589		198296	•	44126	7044	t D	35722		28875		32602
The column   Charles   C	dpm/g faces hmgnt found from	extraction	1664913	1673156	1577480	2	1091475	1124598	310198	1102804	1070109	1301309	1297890	145003	2863950	2778937	1514956	3697030	3497471	974092	947598	2150435	1992367	1078911	2018727	2012650	1280658	1306724	138119	23879	25258	197422	199170	0.25	43/32 107880	93170	36927	34518	29078	28671	32336
The bold   Property	dpm found from	extractant	13686	11092	11643		8632	803	822	2 88 80 8	8008	10758	10156 8011	1080	24845	24428	8316 8396	29827	29541	9089	908	15652	14507	15016	14283	14240	9066	9640	90.5	376	82	<del>1</del> 63	161	<b>4</b> 5	¥ &	8	8	220	214	212	720 F
The   March   Color			0.0400	0.0406	0.0425		0.0429	0.0436	0.0425	0.0395	0.0415	0.0448	0.0420	0.041	0.0410	1 0	0.0408	0.0430	0.0438	0.04	0.0431	2 2	0.0415	0.0434	0.0432	0.0432	0.0436	0.041	0.0423	0.0774	0.0434	0.0440	0.0430	2 2	0.00	0.0416	0.0414	0.0421	0.0424	0.0426	0.0431
This   W. of Faces   Charles   Cha	Wt of THF	extretnt (g)	1.0428	1.1217		2	1.0849		0.8604	1.0074	į	1.1621	1.1164		1.0388	4 0000	900.	0.9972		1.0938	1011	1	1.1178		1.0968		1.0928	0440	71.70	0.9320		1.0830	0	0.00	1.0173	· :	1.0620		1.1102		1.020
Time   W. of Feese   DPM from   Fro	Tare + extrcint wt	6	<b>3</b>	6.7974			6.8427		0.5254	6.7094		6.8419	6.7896		6.7298	6 845	3	6.6484		6.8244	8 777)E	9	6.8107		6.7429		6.7499	9444	070 770	6.6809		6.7333	A BATTE	0.000	6.7747		8.7467		6.8241		è
Time   W. of Feese   DPM from   Fro	Weight of empty extractant vial	(8)	0.7010	5.6757			5.7578	0000	0000	6.7020	9	0.0096	5.6732		5.6932	A 7RAR	Š	5.6512		5.7306	K 6881	3	6.8831		5.6463		5.6571	E 0043	2000	5.6489	!	5.6403	K 711K	2	6.7574		5.6847		6.7139	0700	
Time		0.2427	0.414	0.1948	1	<u>P</u>	0.2000	0770	0.4140	0.2089	9070	0717.0	0.2040		0.2201	0 1837	3	0.1923		0.1364	7301.0	3	0.1954		0.1796	•	0,1943	3010	3	0.1896		0.2056	0 2023		0.2168		0.1827		0.1927	40,0	}
Time   WL of Faces   Found   Avg. DPM*sig Avg. DPM*sig   Found   Conditional   C	Tare wt + Aliquot of faces	A 2852	7070	5.1892	1	2	6.2466	# 543E	0,4130	6.2570	4000	3. 188¢	5.2482		5.2152	5 2101	2	6.2086		5.2281	5 1678		5.2134		5.2417		6.1869	5 27R0	}	5.2197		9.3320	5 2857		5.2342		5.1948	;	5.2181	R 224R	
Time   W. of Feces   Found		5 O425		4.9944	# 0470	2	5.0468	10004	200	5.0481	4 0000	4.800	5.0442		4.9951	5.0484		5.0143		7.041	4.9719	2	5.0180		5.0621		4.9916	5 OB\$4		5.0301		50.1704	5.0824		5.0174		5.0119		5.0254	R OROR	
Time   W. of Feces   Found	Avg. DPM's/g found from solubilizatio	3300010		2962693	700786	3	4148561	SUSSAND	800000	4509974	1171878	P P	827921		9822622	3460078		6346862	2611063	7041/07	6309211		4278046		3548588	000	4247633	378824		96290	9707	451253	89762	!	475781		259009		81744	223800	
Time   W. of Feces   Found	Avg. DPM's/g / found from solubilizatio	2894319		3622034			4299474	2620326	200	4542362	3030480		675749		5662707	3668235		6965786	2012000	2000420	5486894		4740681		3645123	400004	4290316	358954		131349	3	A0//14	89437		457411		286296		622/46	228830	
Time   W. of Faces solubilized   Company   C		2965091	2823547	3492406	200		4305685	2577494	2686155	4583602	3967521	3873380	716331.8	635166.3	5523634	3679023	3457446	7508276	0423295	2542028	5783213	5190575	4755417	4725944	3843037	207/445	4212104	350115.6	363783.1	123427,3	139269.9	424044.2	96910.91	91864	457257.1	457565	216832.1	300/005 4.00/005	82829.28 82830.48	233258.7	224005.2
24hr 12hr 12hr 12hr 12hr 12hr 12hr 12hr 12	DPM from solubilize				1000		747038	485107	512787	852550	810883	782810	153295	127968	1079318	723296	690699	1446094	5,1837,	485378	1218523	1046939	991029	983469	859303	003440	946746	63581	65410	24093	28230	84300	16487	17372	85187	87944	41068	9 E	15832	43059	42785
24hr 12hr 12hr 12hr 12hr 12hr 12hr 12hr 12	Wt. of Feces	0.2088	0.1931	0.1945	3		0.1735	0.1808	0.1909	0.1860	0.183/	0.2021	0.2140	0,2015	0.1954	0.1966	0.1993	0.1926	0.1042	0.1830	0.2107	0.2017	0.2084	0.2081	0.2236	0.000	0.2218	0.1816	0.1798	0.1952	0.2027	1000	0.1897	0.1889	0.1863	0.1922	0.1894	0.1833	0.1916	0.1846	0.1910
				<u>Ş</u>	120		12 12	12hr	į	12 <u>k</u>	12hr	į	<b>42</b>		740	24hr	į	24hr	24hr	-	24hr		24hr	į	Z4hr	7476	# 7	48h		48hr	48	5	48hr		48hr		<b>4</b>	404	#0#	48hr	
C8423 C8424	Animal	C8421	i '	CE422	C8423	}	C8424	C8427	į	C8428	C8429		C8430		282	C8422		C8423	C8424	1	C8427		C8428		C8429	08730	3	C8421		C8422	C8423	3	C8424		C8427		C8428	00790	87 <b>5</b> 0	C8430	

7

8

Animal ID	Time Point	Wt. of Feces solubilize d (g)	DPM from solubilize d Feces	DPM's/g found from solubilizat ion	Avg. DPM's/g found from solubilizatio n 080800	found from	% Recovery solubilizatio n on 8/8/00 compared to original	Average % Recovery for each timepoint
C8421	12hr	0.2088	619111	2965091	2894319	3390019	85	95
		0.1931	545227	2823547				
C8422	12hr	0.1945	679273	3492406	3522034	2982693	118	
		0.2159	766804	3551663				
C8423	12hr	No Sample	e Left			799785	NS	
C8424	12hr	0.1735	747038	4305695	4299474	4148561	104	
		0.1983	851352	4293253				
C8427	12hr	0.1808	465107	2572494	2629325	3036609	87	
		0.1909	512787	2686155				
C8428	12hr	0.1860	852550	4583602	4542362	4509974	101	
		0.1837	826856	4501121			•	
C8429	12hr	0.2033	810663	3987521	3930450	4474675	88	•
		0.2021	782810	3873380			,	
C8430	12hr	0.2140	153295	716331.8	675749	827921	82	
		0.2015	127986	635166.3				
C8421	24hr	0.2713	1514337	5581780	5552707	5822632	95	. 101
		0.1954	1079318					
C8422	24hr	0.1966	723296	3679023	3568235	3460076	103	
		0.1993	689069	3457446				
C8423	24hr	0.1926	1446094	7508276	6965786	6346882	110	
		0.1842	1183171	6423295				
C8424	24hr	0.2093	558373	2667812	2605425	2671982	98	,
		0.1830	465376	2543038				
C8427	24hr	0.2107	1218523	5783213	5486894	6309211	87	
00400	0.41	0.2017	1046939	5190575		107700 17	444	
C8428	24hr	0.2084	991029	4755417	4740681	4278045	111	
00400		0.2081	983469	4725944		07.40700	400	
C8429	24hr	0.2236	859303	3843037	3645123	3548588	103	
00400	041.	0.1942	669448	3447209	1000010	40.47000	404	
C8430	24hr	0.2001	862864	4312164	4290316	4247633	101	
00404	40h-	0.2218	946746	4268467 350115.6	050054	070004	0.4	405
C8421	48hr	0.1816	63581		356954	378824	94	105
C0422	40he	0.1798 0.1952	65410 24093	363793.1 123427.3	121240	96260	136	
C8422	48hr	0.1932	28230	139269.9	131349	90200	130	
C8423	48hr	0.2027	76261	404567.6	417789	431253	97	
C0423	40111	0.1958	84392	431011.2	411709	401200	91	
C8424	48hr	0.1897	16487	86910.91	89437	89762	100	
00424	40111	0.1889	17372	91964	05431	03102	100	
C8427	48hr	0.1863	85187	457257.1	457411	475761	96	
00421	<del>-1</del> 0114	0.1922	87944	457565	407411	410701	55	
C8428	48hr	0.1894	41068	216832.1	286296	259009	111	
JJ720	-,0111	0.1953	69480	355760.4				
C8429	48hr	0.1876	15732	83859.28	83245	81744	102	
		0.1916	15832	82630.48	• •	•	- <del>-</del>	
C8430	48hr	0.1846	43059	233255.7	228630	223590	102	
		0.1910	42785	224005.2				
						Average =	100	

### ATTACHMENT D

Spiking Experiment to Determine Cause of Low Extraction Efficiencies Individual Results and Example Calculations

# **EXAMPLE CALCULATIONS**

# Spiking Experiment Example Calculations

# QC Spike Extraction Efficiencies

Dpm/g found from solubilization = dpm from solubilized feces / wt. of feces solubilized

Wt. of Tol extractant = Tare + extractant wt. (g) - wt. of empty extractant vial (g)

Dpm/g feces hmgnt found from extraction = dpm found from extractant / LSC aliquot weight (g) x wt. of Tol extractant / aliquot wt. of feces homogenate extracted (g)

% Recovery = average of duplicated (dpm/g) / dpm's/g found from solubilization x 100

# Solubilization Processing Efficiency

Wt. of feces (g) = Wt. of vial + control feces (g) – Tare wt. of empty vial for feces (g)

Wt. of <sup>14</sup>C-PDMS spiked (g) = Wt. of vial + feces + <sup>14</sup> C-PDMS spike (g) – Wt. of vial + control feces (g)

Dpm/g feces spiked = Wt. of <sup>14</sup>C-PDMS spiked (g) x specific activity of <sup>14</sup>C-PDMS, 350 cSt (mCi/g)  $\times 2.22e^9$  dpm/mCi / Wt. of feces (g)

Dilution found from solubilization = dpm from solubilized feces / wt. of feces solubilized

Recovery found 1 or 30 days after spiking = dpm's/g found from solubilization / dpm/g spiked x 100 DC Study No. - 9345 Appendix B Attachment D

(if non-homogenized, use dpm/g spiked with dilution applied)

9345E04a QC Splk Ext-Tol Day1

9345		
DC Study No.	Appendix B	Attachment D

Average of duplicate %, duplica	Wildling   Solubilized   From   Devilso from   From   From   From   Promised   From   Promised   Wilson   Promised   Pr					Aliquot Wt of	Weight of			rsc		dpm/g feces			
0.1546   26.86   174   0.2306   5.7069   6.7050   1.0431   0.0431   1744   1009   2177	0.1564   26.86   174   0.2506   5.7069   6.7050   1.0431   0.0425   1744   1000   2.127     0.1560   27.45   1714   0.2506   5.7200   6.8501   1.1692   0.0421   1732   2.245   2.277     0.1560   27.45   1711   0.2136   5.8746   6.7804   1.0040   0.0421   1732   2.245   2.271     0.1520   431161   2369126   0.1583   5.670   6.8161   1.1401   0.0423   14614   2.26963   343233   142     0.1521   43162   2369126   0.1583   5.670   6.8161   1.1401   0.0423   14614   2.26963   343233   142     0.1521   416905   2327368   0.1616   5.7302   6.8667   1.1100   0.0423   14614   2.26969   343233   142     0.2374   575476   2.424066   0.2016   5.7302   6.8667   1.1100   0.0423   14614   2.26969   343233   142     0.2374   575476   2.242068   0.1672   5.7302   6.8667   1.1100   0.0423   44614   2.26969   343233   142     0.2374   575476   2.242068   0.1672   5.7302   6.8667   1.1100   0.0423   346643   2.26969   343233   142     0.2374   5.25494   1.0046972   0.1870   5.7203   6.8673   1.1100   0.0423   346443   1.10046972   0.1870   4.10049	Olejumes	Wt. of Feces solubilized	DPM from Solubilized Feces	DPM's/g found from solubilization	feces homogenate extracted(a)	empty extractant	Tare + extractant wt (a)	Wt of Tol extractant	aliquot weight	dpm found from	hmgnt found from	Average of duplicate	% %	Ave % Recovery
0.180   2.3.3   1.32   0.2119   5.7309   0.8001   1.1682   0.0443   1.754   2.255   2.251   2.257   2.255   2.257   2.255   2.257	0.1990 26.33 132 0.2119 6.7209 6.8901 1.1682 0.0441 71.22 2281 2217   0.1800 27.45 1711 0.2138 6.8746 6.8001 1.1682 0.0424 17.22 2281 2281   0.1800 27.45 1711 0.2138 6.8746 6.8161 1.1401 0.0423 17.54 2.281 1.154   0.2214 57.5478 2.424086 0.2016 5.7281 6.8002 1.0711 0.0423 149134 2496923 1.2481692   0.2214 57.5478 2.424086 0.2016 5.7281 6.8002 1.0711 0.0423 149134 2496923 1.2481692   0.2215 619895 3701558 0.1618 5.7382 6.8867 1.1407 0.0423 149014 2.228393   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1405 0.0423 149014 2.228393   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2215 2.42408 0.2016 5.8640 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 300234 4100117   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 311056 4010964   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 311056 4010964   0.2214 2.22549 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 311056 4010964   0.2214 2.2254 10049672 0.1670 5.7280 6.8867 1.1387 0.0423 311056 4010964   0.2214 2.2254 10049672 0.2412 5.8847 6.1780 0.0423 11056 4010969   0.2214 2.2254 10049672 0.2415 5.7282 6.8994 1.1390 0.0412 1.6187 0.0423 1.1387   0.2214 2.2254 1.1281 0.2215 5.7282 6.8994 1.1390 0.0412 1.6187 0.0423 1.1387   0.2214 2.2254 1.1281 0.2215 5.7282 6.8994 1.1390 0.0412 1.6187 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344 0.0423 1.1390 0.0411 1.1344	Blank 1	0.1548		174	0.2306	5.7089	6.7520	10431	0.0425	17 94	1809	2127		
0.180   26.33   132   0.2110   6.7200   6.8001   1.1892   0.0444   1732   2183   2217   2217   2218   2217   2218   2217   2218   2217   2218   2218   2217   2218   221	0.1800         28.33         132         0.2119         6.7209         6.8001         1.1582         0.0424         17.24         2.150         2.17           0.1809         27.45         171         0.2136         6.7206         6.7046         1.0549         0.0424         17.54         2.20         1937           0.1809         27.45         171         0.2136         6.8070         6.8161         1.1481         0.0423         14000         2480891         2481692           0.1820         431181         2380126         0.1593         6.8670         6.8161         1.1481         0.0423         14000         2480891         1.48908         1.489082         244086         0.2016         6.8753         1.1710         0.0420         100480         2480892         1.1480         0.0420         148068         370588         2.8897         1.1475         0.0420         148068         3420898         370588         0.1870         6.8867         1.1176         0.0420         148068         370588         2.8897         1.1475         0.0420         148068         3420898         342898         342898         3428988         3428988         3428988         3428988         3428988         3428988         3428988         3428	Homogenized			•					0.0418	21.67	2345	i		
0.1809   27.45   171   0.2138   5.6745   6.7894   1.0849   0.0428   1754   2.220   1937   1937   1938   1	0.1820   27.45   171   0.2138   5.8745   6.7084   1.0849   0.0423   1754   2251   1937   1937   1938   1934   1934   1934   1934   1934   1934   1934   1934   1934   1934   1934   19	Blank 2	0.1990		132	0.2119	5.7209	6.8801	1.1592	0.0434	17.32	2183	2217		
	0.1609         27.45         171         0.2198         5.6745         6.7864         1.0949         0.0428         17.59         2.190         1937         1938 <td>Homogenized</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.0421</td> <td>17.32</td> <td>2251</td> <td></td> <td></td> <td></td>	Homogenized								0.0421	17.32	2251			
0.1820   431181   2369126   0.1693   6.8670   6.8181   1.1481   0.0428   4.8606.   24606.   246156.   246156.   246156.   246166.   246156.   24	1,122   1,124   1,12	Blank 3	0.1609		171	0.2136	5.6745	6.7694	1.0949	0.0424	17.54	2120	1937		
0.1820         431161         2369126         0.1683         5.6870         6.8161         1.1491         0.0433         148002         249134         246966         1.24166         1.1475         0.0423         148134         246966         1.24166         1.1475         0.0423         148134         246966         1.1475         0.0420         168134         2424086         1.1475         0.0420         180176         2283098         3432373         1.147         0.0420         383714         2424086         0.1618         6.7382         6.8667         1.1475         0.0420         180776         2283098         3432373         1.14           0.2216         819895         3701568         0.1618         6.7382         6.8667         1.1475         0.0420         180776         2283098         3432373         1.12           0.2216         2.2246         10048672         0.1618         6.7382         6.8677         1.1475         0.0420         180724         4101807         7.12         1.1475         0.0420         1.227637         4108968         7.17         1.17         1.1476         0.0420         1.1476         0.0420         1.1476         0.0420         1.1476         0.0420         1.1476         0.0420         1.1476 <td>0.1820         431181         2389126         0.1583         5.6870         6.8161         1,1491         0.0438         148002         24086         242086         2.2374         5.7281         6.8002         1,0711         0.0428         148134         248060         242182           0.2374         575478         2424086         0.2016         5.7281         6.8867         1,1475         0.0428         140178         2283368         228338           0.2316         519055         201678         5.7281         6.8867         1,1476         0.0432         140774         228338         228338           0.2316         519065         0.1672         5.7280         6.8867         1,1307         0.0431         345493         46178017         228338           0.2316         519065         0.1672         5.7280         6.8673         1,1307         0.0431         345493         46178017         4617805           0.2316         517404         1.0780         6.8678         1,1307         0.0432         141780         0.0432         1417805         4617805           0.2316         51740         5.7280         6.8678         1,1440         0.0432         4617805         4618605         4618605         46</td> <td>Homogenized</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.0428</td> <td>14.58</td> <td>1754</td> <td></td> <td></td> <td></td>	0.1820         431181         2389126         0.1583         5.6870         6.8161         1,1491         0.0438         148002         24086         242086         2.2374         5.7281         6.8002         1,0711         0.0428         148134         248060         242182           0.2374         575478         2424086         0.2016         5.7281         6.8867         1,1475         0.0428         140178         2283368         228338           0.2316         519055         201678         5.7281         6.8867         1,1476         0.0432         140774         228338         228338           0.2316         519065         0.1672         5.7280         6.8867         1,1307         0.0431         345493         46178017         228338           0.2316         519065         0.1672         5.7280         6.8673         1,1307         0.0431         345493         46178017         4617805           0.2316         517404         1.0780         6.8678         1,1307         0.0432         141780         0.0432         1417805         4617805           0.2316         51740         5.7280         6.8678         1,1440         0.0432         4617805         4618605         4618605         46	Homogenized								0.0428	14.58	1754			
0.2374 5/5478	0.2374   575478   2424086   0.2016   5.7281   6.8002   1.0711   0.0423   148174   2486023   3432373     0.1431   418905   2927358   0.1618   5.7382   6.8867   1.1475   0.0429   38378.7   4601646   2282388     0.2215   619895   3701558   0.1618   5.7382   6.8673   1.1100   0.0423   39276   4156527   4157822     0.2214   2325494   10049672   0.1870   5.7280   6.8827   1.1100   0.0423   39276   4156527   4157822     0.2314   2325494   10049672   0.1870   5.7280   6.8827   1.1100   0.0432   39276   415862   4158683     0.2175   24.33   1.13   0.2827   5.5784   6.7284   1.1450   0.0432   30276   415862   4158683     0.2014   23.38   1.18   0.2817   5.5784   6.7284   1.1450   0.0423   1.100   412323     0.2007   158794   791201   0.2178   5.7285   6.8188   6.7481   1.1313   0.0420   1.152   1.187     0.224   1.281280   0.2816   5.8138   6.7185   1.1313   0.0420   1.152   1.857     0.2024   1.281280   0.2816   5.8138   6.7481   1.1313   0.0420   1.152   1.187     0.254   1.281280   0.2816   5.725   6.8198   0.0410   0.642   1.1314   0.042   1.1314     0.254   1.281280   0.1802   5.725   6.8996   6.8010   1.1314   0.042   6.7185   1.1314   0.042   6.7185   1.1314   0.042   6.7187     0.264   1.281280   0.1802   5.725   6.8996   6.8010   1.1314   0.042   6.8138   1.1314   0.042   6.8138   1.1314   0.042   6.8138   0.0414   6.825   6.8996   6.8010   1.1314   0.0414   6.825   6.8996   6.8010   1.1314   0.0414   6.825   6.8996   6.8010   1.1314   0.0414   0.0414   6.825   6.8996   6.8010   1.1314   0.0414   6.825   6.8996   1.1306   6.9414   0.0414   6.825   6.8996   1.1306   6.9414   0.0414   6.825   0.99043   0.9414   0.0	Spike A-1	0.1820	431181	2369126	0.1593	5.6670	6.8161	1.1491	0.0433	14806.0	2466561	2481592	105	108
1,147   1,14806   2,224086   0,2016   5,7291   6,8002   1,0711   0,0423   1,9017   2,28308   2,283333   1,42     0,1431   4,18906   2,227358   0,1618   5,7392   6,8867   1,1475   0,0420   3,9774   2,283038   2,289333   79     0,2215   8,18965   3,701558   0,1618   5,7281   6,8867   1,1475   0,0420   3,9774   2,278637   4,15722   4,15722     0,2214   2,325494   1,0049672   0,1870   5,7280   6,8867   1,1367   0,0420   3,4874   4,15722   4,15782     0,2175   1,048572   6,114122   0,2086   5,8840   6,8465   1,1450   0,0420   3,4874   4,15761   4,15869   4,15822     0,2174   2,3284   1,004,8672   6,1870   6,8467   6,8467   1,1370   0,0420   1,1370   1,1370     0,2214   2,3.84   1,08   0,2412   5,8467   6,1870   1,1310   0,0420   1,1310   1,1310     0,2214   2,3.84   1,08   0,2412   5,8467   6,1892   1,1310   0,0420   1,1310   1,1310     0,2214   2,3.84   1,08   0,2412   5,8467   6,1892   1,1310   0,0420   1,1310   1,1310     0,2214   2,3.84   1,08   0,2412   5,8467   6,1892   1,1310   0,0420   1,1310   1,1310     0,2214   1,58794   1,281280   0,2215   5,7250   6,8994   1,1390   0,0420   1,1310   0,0420   1,1310     0,2214   1,58794   1,281280   0,2215   5,7250   6,8994   1,1390   0,0420   1,1310   0,0420   1,1310     0,2214   1,58794   1,281280   0,2215   5,7250   6,8994   1,1310   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420   0,0420	0.2374         575478         2424066         0.2016         5,7261         6,8002         1,0711         0.0423         18617.2         2,283088         3432373           0.1431         418906         2927386         0.1618         5,7382         6,8867         1,1475         0.0420         38577.4         2,287388         2,2893339         2,2893339         2,289339         2,28933	Homogenized								0.0428	14813.4	2496623			
1,141,   1,1806   2827368   0,1818   6,7382   0,8867   1,1475   0,0430   1,0042   2,223038   2,228938   79     2,2216   819895   3701558   0,1812   6,7863   6,8763   1,1100   0,0432   302756   4,15622   4,15722   1,12763   1,1276   1,1	0.1431   418905   2927358   0.1616   5.7392   6.8867   1.1475   0.0430   140842   2.220838   2.269338   0.2215   819895   3701558   0.1872   5.7633   6.8867   1.1367   0.0430   147974   2.276437   4157822   0.0430   140845   2.276637   4157822   0.0431   345463   345762   4157822   0.2314   2325494   10049672   0.1870   5.7280   6.8455   1.1367   0.0431   345463   415587   4157822   0.0431   345463   4157822   4157822   0.2214   2.384   113   0.2627   5.5784   6.7234   1.1450   0.0432   3106.6   402383   4018983   4018	Spike A-2	0.2374		2424086	0.2016	5.7291	6.8002	1.0711	0.0423	18017.9	2263098	3432373	142	
1,12,1,13,10,10,10,12,12,23,36, 3,10,16,10, 3,10,14,10,14,	0.2215 819855 3701558 0.1615 0.532, 0.8873 1.1100 0.0432 30275 4.15522 222338 2222338	Homogenized	7077		9304000	9	1			0.0420	363/6./	4601649		i	
1,2215   819895   3701558   0.1872   5.7853   8.8753   1.1100   0.0423   30.2764   4160117   4157822   1127822   1	0.2216   819895   3701568   0.1872   6.7653   6.8753   1.1100   0.0423   30278,4   4160177   4157822   4	Spike A-3	0.1431		9C6 1787	0.1618	5.7382	6.886/	1.14/5	0.0430	14084.8	2323038	2299338	78	
Column   C	0.2314         2325494         10049672         0.1870         5,7280         0.8827         1,1367         0.0431         34549.3         415021         411022           0.2314         2325494         10049672         0.1870         5,7280         6,8827         1,1367         0.0431         34549.3         4872861         48858683           0.1715         1048572         6114122         0.2086         5,6840         6,8465         1,1525         0.0429         34969.3         4872861         4895983           0.2157         24,33         113         0.2027         5,6784         6,7485         1,1450         0.0429         19644         11766           0.02167         24,33         113         0.2027         5,6847         6,7485         1,1480         0.0429         19.33         1964         1766           104         0.2214         2,8847         6,7485         1,7718         0.0429         19.33         1964         1732           104         0.2214         2,8188         6,7481         1,1318         0.0429         19.33         1964         1766           104         2,518         2,518         6,7481         1,131         0.0429         19.33         1760     <	Homogenized	A1000		3704558	0 1073	5 7052	0 0753	4400	0.0430	13/8/.4	2275637	0000	,	í
0.2314   2325494   10049672   0.1870   5.7260   6.8627   1.1367   0.0431   3467831   4895863	0.2314         2325494         10049672         0.1670         5.7260         6.8627         1,1367         0.0428         330624.1         4919306           0.1715         1048572         6114122         0.2066         5.6840         6.8465         1,1526         0.0416         33666.1         4919306           10.215         24.33         113         0.2027         5.784         6.7234         1,1450         0.0422         3105.6         4016664           10.214         23.38         118         0.2412         5.6467         6.7451         1,0716         0.0422         15.23         4018993           20.027         25.214         23.38         118         0.2412         5.6467         6.7451         1,0716         0.0422         15.07         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01         17.02         17.01	T Puldo	2 7			70.0	200	20.00	3	2010	30273.0	410007	770/614	7 .	0
Cut	O.2157   24.33   113   0.2627   5.5940   6.8465   1.1525   0.0429   30940.8   4013323   4019993   401993	Homogenized	0.0314		10040672	0 1870	F 7280	7000	1 1001	0.0428	30028.4	416011/	000	Ş	
0.1715   1048572   6114122   0.2066   5.6940   6.8465   1.1525   0.0428   3106.6   4023323   4019893   66	0.2157         24.33         113         0.2827         5.5840         6.8465         1.1525         0.0428         30840.8         40723232         4018983           max         0.2157         24.33         113         0.2827         5.5784         6.7234         1.1450         0.0428         15.23         1647         1756           max         0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0428         15.23         1647         1757           max         0.1976         23.38         118         0.2412         5.6487         6.7185         1.0718         1.071         1787         1787         1787         1732           max         0.1976         23.38         118         0.2412         5.6487         6.7185         1.0718         1.072         1787         1787         1787           max         0.1976         22.38         118         0.2412         5.6138         6.7451         1.1313         0.0428         15.22         1592         1760           max         0.2207         15879         5.7270         6.8193         1.1319         0.0428         6.45146         0.0428         6.45146         0.0428 <td>Spire D-2</td> <td>4167.0</td> <td></td> <td>71004001</td> <td>0.107.0</td> <td>9.7200</td> <td>0.0021</td> <td>1.1307</td> <td>25.00</td> <td>5.84040</td> <td>46/2001</td> <td>4685883</td> <td>94</td> <td></td>	Spire D-2	4167.0		71004001	0.107.0	9.7200	0.0021	1.1307	25.00	5.84040	46/2001	4685883	94	
0.2157         24.33         113         0.2627         5.784         6.7234         1.1450         0.0429         15.23         30840.8         4018993         66           0.2157         24.33         113         0.2627         5.5784         6.7234         1.1450         0.0429         15.23         1547         1756         Average = 4018993         66           0.2214         23.84         108         0.2412         5.6467         6.7451         1.1313         0.0429         15.22         1592         1760         Average = 6043         6.7451         1.1313         0.0429         15.22         1592         1760         1772         1782         1760         1772         1780         1772         1780         1772         1780         1772         1780         1772         1780         1772         1780         1	0.2157         24.33         113         0.2627         5.5764         6.7234         1.1450         0.0429         30940.8         4023323         4018993           0.2157         24.33         113         0.2627         5.5764         6.7234         1.1450         0.0429         15.23         1547         1756           0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0423         15.22         1587         1780           0.2076         23.38         118         0.2412         5.6467         6.7451         1.1313         0.0423         15.22         1582         1780           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0823         1.0823         1780           0.2244         17516         780374         0.2455         5.6894         1.1360         0.0426         5470.99         645140         0.0426         5470.99         645140           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1360         0.0426         5470.99         645140           0.2544         175116         780374         0.2455         5.6836 <t< td=""><td>Homogenized</td><td></td><td></td><td>0444400</td><td></td><td></td><td></td><td></td><td>0.0416</td><td>33666.1</td><td>4919305</td><td></td><td></td><td></td></t<>	Homogenized			0444400					0.0416	33666.1	4919305			
0.2214         23.84         113         0.2627         5,5784         6,7234         1,1450         0.0429         16.23         15.77         1756         Average = 16.23         1105.68         4016864         Average = 16.23         Average = 17.01         A	0.2157         24.33         113         0.2627         5.5784         6.7234         11.450         0.0429         15.23         1547         1756           0.2214         23.84         108         0.2412         5.6138         6.7451         1.0718         0.0429         15.23         1647         1756           0.1976         23.38         118         0.2315         5.6138         6.7451         1.1313         0.0429         15.22         1692         1701         1787         1732           0.2007         158794         791201         0.2315         5.7220         6.8193         1.0823         0.0424         165.76         1700	Spike B-3	0.1/15		6114122	0.2066	5.6940	6.8465	1.1525	0.0429	30940.8	4023323	4019993	99	
0.2157         24.33         113         0.2827         5.5784         6.7234         1.1450         0.0429         15.23         1547         1766         Average = 16.13           0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0423         17.01         1787         1732           0.1976         23.38         118         0.2412         5.6138         6.7451         1.1313         0.0423         15.01         1787         1732           0.2007         158794         791201         0.2516         5.6138         6.7451         1.1313         0.0424         16.16         1678         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0923         0.0421         584.67         6.2759         6.20251         86           0.2512         185789         739606         0.2515         5.7526         6.8894         1.1369         0.0421         584.67         6.2759         6.20251         86           0.2544         17516         786.88         6.8016         1.1349         0.0421         584.67         6.2559         6.20251         86           0.1894         128	0.2214         23.84         113         0.2827         5.5784         6.7234         1.1450         0.0429         15.23         1547         1756           0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0429         19.33         1964         1732           0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0429         15.22         1592         1760           0.2007         158794         791201         0.2515         5.6138         6.7451         1.1313         0.0430         15.22         1592         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0923         0.0431         6.8167         1.1369         6.4467         6.2759         6.4160         6.2251         160.0         6.2251         160.0         6.2251         1.002         1.160         6.2256         1.760         6.2256         1.760         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759         6.2759	Homogenized								0.0432	31105.6	4016664			
0.2157         24.33         113         0.2627         5.5784         6.7234         1.1450         0.0429         16.23         1547         1756           0.2214         23.84         108         0.2412         5.6467         6.7186         1.0718         0.0429         16.23         1547         1756           0.2214         23.38         118         0.2412         5.6138         6.7451         1.1313         0.0420         15.22         1592         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0823         0.0434         18.61         1929         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0823         0.0417         516.76         62173         633207         80           0.2007         15879         739606         0.2515         5.7525         6.8894         1.1374         0.0416         568.66         610800         605479         80           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         568.66         610800         605479         78           0.1892	0.2514         23.34         113         0.2627         5.5784         6,7234         1,1450         0.0429         15.23         1547         1756           0.2214         23.84         108         0.2412         5.6467         6,7185         1,0718         0.0428         16,16         1678         1732           0.1976         23.38         118         0.2515         5.6138         6,7451         1,1313         0.0436         16,16         1678         1780           0.2007         158794         791201         0.2176         5,7720         6,8193         1,0923         0.0477         5165.76         1780           0.2512         185789         739606         0.2515         5,7525         6,8894         1,1369         0.0421         56759         62759           0.2244         175116         780374         0.2455         5,8836         6,8804         1,1374         0.0419         5525.69         610980           0.1892         255231         1281280         0.1837         5,8936         1,1449         0.0417         517041         1143343         1130951           0.1894         244302         1289873         0.1837         5,8936         1,1417         0.0421	į			•									Average =	95
0.2214         23.84         108         0.2412         5.6467         6.7185         1,0718         0.0428         19.33         1984           0.1976         23.38         118         0.2412         5.6467         6.7185         1,0718         0.0428         17,01         1787         1732           0.1976         23.38         118         0.2515         5.6138         6.7451         1,1313         0.0434         18.61         1928         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1,0823         0.0417         5165.76         621273         63207         80           0.2512         185794         791201         0.2178         5.7270         6.8193         1,1369         0.0421         584.57         62759         620251         80           0.2512         185794         17516         780374         0.2455         5.6936         6.8010         1,1374         0.0421         5876.96         610990         605479         78           0.1992         255231         1281280         0.1962         5.7127         6.8676         1,1474         0.0417         740.11         1143459         1130561         89 <t< td=""><td>0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0428         19.33         1984         1732           0.1976         23.38         118         0.2412         5.6467         6.7185         1.0718         0.0428         16.16         1678         1732           0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0428         16.16         1678         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0823         0.0417         5165.76         6.2173         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         584.57         627569         629251           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5526.89         610890         605479           0.1992         255231         1281280         0.1892         5.7127         6.8576         1.149         0.0419         5.6894         1.1374         0.0419         5.6894         1.1449         0.0411         113458</td><td>Blank 1</td><td></td><td></td><td>113</td><td>0.2827</td><td>5.5784</td><td>6.7234</td><td>1.1450</td><td>0.0429</td><td>15.23</td><td>1547</td><td>1756</td><td></td><td></td></t<>	0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0428         19.33         1984         1732           0.1976         23.38         118         0.2412         5.6467         6.7185         1.0718         0.0428         16.16         1678         1732           0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0428         16.16         1678         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0823         0.0417         5165.76         6.2173         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         584.57         627569         629251           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5526.89         610890         605479           0.1992         255231         1281280         0.1892         5.7127         6.8576         1.149         0.0419         5.6894         1.1374         0.0419         5.6894         1.1449         0.0411         113458	Blank 1			113	0.2827	5.5784	6.7234	1.1450	0.0429	15.23	1547	1756		
0.2214         23.84         108         0.2412         5.6467         6.7185         1.0718         0.0423         17.01         1787         1732           0.1976         23.38         118         0.2412         5.6467         6.7451         1.1313         0.0428         16.16         1678         1760           0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0434         16.61         1922         1760           0.2007         156794         791201         0.2176         5.7270         6.8193         1.0823         0.0417         51631         632025         80           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         5876.08         630943         1.39051         86           0.2244         17516         780374         0.2456         5.6836         6.8076         1.1449         62056         605479         78           0.1992         255231         1281280         0.1962         5.7127         6.8676         1.1674         1143343         1133067         89           0.1994         244302         1289873         0.1837         5.6863 <td>0.2214         23.84         108         0.2412         5.6467         6,7185         1,0718         0.0423         17.01         1787         1732           0.1976         23.38         118         0.2515         5,6138         6,7451         1,1313         0.0428         16,16         1678         1760           0.2007         158794         791201         0.2178         5,7270         6,8193         1,0923         0.0421         5478,98         645140         1780           0.2512         185789         739606         0.2515         5,7525         6,8894         1,1369         0.0421         584,57         621273         632651           0.2244         175116         780374         0.2455         5,8894         1,1374         0.041         5625,69         610990         605479           0.1992         255231         1281280         0.1862         5,7127         6,8676         1,1449         0.041         5625,69         610990         605479           0.1894         244302         1289673         0.1837         5,8991         6,8656         1,1674         0.0419         6525,69         610990         605479           0.2014         257659         1279340         0.1837<td>NonHomogenized</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.0429</td><td>19.33</td><td>1964</td><td></td><td></td><td></td></td>	0.2214         23.84         108         0.2412         5.6467         6,7185         1,0718         0.0423         17.01         1787         1732           0.1976         23.38         118         0.2515         5,6138         6,7451         1,1313         0.0428         16,16         1678         1760           0.2007         158794         791201         0.2178         5,7270         6,8193         1,0923         0.0421         5478,98         645140         1780           0.2512         185789         739606         0.2515         5,7525         6,8894         1,1369         0.0421         584,57         621273         632651           0.2244         175116         780374         0.2455         5,8894         1,1374         0.041         5625,69         610990         605479           0.1992         255231         1281280         0.1862         5,7127         6,8676         1,1449         0.041         5625,69         610990         605479           0.1894         244302         1289673         0.1837         5,8991         6,8656         1,1674         0.0419         6525,69         610990         605479           0.2014         257659         1279340         0.1837 <td>NonHomogenized</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.0429</td> <td>19.33</td> <td>1964</td> <td></td> <td></td> <td></td>	NonHomogenized								0.0429	19.33	1964			
0.1976         23.38         118         0.2515         5,6136         6.7451         1.1313         0.0428         16.16         1678         1760           0.2007         158794         791201         0.2178         5,7270         6.8193         1.0923         0.0417         5165.78         621273         633207         80           0.2017         158794         791201         0.2178         5,725         6.8894         1.1369         0.0417         5165.78         621273         633207         80           0.2512         185789         739606         0.2515         5,7525         6.8894         1.1369         645140         627559         629251         85           0.2544         17516         780374         0.2455         5,8636         6.8010         1.1374         0.0419         5626.89         610990         605479         78           0.1992         255231         1281280         0.1962         5,7127         6,8676         1.1449         0.0419         568845         599967         1130867         89           0.1894         244302         1289873         0.1637         5,6891         6,8685         1.1674         0.0421         7479.11         1134346         1109807	0.0428         18.16         1678         16.16         1678           0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0430         15.22         1592         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0923         0.0477         5165.76         6.21273         633207           0.2512         158794         739606         0.2515         5.7525         6.8894         1.1369         0.0477         5165.6         621273         633207           0.2544         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0421         5675.9         6093043         65251           0.1992         255231         1281280         0.1962         5.7127         6.8576         1.1449         0.0417         8170.41         1143343         1139061           0.1894         244302         1289873         0.1837         5.8991         6.8280         1.1674         0.0421         7468.68         1130867           0.2014         257659         1279340         0.2074         5.8863         6.8280         1.1417         0.0428         8553.06 <t< td=""><td>Blank 2</td><td></td><td></td><td>108</td><td>0.2412</td><td>5.6467</td><td>6.7185</td><td>1.0718</td><td>0.0423</td><td>17.01</td><td>1787</td><td>1732</td><td></td><td></td></t<>	Blank 2			108	0.2412	5.6467	6.7185	1.0718	0.0423	17.01	1787	1732		
0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0434         15.22         1592         1760           0.2007         158794         791201         0.2176         5.7270         6.8193         1.0823         0.0477         5165.76         621273         633207         80           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         5876.08         645140         86           0.2514         175116         780374         0.2455         5.6836         6.8010         1.1374         6.0421         552.69         610990         605479         78           0.1992         255231         1281280         0.1962         5.7127         6.8676         1.1449         0.0417         1173343         1139051         89           0.1894         244302         1289873         0.1837         5.6991         6.8665         1.1674         0.0421         7488.68         1127386         1139067         88           0.2014         257659         0.0421         7486.68         1127386         1139067         88           0.1894         244302         1279340         0.2074	0.1976         23.38         118         0.2515         5.6138         6.7451         1.1313         0.0434         15.22         1592         1760           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0923         0.0417         5165.76         621273         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         5878.08         630943           0.2544         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5626.89         610990         605479           0.1992         255231         1281280         0.1862         5.7127         6.8576         1.1449         0.0417         8170.41         1143343         1130951           0.1894         244302         1289873         0.1837         5.6863         6.8280         1.1674         0.0421         7479.11         1134348           0.2014         257659         127934         0.2074         5.6863         6.8280         1.1417         0.0428         8593.06         1100072         1115932           0.2014         257659         1279346         0.2074	NonHomogenized								0.0428	16.16	1678			
0.0434         18.61         1929           0.2007         158794         791201         0.2178         5.7270         6.8193         1.0923         0.0417         5165.76         621273         633207         80           0.2512         1.2025         6.8804         1.1369         0.0421         584.57         627559         629251         85           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5526.99         610990         605479         78           0.1924         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5526.99         610990         605479         78           0.1924         244302         1289873         0.1837         5.6991         6.8656         1.1674         0.0417         8170.41         1143343         1130867         89           0.2014         257659         1279340         0.2074         5.6863         6.8260         1.1674         11417         0.0421         7479.11         1134346         1150967         89           0.2014         257659         1279340         0.2074         5.6863         6.8260         1.1417 <td>0.2007         158794         791201         0.2178         5.7270         6.8183         1.0923         0.0417         5165.76         621273         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         566.76         621273         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         564.57         627559         629251           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5625.69         610990         605479           0.1992         255231         1281280         0.1962         5.7127         6.8576         1.1449         0.0417         8170.41         1143343         1139051           0.1894         244302         1289873         0.1837         5.6991         6.8665         1.1674         0.0421         7468.68         1127346           0.2014         257659         1279340         0.2074         5.0863         6.8280         1.1674         0.0421         7498.68         113781           0.2014         257659         1279340         0.2074</td> <td>Blank 3</td> <td></td> <td></td> <td>118</td> <td>0.2515</td> <td>5.6138</td> <td>6.7451</td> <td>1.1313</td> <td>0.0430</td> <td>15.22</td> <td>1592</td> <td>1760</td> <td></td> <td></td>	0.2007         158794         791201         0.2178         5.7270         6.8183         1.0923         0.0417         5165.76         621273         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         566.76         621273         633207           0.2512         185789         739606         0.2515         5.7525         6.8894         1.1369         0.0421         564.57         627559         629251           0.2244         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5625.69         610990         605479           0.1992         255231         1281280         0.1962         5.7127         6.8576         1.1449         0.0417         8170.41         1143343         1139051           0.1894         244302         1289873         0.1837         5.6991         6.8665         1.1674         0.0421         7468.68         1127346           0.2014         257659         1279340         0.2074         5.0863         6.8280         1.1674         0.0421         7498.68         113781           0.2014         257659         1279340         0.2074	Blank 3			118	0.2515	5.6138	6.7451	1.1313	0.0430	15.22	1592	1760		
0.2007       158794       791201       0.2178       5.7270       6.8193       1.0923       0.0417       5165.76       621273       633207       80         0.2512       185789       739606       0.2515       5.7525       6.8804       1.1369       0.0421       584.57       627559       629251       85         0.2244       175116       780374       0.2455       5.6836       6.8010       1.1374       0.0419       5525.89       610990       605479       78         0.1992       255231       1281280       0.1962       5.7127       6.8576       1.1449       0.0417       8170.41       1143343       1139051       89         0.1894       244302       1289873       0.1837       5.6991       6.8665       1.1674       0.0421       7470.11       1134346         0.2014       257659       1279340       0.2074       5.6863       6.8260       1.167       0.0421       7470.11       1134346         0.2014       257659       1279340       0.2074       5.6863       6.8260       1.167       11417       0.0428       6553.06       1100072       1115932       87	0.2007     158794     791201     0.2178     5.7270     6.8183     1.0923     0.0417     5165.76     621273     633207       0.2512     185789     739606     0.2515     5.7525     6.8894     1.1369     0.0421     564.67     627559     629251       0.2244     175116     780374     0.2455     5.6836     6.8010     1.1374     0.0419     5625.69     610990     605479       0.1992     255231     1281280     0.1962     5.7127     6.8576     1.1449     0.0417     3170.41     1143343     1139051       0.1894     244302     1289873     0.1837     5.6991     6.8665     1.1674     0.0421     7498.88     1127365       0.2014     257659     1279340     0.2074     5.0863     6.8280     1.1674     0.0428     8553.06     1100072     1115932       0.2014     257659     1279340     0.2074     5.0863     6.8280     1.1417     0.0428     8553.06     1100072     1115932	NonHomogenized								0.0434	18.61	1929			
0.2512         185789         645140         0.0426         5479.89         645140           0.2214         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0421         5876.08         630943           0.1924         175116         780374         0.2455         5.6836         6.8010         1.1374         0.0419         5625.69         610990         605479         78           0.1932         255231         1281280         0.1962         5.7127         6.8576         1.1449         0.0417         8170.41         1143343         1139051         89           0.1894         244302         1289873         0.1837         5.6991         6.8665         1.1674         0.0421         7470.11         1134346         1150867         88           0.2014         257659         1279340         0.2074         5.6863         6.8260         1.1417         0.0428         8553.06         1100072         1115932         87	0.2512       185789       739606       0.2515       5.7525       6.8894       1.1369       0.0421       564.67       627559       629251         0.2244       175116       780374       0.2455       5.6836       6.8010       1.1374       0.0419       5625.69       610990       605479         0.1992       255231       1281280       0.1962       5.7127       6.8576       1.1449       0.0417       8170.41       1143343       1139051         0.1894       244302       1289873       0.1837       5.6991       6.8665       1.1674       0.0421       7498.88       1127365       1130867         0.2014       257659       1279340       0.2074       5.0863       6.8280       1.1674       0.0428       8553.06       1100072       1115932         0.2014       257659       1279346       0.2074       5.0863       6.8280       1.1417       0.0428       8553.06       1100072       1115932	Spike A-1			791201	0.2178	5.7270	6.8193	1.0923	0.0417	5165.76	621273	633207	80	2
0.2512     185789     739606     0.2515     5.7525     6.8894     1.1369     0.0421     5844.57     627559     629251     85       0.2244     175116     780374     0.2455     5.6836     6.8010     1.1374     0.0419     5625.69     610990     605479     78       0.1992     255231     1281280     0.1962     5.7127     6.8576     1.1449     0.0417     8170.41     1143343     1139051     89       0.1894     244302     1289873     0.1837     5.6991     6.8665     1.1674     0.0421     7479.11     1134346       0.2014     257659     1279340     0.2074     5.0863     6.8280     1.1417     0.0428     8553.06     1100072     1115932     87       0.2014     257659     1279346     1.17394     1.1417     0.0428     8553.06     1100072     1115932     87	0.2512     185789     739606     0.2455     5.7525     6.8894     1.1369     0.0421     5644.57     627559     629251       0.2244     175116     780374     0.2455     5.6836     6.8010     1.1374     0.0419     5625.69     610990     605479       0.1992     255231     1281280     0.1962     5.7127     6.8576     1.1449     0.0417     8170.41     1143343     1139051       0.1894     244302     1289873     0.1837     5.6991     6.8665     1.1674     0.0421     7498.68     1127346     1130867       0.2014     257659     1279340     0.2074     5.6863     6.88280     1.1417     0.0428     8553.06     1100072     1115932       0.2014     257659     1279346     131791     131791	NonHomogenized								0.0428	5479.99	645140			
0.2244 175116 780374 0.2455 5.6636 6.8010 1.1374 0.0419 5625.69 610990 605479 78 0.1992 255231 1281280 0.1962 5.7127 6.8576 1.1449 0.0417 8170.41 1143343 1139051 89 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127365 1130867 88 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 87	0.2244 175116 780374 0.2455 5.6636 6.8010 1.1374 0.0419 5625.69 610990 605479 0.1992 255231 1281280 0.1962 5.7127 6.8576 1.1449 0.0417 8170.41 1143343 1139051 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127365 1130867 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 6553.06 1100072 1115932	Spike A-2	0.2512		739606	0.2515	5.7525	6.8894	1.1369	0.0421	5844.57	627559	629251	85	
0.2244     175116     780374     0.2455     5.6836     6.8010     1.1374     0.0419     5625.69     610990     605479     78       0.1992     255231     1281280     0.1962     5.7127     6.8576     1.1449     0.0417     8170.41     1143343     1130551     89       0.1894     244302     1289873     0.1837     5.6991     6.8665     1.1674     0.0421     7450.11     1134346     1130867     88       0.2014     257659     1279340     0.2074     5.6863     6.8280     1.1417     0.0428     8553.06     1100072     1115932     87       0.2014     257659     1279340     0.2074     5.6863     6.8280     1.1417     0.0428     8553.06     1100072     1115932     87	0.2244     175116     780374     0.2455     5.6836     6.8010     1.1374     0.0419     5625.69     610990     605479       0.1922     255231     1281280     0.1962     5.7127     6.8576     1.1449     0.0417     8170.41     1143343     1139051       0.1894     244302     1289873     0.1837     5.6991     6.8665     1.1674     0.0421     7468.68     1127346     1130867       0.2014     257659     1279340     0.2074     5.6863     6.8280     1.1417     0.0428     8553.06     1100072     1115932       0.0428     8799.68     1131791	NonHomogenized								0.0421	5876.08	630943			
0.0430 5568.45 599967  0.1992 255231 1281280 0.1962 5.7127 6.8576 1.1449 0.0417 8170.41 1143343 1139051 89  0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127365 1130867 88  0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 87	0.1992 255231 1281280 0.1962 5.7127 6.8576 1.1449 0.0417 8170.41 1143343 1139051 0.1894 244302 1289873 0.1837 5.8991 6.8665 1.1674 0.0421 7468.68 1127385 1130867 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932	Spike A-3	0.2244		780374	0.2455	5.6636	6.8010	1.1374	0.0419	5525.69	610990	605479	78	
0.1992 255231 1281280 0.1962 5.7127 6.8576 1.1449 0.0417 8170.41 1143343 1139051 89 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127365 1130867 88 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 87	0.1992 255231 1281280 0.1962 5.7127 6.8578 1.1449 0.0417 8170.41 1143343 1139051 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127385 1130867 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932	NonHomogenized								0.0430	5568.45	599967			
0.0430 8361.87 1134759 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127365 1130867 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932	0.0430 8361.87 1134759 0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127385 1130867 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932	Spike B-1	0.1992		1281280	0.1962	5.7127	6.8576	1.1449	0.0417	8170.41	1143343	1139051	89	88
0.1894 244302 1289873 0.1837 5.6991 6.8865 1.1674 0.0421 7468.68 1127365 1130867 0.0419 7479.11 1134346 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932	0.1894 244302 1289873 0.1837 5.6991 6.8665 1.1674 0.0421 7468.68 1127385 1130867 1130867 0.2014 257659 0.0419 7479.11 1134346 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 0.0428 8553.06 1131791	NonHomogenized								0.0430	8361.87	1134759			
0.0419 7479.11 1134346 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 0.0428 8799.68 1131791	0.0419 7479.11 1134346 0.2014 257659 1279340 0.2074 5.6863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 0.0428 8799.68 1131791	Spike B-2	0.1894		1289873	0.1837	5.6991	6,8665	1.1674	0.0421	7468.68	1127385	1130867	88	
0.2014 257659 1279340 0.2074 5.8863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 iizəd	0.2014 257659 1279340 0.2074 5.8863 6.8280 1.1417 0.0428 8553.06 1100072 1115932 lized	NonHomogenized								0.0419	7479.11	1134348			
0.0428 8799.68	0.0428 8799.68 1131791	Spike B-3	0.2014		1279340	0.2074	5.6863	6.8280	1.1417	0.0428	8553.06	1100072	1115932	87	
	Average ≈	NonHomogenizec	_							0.0428	8799.68	1131791			

9345E04b QC Spik Ext-Tol Day30

(g)         Feces         on         avtracted (g)           0.2012         23         114         133         0.1918           0.2036         31         162         0.01918         0.1918           0.2036         31         142         133         0.1918           0.2050         27         132         134         0.2019           0.2050         27         132         134         0.2019           0.2050         27         132         134         0.2019           0.2050         27         132         134         0.2019           0.2050         27         132         134         0.2019           0.2052         582743         23882013         0.2027         0.2037           0.2069         582543         2882013         0.2027         0.2027           0.2045         45152         2220841         6375996         0.1866           0.2046         45162         2220841         4057189         0.2027           0.2040         584764         4057189         0.2026         0.2026           0.2070         847644         4057189         0.2036         0.2036           0.2071         274244 </th <th>empty</th> <th>Tare +</th> <th>Wt of Tol</th> <th>allonot</th> <th>point wap</th> <th>reces hmon</th> <th>Average</th> <th></th> <th>A 6/</th>	empty	Tare +	Wt of Tol	allonot	point wap	reces hmon	Average		A 6/
23         114         133         0.1918           31         152         0.2019           23         117         133         0.2019           30         149         3         0.2019           27         132         134         0.2103           26         137         134         0.2103           508254         2336800         2609406         0.1866           582743         2882013         50698         245969           582743         2882013         2022           506698         245969         2530738         0.2027           452159         250778         0.2250           454162         2220841         6375996         0.1863           2083654         9514402         3237591         6375996         0.1863           2083654         9514402         353174         3946319         0.2212           848764         4057189         3653174         3946319         0.2212           853404         4239463         353174         3946319         0.2212           853404         4239463         353         133         0.2395           31         133         121         121 <th><b>.</b></th> <th>=</th> <th>extractant (g)</th> <th>weight (g)</th> <th>from extractant</th> <th>found from</th> <th>duplicate (dpm/a)</th> <th>Recovery</th> <th>Ave % Recovery for Timent.</th>	<b>.</b>	=	extractant (g)	weight (g)	from extractant	found from	duplicate (dpm/a)	Recovery	Ave % Recovery for Timent.
31         152           23         117         133         0.2019           30         149         3         0.2019           27         132         134         0.2103           25         137         134         0.2103           26         137         609406         0.1866           508254         2336800         2609406         0.1866           582743         2882013         50829         2530738         0.2027           533104         2501776         4501776         6.220841         6.220841           684103         3237591         6375996         0.1863           2083654         9514402         9514402         9514402           948764         4057189         0.2212           848764         4057189         0.2212           848764         4057189         0.2212           853404         4239463         121         0.188           27         130         133         0.2395           31         133         121         0.263           27         130         122         0.188           27         132         133         0.2395	5.6799	6.8707	1.1908	0.0432	1=	2443	2343		
23         117         133         0.2019           30         149         30         149           27         132         134         0.2103           25         137         608254         2336800         2609406         0.1866           508254         2336800         2609406         0.1866         682743         282013           508698         2459699         2530738         0.2027         682176         2520841         6826769         0.1863           533104         2601776         4561402         2220841         6375996         0.1863           454162         2220841         6375996         0.1863           2083654         9514402         9514402         9514402           912501         4551127         4304158         0.2212           848764         4057189         0.2212         848764         4057189           764244         3653174         3946319         0.2212           853404         4239463         121         0.188           27         130         133         0.2395           31         133         121         121           27         132         133         0.2869				0.0443	92	2242			
30         149           27         132         134         0.2103           26         137         0.2103           26         137         0.2103           508254         2336800         2609406         0.1866           582743         2882013         0.2027           508698         2459699         2530738         0.2027           533104         2601776         0.220841         0.2250           452159         2220841         0.2250           684103         3237591         6375996         0.1863           2083654         9514402         9514402         0.2250           912501         4551127         4304158         0.2212           848764         4057189         0.2212         0.226           853404         4239463         121         0.2632           27         130         133         0.2365           31         133         121         0.2632           27         130         732256         0.2693           27         112         112         0.2693           158692         727611         745617         0.2172           167960         745120	5.6289	6.8330	1.2041	0.0436	1	2326	2223		
27         132         134         0.2103           25         137         0.2103           25         137         0.2027           508254         2336800         2609406         0.1866           582743         2882013         0.2027           508698         2459699         2530738         0.2027           533104         2601776         0.2027           452159         2306934         2263887         0.2250           454162         2220841         6375996         0.1863           2083654         9514402         9514402         9153           912501         4551127         4304158         0.2216           84764         4057189         0.2212         848764           764244         3653174         3946319         0.2212           853404         4239463         133         0.2365           31         133         121         0.188           27         130         133         0.2058           31         133         121         0.263           27         112         112         0.263           158692         727611         745617         0.2172				0.0450	9	2120			
25         137           508254         2336800         2609406         0.1866           582743         2882013         0.2027           508698         2459699         2530738         0.2027           533104         2601776         0.2027           452159         2306934         226387         0.2250           454162         2220841         6375996         0.1863           2083654         9514402         9514402         0.2226           912501         4551127         4304158         0.2226           848764         4057189         0.2212         0.226           848764         4057189         0.2212         0.225           853404         4239463         121         0.2632           27         132         133         0.2395           31         133         121         0.2632           27         132         133         0.2395           31         133         121         0.2632           27         112         125         0.269           158692         727611         745617         0.2172           167960         745120         745617         0.2172	5.6251	6.8237	1.0949	0.0429	11	2063	1989		
508254         2336800         2609406         0.1866           582743         2882013         2609406         0.1866           582743         2882013         260698         2459699         2530738         0.2027           533104         2601776         220841         0.2250         454162         2220841         0.2250           454162         2220841         3537591         6375996         0.1863         0.2250           2083654         9514402         304158         0.2226         0.2266           848764         4057189         0.2212         0.226         0.2266           848764         4057189         0.2395         3.1         0.2395           34         154         142         0.1888         2.2           27         130         133         0.2395         3.1           31         133         121         0.2632         2.2           27         130         132         133         0.2395           31         133         128         128         128           27         112         112         0.269         15869           150033         736901         745617         0.2172				0.0435	16	1915			
582743         2882013           506698         2459699         2530738         0.2027           533104         2601776         0.2027           452159         2306934         2263887         0.250           454162         2220841         0.250         0.1863           2083654         9514402         0.1863         0.2026           912501         4551127         4304158         0.2226           848764         4057189         0.2212         0.2212           848764         4057189         0.2212         0.235           34         154         142         0.1888           27         130         0.2395           31         133         0.2395           31         133         0.2395           31         133         0.2632           27         130         121         0.2632           27         130         133         0.2395           31         133         121         0.2632           27         112         125         0.269           158692         727611         745617         0.2172           167950         745120         745614         0.2	5.6676	6.8186	1.1510	0.0440	25518	3577319	3530569	135	106
506698         2459699         2530738         0.2027           533104         2601776         625084         26087           452159         2306934         2263887         0.2250           454162         2220841         0.1863         0.1863           2083654         9514402         3623174         304158         0.2226           912501         4551127         4304158         0.2226           848764         4057189         0.2212           848764         4057189         0.2212           853404         4239463         133         0.2395           31         132         133         0.2395           31         132         133         0.2395           31         131         121         0.2632           27         130         132         0.2395           31         133         0.2395           31         133         0.263           27         112         121           150033         736901         732256         0.2169           158692         727611         745617         0.2172           16736         745120         745120         745120				0.0442	24964	3483819		3	2
533104         2601776           452159         2306934         2263887         0.2250           454162         2220841         684103         3237591         6375996         0.1863           2083654         9514402         912501         4551127         4304158         0.2226           912501         4551127         4304158         0.2226           848764         3653174         3946319         0.2212           853404         4239463         142         0.1888           27         130         133         0.2395           31         133         0.2632           27         130         121         0.2632           27         132         133         0.2395           31         131         121         0.2632           27         112         121         0.2632           27         112         121         0.2632           156033         736901         732256         0.2269           158692         727611         745617         0.2172           167950         745120         745120         14916         744683         749244         0.2217           16134         75382	5.7198	6.8928	1.1730	0.0441	15925	2089706	2076846	£	
452159         2306934         2263887         0.2250           454162         2220841         684103         3237591         6375996         0.1863           2083654         9514402         912501         4551127         4304158         0.2226           912501         4551127         4304158         0.2226           848764         4057189         0.2212           764244         3653174         3946319         0.2212           853404         4239463         3946319         0.2212           27         130         132         133         0.2395           31         131         121         0.269           27         112         121         0.269           158692         727611         745617         0.2172           158892         727611         745617         0.2172           167950         745120         749244         0.2217           161394         753825         235057         1268521         1271085           274983         1260126         1271085         0.2105           2540101         1282043         1234887         0.2058				0.0438	15822	2063986		<b>;</b>	
454162       2220841         684103       3237591       6375996       0.1863         2083654       9514402       9514402       912501       4551127       4304158       0.2226         912501       4551127       4304198       0.2226       94874       9653174       3946319       0.2212         848764       3653174       3946319       0.2212       953404       4239463       953404       4239463       962312         27       130       132       133       0.2395       973       975         27       112       121       0.269       975       975       975       975         150033       736901       732256       0.2269       975       974       975       975       975       975       975       975       975       974       975       975       974       975       975       974       975       974       974       975       975       974       975       975       974	5.7247	6.8796	1.1549	0.0429	19233	2301185	2311849	103	
684103 3237591 6375996 0.1863 2083654 951402 912501 4551127 4304158 0.2226 848764 4057189 764244 3653174 3946319 0.2212 853404 4239463 34 154 142 0.1888 27 132 133 0.2395 31 133 121 0.2632 27 112 150033 736901 732256 0.2269 158692 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 0.230 2735057 1268521 1237402 0.2320 2735057 1268521 1237402 0.2058 2549883 1260126 1271085 0.2058				0.0432	19547	2322513		2	
2083654         9514402           912501         4551127         4304158         0.2226           848764         4057189         0.2212         0.2212           764244         3653174         3946319         0.2212           853404         4239463         0.2212           34         154         142         0.1888           27         130         133         0.2395           31         131         121         0.2632           27         142         132         13           27         142         0.269         128622           158692         727611         745617         0.2172           158692         727611         745617         0.2172           167950         745120         749244         0.2217           167950         744663         749244         0.2217           161394         753825         235057         1268521         1271085           274983         1260126         1271085         0.2105           254101         1282043         1234887         0.2058	5.6874	6.8444	1.1570	0.0440	21828	3080647	3087703	48	73
912501 4551127 4304158 0.2226 848764 4057189 764244 3653174 3946319 0.2212 853404 4239463 34 154 142 0.1888 27 132 133 0.2395 31 133 121 0.2632 27 112 121 0.2632 27 112 121 0.2632 158692 727611 745617 0.2172 167950 745120 745617 0.2172 167950 745120 745617 0.2172 167394 753825 727611 161394 753825 235057 126822 249883 1260126 1271085 0.2058 254101 1282043 1234887 0.2058				0.0422	21029	3094758		P	2
848764       4057189         764244       3653174       3946319       0.2212         853404       4239463       0.2212         34       154       142       0.1888         27       130       133       0.2395         31       133       121       0.2632         27       112       121       0.2632         27       112       121       0.2632         27       112       121       0.2632         158692       727611       745617       0.2172         167950       745120       749244       0.2217         161394       753825       745825       0.2320         279375       1206282       2249883       1260126       1271085       0.2105         254101       1282043       1224487       0.2058         256047       1228995       1234887       0.2058	5.7425	6.8960	1.1535	0.0434	33190	3962871	3964176	6	
764244 3653174 3946319 0.2212 853404 4239463 0.2212 34 154 142 0.1888 27 130 133 0.2395 31 131 121 0.2632 27 112 121 0.2632 27 112 121 0.2632 27 114 121 0.2632 158692 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 1237402 0.2320 2735057 1268521 1237402 0.2320 273507 1282043 123487 0.2058				0.0440	33671	3965480	• • •	!	
853404       4239463         34       154       142       0.1888         27       130       0.2395         31       133       0.2395         31       131       121       0.2632         27       112       0.2632         27       112       0.2632         158692       727611       732256       0.2269         158692       727611       745170       0.2172         167950       745120       749244       0.2217         161394       753825       745825       0.2320         279375       1266282       1271085       0.2105         274983       1228495       1234887       0.2058         256047       1228495       1228495       1234887       0.2058	5.7198	6.8833	1.1635	0.0437	26382	3175467	3128189	62	
34         154         142         0.1888           27         130         0.2395           31         133         0.2395           28         131         121         0.2632           27         112         126033         126033           150033         736901         732256         0.2269           158892         727611         745617         0.2172           167950         745120         749244         0.2217           161394         753825         744663         749244         0.2217           161394         753825         126622         2249883         1260126         1271085         0.2105           274983         1282043         1282043         234887         0.2058           256017         1282043         1224887         0.2058		-		0.0438	25855	3080911		•	
27 130 134 142 0.1868 27 132 133 0.2395 31 133 0.2395 31 133 0.2395 28 131 121 0.2632 27 142 150033 736901 732256 0.2269 158692 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1260282 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058	6707							Average =	06
27 132 133 0.2395 31 133 0.2395 31 133 0.2395 28 131 121 0.2632 27 112 12256 0.2269 158692 727611 745617 0.2172 161950 745120 749244 0.2217 161394 753825 0.2217 161394 153825 1237402 0.2320 279375 126622 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058	5.7213	6.8968	1.1755	0.0413	15	2261	2343		
27 132 133 0.2395 31 133 0.2395 28 131 121 0.2632 27 112 120033 736901 732256 0.2269 158692 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 749244 0.2217 161394 153825 235057 1268521 1237402 0.2320 279375 1266282 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058	;			0.0411	18	2424			
31 133 28 131 121 0.2632 27 112 12023 150033 736901 732256 0.2269 158892 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1260282 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058	5.8649	6.9899	1.1250	0.0419	<del>1</del> 0	2130	1914		
28 131 121 0.2632 27 112 0.2632 150033 736901 732256 0.2269 158092 727611 745617 0.2172 167950 745120 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1260126 1271085 0.2105 254101 1282043 1234887 0.2058				0.0415	5	1698			
27         112           150033         736901         732256         0.2269           158692         727611         0.2172           167950         745120         0.2172           167950         745120         0.2217           161394         753825         0.2217           235057         1268521         1237402         0.2320           279375         1206282         249883         1260126         1271085         0.2105           254101         1282043         1228495         1234887         0.2058	5.7689	6.9309	1.1620	0.0417	17	1800	1802		
150033 736901 732256 0.2269 158692 727611 151088 746114 745617 0.2172 167950 745120 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058				0.0416	11	1804			
158692 727611 151088 746114 745617 0.2172 167950 745120 149156 744663 749244 0.2217 161394 753825 235057 1288521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 1234887 0.2058	5.7296	6.8466	1.1170	0.0423	2591	301541	309826	42	44
151088 746114 745617 0.2172 167950 745120 149156 744663 749244 0.2217 161394 753825 235057 126822 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 235051 1244987 0.2058				0.0420	2714	318111			
167950 745120 149156 744663 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 236037 128495 1234887 0.2058	5.7272	6.8778	1.1506	0.0415	2820	334440	330733	4	
149156 744663 749244 0.2217 161394 753825 235057 1268521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 2350517 128495 1234887 0.2058				0.0427	2636	327026			
161394 753825 235057 1268521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 237468 1228495 1234887 0.2058	5.6666	6.8231	1.1565	0.0416	2682	336314	342738	46	
235057 1268521 1237402 0.2320 279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 237468 1228495 1234887 0.2058				0.0424	2838	349162			
279375 1206282 249883 1260126 1271085 0.2105 254101 1282043 237468 1228495 1234887 0.2058	5.7095	6.8911	1.1816	0.0413	4344	535701	536107	43	43
249883 1260126 1271085 0.2105 254101 1282043 237468 1228495 1234887 0.2058				0.0425	7744	536514		?	?
254101 1282043 237468 1228495 1234887 0.2058 260617 1241280	5.7123	6.8709	1.1586	0.0418	3906	514325	513975	40	
237468 1228495 1234887 0.2058				0.0428	3994	513824		2	
260017	5.6550	6.8358	1,1808	0.0418	4028	552897	567235	46	
18007				0.0426	4318	581573	200	₽	
								Average =	4

女

82.5	
Š	e #
3	\$ E
8	₹₹

Sumple Date   Part	Specific activity of 14C-PDMS, 350 cSt =	14C-POMS,	350 cSt =	0.28	Š			_		100					ľ				
Tare Wt. Of Wt. Of Wt. Of Wt. Of Wt. Of Mt. Of Mt. Of Mt. Of Mt. Of Wt. Of Wt. Of Mt. Of Mt. Of Mt. Of Wt. Of Mt. Of Mt								Offiction for		Solubilizatio	Solubilization Data 1 Day After Spiking	r Spiking			Š	olubilization Data	Solubilization Data 30 Days After Spiking	olking	
Tran Wild Control of Secretary   Tran Will Control of Secretary					Wr. Of visi +			homogenization				Recovery	Average				BV6/200		DE YELL
Processing   Column	•	Tare Wt. Of	W. Of visit +	100	_			after aptiking for	-	DPM from	Ę	É	Recovery for	_	DPM from	DPM's/g found	DPM a/g found	Recovery	Recovery for
97.1019 102.7615 6.6650 102.7615 0.0000 0 0.1548  1 90.0649 105.2438 6.159 105.2768 0.0330 3047541 0.1600  1 90.0649 105.2438 6.159 105.2768 0.0330 3047541 0.1600  1 90.2041 105.3663 6.1622 105.4543 0.06590 5327567 0.2215  2 97.5131 103.7162 6.2031 103.7162 0.0000 0 0 0.2167  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Feces (g)	(g)	(8)	-			Dezinegomon-nov		Sometimed Feces	from solubilization	after spliting	replicate aliquots	Solubilized (g)	Solubilized	from solubilization	from	found 30 days after softling	replicate
0.1990 0.1900	Blank 1	97,1019	102.7615	5.6596	102,7615	0.000	٥		0.1548	26.86	174			0.2012	82	114	133		
0.1900 0.1900	Hemegenthed													0.2036	ਨ	<u>\$</u>	!		
0.1600 0.1600 0.1600 0.1600 0.1600 0.1600 0.1600 0.1600 0.1631	Blank 2								0.1990	26.33	132			0.1962	ន	117	<b>돲</b>		
90.0044 105.2438 6.159 105.2768 0.0330 3047541 6.1520 0.2374 0.23	Hemogentons Blanck 3								0.480	77.45	7.			0.2017	8 8	<b>5</b> 5	į		
99.0448   105.2438   6.159   105.2768   0.0330   3047541   0.1820   0.2374   0.237	Hermonited								2	P	=			0.2000	7 7	3 5	<u>\$</u>		
0.2374 0.2374 0.2374 0.2374 0.2374 0.2374 0.23754 0.23757 0.23757 0.2377	Spike A-1	99.0648	105,2438	6.159	105.2768	0.0330	3047541		0.1620	431181	2369126	5	2	0.2175	506254	2336800	2609406	28	20
0.1431 0.1431 0.15363 0.1922 105.4543 0.0580 5327667 0.1314 0.1715 0.171	Name and Associated								7.00.0	62570		1		0.2022	562743	2662013			;
0.1431 0.15363 6.1622 105.4543 0.0590 5327567 0.2215 0.2215 0.7313 103.7162 6.2031 103.7162 0.0000 0 0 0.2167 0.1715 0.1715 0.1715	Similar A								0.23/4	0/50/0	2424000	8		0.2080	200000	2459699	2530738	8	
90.2041 105.3963 6.1922 105.4543 0.0590 5327567 0.2215  91	Spike A-3								0.1431	416905	2027358	8		0.1900	452159	2306834	2263867	72	
90,2041 105,3063 6,1922 105,4543 0,0580 5327567 0,2215 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2215 0,2214 0,2	Hamayanda													0.2045	454162	2220641		:	
0.1715  97.5131 103.7162 6.2031 103.7162 0.0000 0 0 0.2167  98.6562 105.3866 6.7274 105.4256 0.0392 3314246 822661 0.2007  99.97.8967 103.9475 6.0806 104.0073 0.0598 3562535 1396394 0.1992	Spike B-1	99.2041	105.3963	6.1922	105.4543	0.0580	5327567		0.2215	819685	3701668	8	<b>12</b> 4	0.2113	684103	3237591	6375996	\$	8
97.5131 103.7162 6.2031 103.7162 0.0000 0 0.2167  98.6552 105.3996 6.7274 105.4256 0.0392 3314246 6225561 0.2007  2	Softe B-2								0.2314	2206494	10040672	9		0.2190	2063654	9514402	4444007	;	
97.5131 103.7162 6.2031 103.7162 0.0000 0  67.5131 103.7162 6.2031 103.7162 0.0000 0  103.2000 6.7274 105.4256 0.0392 3314246 8225611  103.915 103.915 6.0808 104.0073 0.0598 5563535 1396384	Name of Street, or other Persons										Tour or	<u> </u>		0.2092	846764	4057189	4304158	<b>.</b>	
97.5131 103.7162 6.2031 103.7162 0.0000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Spike B-3								0.1715	1048572	6114122	115		0.2082	764244	3663174	3946319	2	
67.5131 103.7162 6.2031 103.7162 0.0000 0 0 103.7162 105.3866 6.7274 105.4256 0.0362 3314246 6226611 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Harmyarical													0.2013	853404	4239463			
### 68.6582 105.3886 6.7274 105.4256 0.0392 3314246 8226611  ***A											Average of	Average of both levels a	<u>\$</u>				Average	Average of both levels =	=
96.6582 105.3886 6.7274 105.4258 0.0392 3314246 6228501 2 3 3 4 4 7.2867 103.9475 6.0808 104.0073 0.0508 5562535 1396384 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Blank 1	97.5131	103.7162	6.2031	103.7162	0.0000	0		0.2157	24.33	113			0.2203	ಕ	ş	142		
######################################	Northennegaritand									;				0.2078	72	130 0			
98.6502 105.3886 6.7274 105.4256 0.0392 3314249 822561	Stank 2				•				0.2214	Z Z	<del>2</del>			0.2041	to i	<u> </u>	133		
90.0552 105.3986 0.7274 105.4258 0.0382 3314246 622561 2 2 3 3 1	Blank 3								0.1976	23.38	118			12.0	5 8	<u> </u>	161		
98.6592 105.3966 6.7274 105.4259 0.0392 3314246 822651	Northemagentized										:			0.2407	12	12	į		
97,8967 103,9475 6,0806 104,0073 0,0596 5562535 1396384	Spike A-1	98.6592	105,3866	6.7274	105,4258	0.0382	3314246	828561	0.2007	158794	791201	8	8	0.2036	150033	736901	732256	88	8
97,2867 103.9475 6,080e 104,0073 0,059e 5563535 1398364	Spike A-2								0.2512	185789	739606	2		0.2025	150002	727611	745817	s	
97,2867 103.9475 6,0808 104,0073 0,0598 5563535 1398384	Northmenantan													0.2254	167950	745120		}	
97,8967 103.9475 6,0808 104,0073 0,0588 5583535 1398384	Specific Action					•			0.224	175116	780374	z		0.2003	149156	744063	749244	8	
	Spike B-1	1998.18	103.9475	6,0808	104.0073	0.0598	5563535	1398384	0.1992	255231	1281280	Z	8	0.1853	235067	753625 1266621	1237402	8	2
	Northwesterd Colles D 2								7007	00000	,	;		0.2316	279375	1206282			
	Number 19-2								5	244302	1255573	S.		0.0	249883	1280126	1271085	\$	
	Spike B-3								0.2014	257659	1279340	2		0.1933	237466	1228495	1234887	8	
											Average of 1	Average of both levels =	2			200	Average	Average of both levels =	=

\* Due to technical error, weights were not obtained for the total sample (feces + water) upon homogenization for the Non-Homogenizad samples. The dilution factor used here represents the theoretical dilution is compared to the average schular dilution is accordant all the fecal samples done with this study, it differs by only

2.44 duttion per 3.02 theoretical = 0.250.0

actual average dilution of all fecal samples in study 9345 = 0.2516

Page 558

### **ATTACHMENT E**

Supplemental Dosing Experiment – Individual Results and Example Calculations

# **EXAMPLE CALCULATIONS**

# Toluene Feces Extraction Results

Sample Weight (g) = Tare + Sample Wt. (g) – Vial Tare Wt. (g)

Homog. Wt. (g) = Tare + Sample + Diluent (g) - Vial Tare Wt. (g)

Wt. of feces aliquot = Tare Wt. + Feces aliquot (g) – Tare Wt. of feces aliquot vial (g)

Wt. of Toluene Extractant (g) = Tare + Toluene Extractant (g) – Tare Wt. of Extractant vial (g)

Conc. dpm's/g Toluene = Rep. Dpm's / Rep. Toluene extract wt. for LSC (g)

Dpm's/g toluene corrected = conc. dpm's/g toluene - average conc. dpm's/g toluene in control (for each sex)

Total dpm in feces homogenate extracted in toluene = avg. dpm's/g toluene x wt. of toluene extractant (g) / wt. of feces aliquot (g) x Hornog. Wt. (g) Conc. extracted in toluene (dpm/g homogenate) = total dpm in feces homogenate extracted in toluene / homog. Wt. (g)

% Extracted vs. Solubilized = conc. extracted in toluene (dpm/g homogenate) / conc. dpm/g homogenate (solubilized) x 100

# THF Feces Extraction Results

Sample Weight (g) = Tare + Sample Wt. (g) – Vial Tare Wt. (g)

Homog. Wt. (g) = Tare + Sample + Diluent (g) - Vial Tare Wt. (g)

Wt. of feces aliquot = Tare Wt. + Feces aliquot (g) – Tare Wt. of feces aliquot vial (g)

Wt. of THF Extractant (g) = Tare + THF Extractant (g) – Tare Wt. of Extractant vial (g)

Conc. dpm's/g THF = Rep. Dpm's / Rep. THF extract wt. for LSC (g)

Dpm's/g THF corrected = conc. dpm's/g THF - average conc. dpm's/g THF in control (for each sex)

Total dpm in feces homogenate extracted in THF = avg. dpm's/g THF x wt. of THF extractant (g) / wt. of feces aliquot (g)  $\times$  Homog. Wt. (g) Conc. extracted in THF (dpm/g homogenate) = total dpm in feces homogenate extracted in THF / homog. Wt. (g)

% Extracted vs. Solubilized = conc. extracted in THF (dpm/g homogenate) / conc. dpm/g homogenate (solubilized) x 100

Combined conc. extracted in toluene and THF (dpm/g homogenate) = conc. extracted in toluene (dpm/g homogenate) +

Conc. extracted in THF (dpm/g homogenate)

Page B61

Combined % of extracted vs. solubilized = Combined conc. extracted in toluene and THF (dpm/g homogenate) x 100

Conc. dpm/g homogenate (solubilizations)

Combined toluene ext. + THF ext. + sol. Pellet % = combined % of extracted vs. solubilized + % left unextracted in pellet

### Solubilized Pellet

Sample Weight (g) = Tare + Sample Wt. (g) - Vial Tare Wt. (g)

Homog. Wt. (g) = Tare + Sample + Diluent (g) - Vial Tare Wt. (g)

Conc. dpm's/g = Rep. Dpm's / Rep. Wt. (g)

Dpm's/g corrected = conc. dpm's/g - conc. dpm's/g in control (for each sex)

Total dpm in sample = dpm's/g corrected x homog. Wt. (g)

Conc. dpm/g homogenate = total dpm in sample / homog. Wt. (g)

% left unextracted in pellet = conc. dpm/g homogenate / conc. dpm/g homogenate (original solubilized) x 100

DC Study No. 9345 Appendix B Attachment E

Feces QC Spikes

Spiking Standard Solution Calculations Specific activity of 14C-PDMS, 350 cSt

0.27

mCi/g

		Weight of				
	Standard/Stock	Standard or				
Standard	Added ID	Added ID stock added (g)	Weight (g)	[D4] mg/g	uCI/g THF	6/mdp
QC STK A	QC STK A 14C-PDMS	0.1023	0.9741	105.020	28.04	62246712
QC STK B	QC STK A	0.0880	0.9644	9.583	2.56	5679916

QC Spike Calculations 12hr

	dpm D4/g	Toluene	spiked	0	16303	625081	1432056
	uCi PDMS/g	Toluene	spiked	00.0	0.01	0.28	0.65
		uCi PDMS	spiked	0.00	0.01	0.31	0.71
		ng PDMS	added in spike	00.0	30.67	1155.22	2678.01
		Weight of	extractant (g)		1.1149	1.0954	1.1084
	Tare Weight	+ Extractant	(B)	6.8017	6.7710	6.7228	6.7082
Weight of	empty	extractant	vial (g)	5.6355	5.6561	5.6274	5.5998
	Welght of	Spike	Added (g)		0.0032	0.0110	0.0255
	Spiked	Stock	Added ID	euou	QC STK B	QC STK A	QC STK A
			Feces	Blank	Spike A	Spike B	Spike C

QC Spike Results 12hr

Average % Recovery			06		92		97		94
Ave dpm/g found	0		14746		595429		1388591		
dpm/g found	0	0	14650	14841	592494	598364	1397907	1379276	
average % Recovery of 2 aliquots			8	•	92		26	÷	
% Recovery			8	9	92	96	86	96	
dpm - blank	· ·	_	649	653	26366	25969	60110	60964	
dpm actual	16	2	999	670	26383	25986	60127	60981	
dpm theo	0 0	>	722	717	27816	27129	61578	63297	
LSC Aliquot weights 1,2 (g)	0.0436	0.044%	0.0443	0.044	0.0445	0.0434	0.0430	0.0442	
dpm D4/g Toluene spiked	0		16303		625081		1432056		
Feces	Blank		Spike A		Spike B		Spike C		

DC Study No. 9345 Appendix B Attachment E

### Feces QC Spikes

g/mc	46712	9916
5	622	292
uCl/g THF	28.04	2.56
[D4] mg/g	105.020	9.583
Weight (g)	0.9741	0.9644
stock added (g)	0.1023	0.0880
Added ID	4C-PDMS	QC STK A
Standard	QC STK A	QC STK B
	Added ID stock added (g) Weight (g) [D4] mg/g uCl/g THF	A 14C-PDMS 0.1023 0.9741 105.020

## QC Spike Calculations 24hr

dpm D4/g Toluene spiked	0	17715	612610	1356933
uCi PDMS/g Toluene spiked		0.01	0.28	0.61
uCi PDMS spiked	0.00	0.01	0.31	0.73
ug PDMS added in spike	0.00	33.54	1155.22	2730.52
Weight of extractant (g)	1.1833	1.1222	1.1177	1.1927
Tare Weight + Extractant (g)	6.8239	6.7756	6.8074	6.8588
Weight of empty extractant vial (g)	5.6406	5.6534	5.6897	5.6661
Weight of Spike Added (g)		0.0035	0.0110	0.0260
Spiked Stock Added ID	none	QC STK B	QC STK A	QC STK A
Feces	Blank	Spike A	Spike B	Spike C

## QC Spike Results 24hr

Averence %	Recovery			83	3	8	76	40	8	06
Ave dnm/a	found	c	•	14707	5	564421	200	1286657	0000	
	dpm/g found	c	o C	14482	14932	564443	564400	1284267	1289046	
average % Recovery of	2 aliquots			83	-	92	!	92		06
	% Recovery			82	8	95	95	92	92	
	dpm - blank	-1-	<b>-</b> -	629	929	26360	24439	55224	56074	
	dpm actual	16	17	645	672	26376	24455	55240	26090	
	dpm theo	0	0	769	778	28609	26526	58348	59027	
/g LSC Aliquot e weights 1,2	(6)	0.0438	0.0473	0.0434	0.0439	0.0467	0.0433	0.043	0.0435	
dpm D4/g Toluene	spiked	0		17715		612610		1356933		
	Feces	Blank		Spike A		Spike B		Spike C		

女

9345E05 Feces QC's

DC Study No. 9345 Appendix B Attachment E

### Feces QC Spikes

	mCl/g
	0.27
Spiking Standard Solution Calculations	Specific activity of 14C-PDMS, 350 cSt

 Weight of Standard/Stock Standard or Standard or Standard or Standard or Standard Added ID stock added (g) Weight (g) [D4] mg/g
 CASTICATION OCTION 
## QC Spike Calculations 48hr

dpm D4/g Toluene spiked	0	13592	605416	1439133
uCi PDMS/g Toluene - spiked	0.00	0.01	0.27	0.65
uCi PDMS spiked	0.00	0.01	0.31	0.72
ug PDMS added in spike	00:0	23.96	1144.72	2699.01
Weight of extractant (g)	1.0788	1.0447	1.1207	1.1116
Tare Weight + Extractant (g)	7.1988	7.2001	7.2759	7.2855
Weight of empty extractant vial (g)	6.1200	6.1554	6.1552	6.1739
Weight of Spike Added (9)		0.0025	0.0109	0.0257
Spiked Stock Added ID	none	QC STK B	QC STK A	QC STK A
Feces	Blank	Spike A	Spike B	Spike C

## QC Spike Results 48hr

4verage %	Recovery			108	2	55	3	63	}	66
Ave dpm/g	found	o	,	14713	•	575049		1342000		
	dpm/g found	0	0	14631	14795	577816	572281	1353977	1330023	
average % Recovery of	2 aliquots			108	•	92		83		66
	% Recovery			108	109	92	95	8	92	
· ;	dpm - blank	0	0	635	651	25135	24837	58898	58255	
	dpm actual	17	17	652	899	25152	24854	58915	58272	
; ;	apm theo	0	0	290	298	26336	26275	62602	63034	
g LSC Aliquot weights 1,2	(6)	0.0438	0.0419	0.0434	0.044	0.0435	0.0434	0.0435	0.0438	
dpm D4/g Toluene	spiked	0		13592		605416		1439133		
Ĺ	reces	Blank	-	Spike A		Spike B		Spike C		

DC Study No. 9345 Appendix B Attachment E

### Feces QC Spikes

 Weight of Standard/Stock Standard or Standard or Standard or Standard Or Standard Added (g) Weight (g) [D4] mg/g uCl/g THF QC STK A 14C-PDMS 0.1023 0.9741 105.020 28.04 QC STK B QC STK A 0.0880 0.9644 9.583 2.56

dpm/g 62246712 5679916

## QC Spike Calculations 4-9-01 THF

	dpm D4/g	Toluene	spiked	0	13490	549987	1269638
	uCi PDMS/g	Toluene	spiked	00:0	0.01	0.25	29.0
		<b>uCi PDMS</b>	spiked	0.00	0.01	0.31	0.72
		ng PDMS	added in spike	00.0	28.75	1176.22	2709.52
		Weight of	extractant (g)	1.2541	1.2631	1.2676	1.2649
	Tare Weight	+ Extractant	(B)	6.8469	6.8977	6.8911	6.8917
Weight of	empty	extractant	vial (g)	5.5928	5.6346	5.6235	5.6268
	Weight of	Spike	Added (g)		0.0030	0.0112	0.0258
	Spiked	Stock	Added ID	none	QC STK B	QC STK A	QC STK A
			Feces	Blank	Spike A	Spike B	Spike C

### QC Spike Results THF

Average %	Recovery			87		88		93		68
Ave dpm/g	found	0		11707		482036		1177458		
	dpm/g found	0	0	11890	11523	484967	479105	1167627	1187289	
average % Recovery of	2 aliquots			87	-	88		93		88
_	% Recovery			88	82	88	87	92	98	
	dpm - blank % Recovery	0	0	541	522	21872	21943	52660	54734	• •
	dpm actual	15	15	556	537	21887	21958	52675	54749	
	dpm theo	0	0	614	611	24804	25189	57261	58530	
/g LSC Aliquot e weights 1,2	(B)	0.0437	0.0454	0.0455	0.0453	0.0451	0.0458	0.0451	0.0461	
dpm D4/g Toluene	spiked	0		13490		549987		1269638		
	Feces	Blank		Spike A	•	Spike B		Spike C		

### 12 Hour Feces - Toluene Extraction on 3/28/01

				HPLC	
				(~100ul)	
		LSC (~50ul)	Average	CPM	
	actual	CPM	LSC	detected at	% System
Sample ID	injected	detected	CPM's	~ 7 min	Recovery
C9230-1	100	18883	18934	39463.00	104
C9230-2	100	18984			
C9232-1	100	24599	24694	48807.00	99
C9232-2	100	24788			
C9238-1	100	8056	8080	14870.00	92
C9238-2	100	8104			
C9239-1	100	27	28	BLQ	
C9239-2	100	29			
					98

### 24 Hour Feces - Toluene Extraction on 3/29/01

				HPLC	
		LSC (~50ul)	Average	(~100ul) CPM	
	actual	CPM	LSC	detected at	% System
Sample ID	injected	detected	CPM's	~ 7 min	Recovery
C9230-1	100	28412	28191	58767.00	104
C9230-2	100	27969			
C9232-1	100	26233	26148	54538.00	104
C9232-2	100	26063			
C9238-1	100	29497	29365	61916.00	105
C9238-2	100	29232	•		
C9239-1	100	25429	25525	51521.00	101
C9239-2	100	25620			
					104

### 48 Hour Feces - Toluene Extraction on 3/30/01

Sample ID	actual injected	LSC (~50ul) CPM detected	Average LSC CPM's	(~100ul) CPM detected at ~ 7 min	% System Recovery
C9230-1	100	3140	3140	5122.00	82
C9230-2	100	3140			
C9232-1	100	2858	2809	5264.00	94
C9232-2	100	2760			
C9238-1	100	5414	5473	9357.00	85
C9238-2	100	5531			
C9239-1	100	4184	4156	7046.00	85
C9239-2	100	4127			86

BLQ = below quantitation limit of HPLC Detector

9345E05a Tol Feces Extract Res

3345		
~		u
ž Š	E X	trat.
Str	end	r.
ဗ္ဗ	Αpp	4

Female Male           Male         Tare wt of Tare wt of Tare Wt. Process allquot (g) Male Male)         Tare wt of Tare wt of Tare Wt. Process allquot (g) Allquot (g) Male Male Male)         Tare wt. Of Tare wt. Of Tare Wt. Of Tolluene Tolluene Sample + Homog. Feces allquot Feces allquot (g) Allquot (g) Male Male Male Male Male Male Male Male				Dosing solution S.A.=	ion S.A.=		µCi/mg=	Dosing so	Dosing solution S.A.≂	0.27	0.27 µCi/mg=	599400	599400 DPMs/mg		
Tare + Homog. Faces aliquot         Tare wt of Tare Wt.+ bound.         Wt of Tare Wt. Of Tare Wt. Of Toluene Toluene Tollener Collection (g) Wt. (g)	BKG= 383	BKG= 392 BKG= 383	BKG= 392 BKG= 383	382 383		DPM/g DPM/g	Female Male	9			<b>3</b>		0		
Tare+         Tare wt of Indicated Sample + Homog. Foces allquot Indicated Sample + Homog. Foces allquot Indicated															Rep.
Tare+ Diluent (g) 120.19         Tare wt of Vial (g) Vial (g)													Tare +	₩t. of	Toluene
Sample + Homog. Feces allquot (g)         Feces allquo	Tare +	Tare +	Tare +				Tare+		Tare wt of	Tare Wt.+	Wt of	Tare Wt. Of	Toluene	Toluene	Extract
Dilluent (g) Wt. (g) vial (g) Aliquot (g) Aliquot (g) (g) (g) (g) (g) (g) (120.19 21.32 5.5314 5.7185 0.1871 6.1583 7.3058 1.1465 120.08 5.5277 5.6954 0.1677 6.2181 7.3700 1.1519 109.90 11.11 5.6044 5.7745 0.2701 6.2000 7.3465 1.1458 107.35 11.67 5.4982 5.6833 0.1851 6.2291 7.3865 1.1574 119.38 18.65 4.9520 5.0911 0.1391 6.1887 7.3343 1.1456 110.27 14.10 5.5167 5.7734 0.2567 6.1636 7.3170 1.1534 111.60 12.83 5.5089 5.7242 0.2180 6.2108 7.3525 1.1346 111.60 7.99 5.5451 5.7210 0.1759 6.1626 7.3138 1.1512 111.88 22.06 5.0025 5.1808 0.1833 6.1624 7.2434 1.0810 97.11 1.35 5.5125 5.0015 5.1833 6.1833 6.1376 7.2690 1.0751 111.50 15.35 5.0015 5.1889 0.1874 6.2321 7.3358 1.1037	e Group/ Vial Tare Sample	Sample	Sample		လိ	Sample	Sample +	Homog.	Feces aliquot	Feces	Feces	Extractant	Extractant	Extractant	Wt. For
120.19         21.32         5.5314         5.7185         0.1871         6.1593         7.3058         1.1465           120.41         20.08         5.5277         5.6954         0.1677         6.2181         7.3700         1.1519           109.90         11.11         5.6044         5.7745         0.2701         6.2000         7.3458         1.1458           107.35         11.67         5.4982         5.6833         0.1851         6.2291         7.3458         1.1458           119.38         18.65         4.9520         5.0911         0.1391         6.1887         7.343         1.1456           110.27         14.10         5.5167         5.7734         0.2667         6.1636         7.3170         1.1534           111.48         12.83         5.5089         5.7269         0.2180         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1612           110.02         12.11         5.5156         5.7472         0.2769         6.1626         7.3138         1.1612           117.88         22.06         5.0025         5.1808         0.1783         6.1624	Sex Wt.(g) Wt. (g)	Wt.(g) Wt. (g)	Wt. (g)		≷ا	Λt. (g)	Diluent (g)	Wt. (g)	vial (g)	aliquot (g)	Aliquot (g)	Vial (g)	(B)	(B)	LSC (g)
120.41         20.08         5.5277         5.6954         0.1677         6.2181         7.3700         1.1519           109.90         11.11         5.6044         5.7745         0.2701         6.2000         7.3458         1.1458           107.35         11.67         5.4982         5.6833         0.1851         6.2291         7.3865         1.1574           119.38         18.65         4.9520         5.0911         0.1391         6.1887         7.3343         1.1456           110.27         14.10         5.5167         5.7734         0.2567         6.1636         7.3726         1.1346           111.48         12.83         5.5089         5.7269         0.2180         6.2108         7.3726         1.1414           110.02         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1689           106.66         7.99         5.5451         5.7774         0.2549         6.1624         7.2434         1.0810           97.11         1.36         5.5125         5.1899         0.1833         6.1376	24hr M 98.87 104.34 5.	98.87 104.34	104.34		i.	47	120.19	21.32	5.5314	5.7185	0.1871	6.1593	7.3058	1.1465	0.0426
109.90       11.11       5.5044       5.7745       0.2701       6.2000       7.3458       1.1458         107.35       11.67       5.4982       5.6833       0.1851       6.2291       7.3865       1.1574         119.38       18.65       4.9520       5.0911       0.1391       6.1887       7.3343       1.1456         110.27       14.10       5.5167       5.7734       0.2567       6.1636       7.3170       1.1534         111.48       12.83       5.5089       5.7269       0.2180       6.2379       7.3725       1.1414         110.27       17.13       4.9768       5.7472       0.2069       6.2108       7.3522       1.1414         110.02       12.11       5.5156       5.7472       0.2769       6.1626       7.3138       1.1512         110.05       12.11       5.5156       5.7774       0.2549       6.1626       7.3138       1.1512         117.88       22.06       5.0025       5.1808       0.1783       6.1626       7.2434       1.0810         97.11       1.35       5.5225       5.7774       0.2549       6.1939       7.2690       1.0751         111.50       15.35       5.5125       5.5958	24hr F 100.33 105.34 5	100.33 105.34	105.34		100	5.01	120.41	20.08	5.5277	5.6954	0.1677	6.2181	7 3700	1 1519	0.0430
109.90         11.11         5.6044         5.7745         0.2701         6.2000         7.3458         1.1458           107.35         11.67         5.4982         5.6833         0.1851         6.2291         7.3865         1.1458           119.38         18.65         4.9520         5.0911         0.1391         6.1887         7.3343         1.1456           110.27         14.10         5.5167         5.7734         0.2567         6.1636         7.3170         1.1534           111.48         12.83         5.6089         5.7269         0.2180         6.2379         7.3725         1.1414           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3867         1.1989           106.66         7.99         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5125         5.6958         0.1833         6.1376         7.2690         1.0316           115.69         18.25         5.0015         5.1889         0.1874         6.2501														) ) :	0.0436
107.35         11.67         5.4982         5.6833         0.1851         6.2291         7.3865         1.1574           119.38         18.65         4.9520         5.0911         0.1391         6.1887         7.3343         1.1456           110.27         14.10         5.5167         5.7734         0.2567         6.1636         7.3170         1.1534           111.48         12.83         5.5089         5.7269         0.2180         6.2379         7.3726         1.1346           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1989           106.66         7.99         5.5451         5.7210         0.1759         6.1624         7.2434         1.0810           97.11         1.35         5.5226         5.1808         0.1833         6.1939         7.2692         1.1316           111.50         15.35         5.5126         5.0858         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.23271	12hr M 98.79 101.44 2	98.79 101.44	101.44	,	7	2.65	109.90	11.11	5.5044	5.7745	0.2701	6.2000	7.3458	1.1458	0.0418
107.35         11.67         5.4982         5.6833         0.1851         6.2291         7.3865         1.1574           119.38         18.65         4.9520         5.0911         0.1391         6.1887         7.3343         1.1456           110.27         14.10         5.5167         5.7734         0.2567         6.1636         7.3170         1.1534           111.48         12.83         5.5089         5.7269         0.2180         6.2379         7.3725         1.1346           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1989           106.66         7.99         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5226         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5126         5.0858         0.1874         6.2327															0.0425
119.38         18.65         4.9620         5.0911         0.1391         6.1887         7.3343         1.1456           110.27         14.10         5.5167         5.7734         0.2667         6.1636         7.3725         1.1534           111.48         12.83         5.5089         5.7269         0.2180         6.2379         7.3725         1.1346           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3867         1.1989           106.66         7.89         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	24hr M 95.68 98.41 2.7	95.68 98.41	98.41		2.7	က	107.35	11.67	5.4982	5.6833	0.1851	6.2291	7.3865	1.1574	0.044
110.27         14.10         5.5167         5.7734         0.2567         6.1636         7.3170         1.1534           111.48         12.83         5.5089         5.7269         0.2180         6.2379         7.3725         1.1346           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1989           106.66         7.89         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5225         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	48hr M 100.73 105.72 4.9	100.73 105.72	105.72		4.9	<u>ത</u>	119.38	18.65	4.9520	5.0911	0.1391	6.1887	7.3343	1.1456	0.0446
110.27       14.10       5.5167       5.7734       0.2567       6.1636       7.3170       1.1534         111.48       12.83       5.5089       5.7269       0.2180       6.2379       7.3725       1.1346         117.57       17.13       4.9768       5.1837       0.2069       6.2108       7.3522       1.1414         110.02       12.11       5.5156       5.7472       0.2316       6.1898       7.3887       1.1989         106.66       7.99       5.5451       5.7210       0.1759       6.1626       7.3138       1.1512         117.88       22.06       5.0025       5.1808       0.1783       6.1624       7.2434       1.0810         97.11       1.35       5.5225       5.7774       0.2549       6.1939       7.2690       1.0751         111.50       15.35       5.5125       5.6958       0.1833       6.1376       7.2692       1.1316         115.69       18.25       5.0015       5.1889       0.1874       6.2321       7.3358       1.1037															0.0441
111.48         12.83         5.5089         5.7269         0.2180         6.2379         7.3725         1.1346           117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1989           106.86         7.89         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5225         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	12hr M 96.17 99.49 3.32	96.17 99.49 3.3	99.49 3.3	3.3	3.35	<b>~</b> 1	110.27	14.10	5.5167	5.7734	0.2567	6.1636	7.3170	1.1534	0.0429
117.57         17.13         4.9768         5.1837         0.2069         6.2108         7.3522         1.1414           110.02         12.11         5.5156         5.7472         0.2316         6.1898         7.3887         1.1989           106.66         7.99         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5225         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	24hr M 98.65 101.99 3.34	98.65 101.99	101.99		3.3		111.48	12.83	5.5089	5.7269	0.2180	6.2379	7.3725	1.1346	0.0438
117.57       17.13       4.9768       5.1837       0.2069       6.2108       7.3522       1.1414         110.02       12.11       5.5156       5.7472       0.2316       6.1898       7.3887       1.1989         106.66       7.99       5.5451       5.7210       0.1759       6.1626       7.3138       1.1512         117.88       22.06       5.0025       5.1808       0.1783       6.1624       7.2434       1.0810         97.11       1.35       5.5225       5.7774       0.2549       6.1939       7.2690       1.0751         111.50       15.35       5.5125       5.6958       0.1833       6.1376       7.2692       1.1316         115.69       18.25       5.0015       5.1889       0.1874       6.2321       7.3358       1.1037					•										0.044
110.02       12.11       5.5156       5.7472       0.2316       6.1898       7.3887       1.1989         106.66       7.99       5.5451       5.7210       0.1759       6.1626       7.3138       1.1512         117.88       22.06       5.0025       5.1808       0.1783       6.1624       7.2434       1.0810         97.11       1.35       5.5225       5.7774       0.2549       6.1939       7.2690       1.0751         111.50       15.35       5.5125       5.6958       0.1833       6.1376       7.2692       1.1316         115.69       18.25       5.0015       5.1889       0.1874       6.2321       7.3358       1.1037	48hr M 100.44 104.94 4.50	100.44 104.94	104.94		4.50		117.57	17.13	4.9768	5.1837	0.2069	6.2108	7.3522	1.1414	0.0443
106.66         7.89         5.5451         5.7210         0.1759         6.1626         7.3138         1.1512           117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5225         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	12hr F 97.91 100.46 2.50	97.91 100.46 2.5	100.46 2.5	2.6	2.5	ເດ	110.02	12.11	5.5156	5.7472	0.2316	6.1898	7.3887	1.1989	0.0430
117.88     22.06     5.0025     5.1808     0.1783     6.1624     7.2434     1.0810       97.11     1.35     5.5225     5.7774     0.2549     6.1939     7.2690     1.0751       111.50     15.35     5.5125     5.6958     0.1833     6.1376     7.2692     1.1316       115.69     18.25     5.0015     5.1889     0.1874     6.2321     7.3358     1.1037	24h; E 08 87 100 63 1 06	09 87 400 83	100 63		40		40g gg	7	7 FAF4	7240	0.4750	4000	7	0707	0.0429
117.88         22.06         5.0025         5.1808         0.1783         6.1624         7.2434         1.0810           97.11         1.35         5.5225         5.7774         0.2549         6.1939         7.2690         1.0751           111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	20:50	0000	3		<u> </u>		3	8:-	5	0.77	60.1.0	0.1020	0010.7	7101.1	0.0433
97.11     1.35     5.5225     5.7774     0.2549     6.1939     7.2690     1.0751       111.50     15.35     5.5125     5.6958     0.1833     6.1376     7.2692     1.1316       115.69     18.25     5.0015     5.1889     0.1874     6.2321     7.3358     1.1037	48hr F 95.82 101.67 5.8	95.82 101.67 5.8	101.67 5.8	5.8	5.8	ເດ	117.88	22.06	5.0025	5.1808	0.1783	6.1624	7.2434	1.0810	0.0441
97.11 1.35 5.5225 5.7774 0.2549 6.1939 7.2690 1.0751 111.50 15.35 5.5125 5.6958 0.1833 6.1376 7.2692 1.1316 115.69 18.25 5.0015 5.1889 0.1874 6.2321 7.3358 1.1037															0.0443
111.50         15.35         5.5125         5.6958         0.1833         6.1376         7.2692         1.1316           115.69         18.25         5.0015         5.1889         0.1874         6.2321         7.3358         1.1037	12hr F 95.76 96.13 0.37	95.76 96.13	96.13		0.37		97.11	1.35	5.5225	5.7774	0.2549	6.1939	7.2690	1.0751	0.0433
115.69 18.25 5.0015 5.1889 0.1874 6.2321 7.3358 1.1037	24hr F 96.15 100.19 4.0	96.15 100.19 4.0	100.19 4.(	4.	4.0	74	111.50	15.35	5.5125	5.6958	0.1833	6.1376	7.2692	1.1316	0.0446
	48hr F 97.44 102.17 4.7	97.44 102.17 4.7	102.17 4.7	4.7	4.7	რ	115.69	18.25	5.0015	5.1889	0.1874	6.2321	7.3358	1.1037	0.0446

女

DC Study No. 9345 Appendix B Attachment E

Feces	

oč V	extracted vs						87.7%		73.3%		76.8%	•	%6.06		76.0%		74.5%	•	84.7%		73.8%		71.5%	<b>?</b>			69.5%		73.2%	;	77.4% 7.06%
Conc. dom/a	homogenate (solubilizations)	,					2270901		5719188		789688		2922228		4265658		487924		1199244		6216968		1094462		2593		5317172		783933		average = stdev =
Conc. Extracted in toluene	(dpm/g homogenate)						1990910		4191526		606611		2657225		3240245		363351		1016240		4585309		782413		1230		3696425		574169		
Total DPM in feces	extracted in toluene						22119013		48915111		11313292		37466871		41572341		6224203		12306664		36636619		17260031		1660		56740128		10478590		
Avg.	DPM's/g toluene						469318		670340		73655		591390		622575		65864		196314		700622		129051		292		598758		97490		
DPM's/g	toluene					471914	466723	674822	665858	73249	74061	599267	583513	626055	619094	62089	64640	195515	197114	708665	692578	127975	130127	278	306	595796	601720	97724	97255		
Conc.	DPM's/g toluene	399	367	394	390	472297	467106	675205	666241	73632	74444	599650	583896	626438	619477	67472	65023	195907	197506	709057	692971	128367	130519	670	869	596188	602112	98117	97647		
	Rep. DPM's	12	16	17	17	19742	19852	29709	29248	3284	3283	25725	25925	27438	27257	2989	2887	8424	8473	30844	30560	5661	5782	53	9	26590	26794	4376	4316		
	Group/ Sex	≥		ட		Σ		Σ		Σ		Σ		Σ		Σ		ட		u.		ட		ட		u.		ᄔ			
	Ting Ting	24hr		24hr		12hr		24hr		48hr		12hr		24hr		48hr		12hr		24hr		48hr		12hr		24hr		48hr			
	Sample ID ID	C9233		C9240		C9230		C9230		C9230		C9232		C9232		C9232		C9238		C9238		C9238		C9239		C9239		C9239			

### 12 Hour Feces - THF Extraction on 4/9/01

Sample ID	actual injected	LSC (~50ul) CPM detected	Average LSC CPM's	(~100ul) CPM detected at ~ 7 min	% System Recovery
C9230-1	100	2174	2152	3548.00	82
C9230-2	100	2129			
C9232-1	100	1151	1079	1544.00	72
C9232-2	100	1007			
C9238-1	100	1593	1610	2644.00	82
C9238-2	100	1627			
C9239-1	100	19	17	BLQ	
C9239-2	100	15			
					79

### 24 Hour Feces - THF Extraction on 4/9/01

HPLC

Sample ID	actual injected	LSC (~50ul) CPM detected	Average LSC CPM's	CPM detected at ~ 7 min	% System Recovery
C9230-1	100	5801	5876	11103.00	94
C9230-2	100	5950			
C9232-1	100	4212	4337	7956.00	92
C9232-2	100	4462			
C9238-1	100	6937	6999	15069.00	108
C9238-2	100	7060	-		
C9239-1	100	5441	5475	9097.00	83
C9239-2	100	5509			
					94

### 48 Hour Feces - THF Extraction on 4/9/01

HPLC (~100ul)

Sample ID C9230-1	actual injected 100	LSC (~50ul) CPM detected 392	Average LSC CPM's 404	CPM detected at ~ 7 min BLQ	% System Recovery
C9230-2 C9232-1	100 100	415 420	426	BLQ	
C9232-2	100	432		,	
C9238-1	100	1049	1043	1629.00	78
C9238-2 C9239-1	100 100	1036 679	692	1257.00	91
C9239-1 C9239-2	100	704	032	1207.00	31
					85

BLQ = below quantitation limit of HPLC Detector

C Study No. 9345	ppendix B	ttachment E
မ္မ	Ą	Atts

	Rep. THF	Wt. For LSC (a)	0.0457	0.0461	0.0457	0.0452	0.0445	0.046	0.0424	0.0469 0.0459 0.0464	0.0454	0.0452	0.0453 0.0453	0.0448	0.0454	0.0463
	Wt. Of	Ĕ	7	1.3522	1.4420	1.3532	1.3188	1.4457	1.3867	1.3233	1.3365	1.3476	1.3777	1.5225	1.3758	1.3634
599400 DPMs/mg	Tare +	Ĕ	7.0336	6.9983	7.1300	6.9621	7.0069	7.1184	7.0648	6.9892	6.9582	6.9924	7.0007	7.2179	0966.9	7.0142
599400	70 W	Extractant Vial (a)	5.6429	5.6461	5.6880	5.6089	5.6881	5.6727	5.6781	5.6659	5.6217	5.6448	5.6230	5.6954	5.6202	5.6508
0.27 µCVmg=	, ,	<u> </u>	0.1871	0.1677	0.2701	0.1851	0.1391	0.2567	0.2180	0.2069	0.2316	0.1759	0.1783	0.2549	0.1833	0.1874
0.27	Tors W+			5.6954	5.7745	5.6833	5.0911	5.7734	5.7269	5.1837	5.7472	5.7210	5.1808	5.7774	5.6958	5.1889
Dosing solution S.A.=	To the start	Feces aliquot	5.5314	5.5277	5.5044	5.4982	4.9520	5.5167	5.5089	4.9768	5.5156	5.5451	5.0025	5.5225	5.5125	5.0015
Dosing sol		Homog.	21.32	20.08	11.11	11.67	18.65	14.10	12.83	17.13	12.11	7.99	22.06	1.35	15.35	18.25
μCl/mg≂ Female Male	1000	Sample +	120.19	120.41	109.90	107.35	119.38	110.27	111.48	117.57	110.02	106.66	117.88	97.11	111.50	115.69
DPM/g DPM/g		Sample Wt. (a)	5.47	5.01	2.65	2.73	4.99	3.32	3.34	4.50	2.55	1.96	5.85	0.37	4. 20.	4.73
tion S.A.= 345 383	t 4	Sample Wt. (a)	104.94 24.94	105.34	101.44	98.41	105.72	99.49	101.99	104.94	100.46	100.63	101.67	96.13	100.19	102.17
Dosing soluti BKG= BKG=		Group/ Vial Tare	98.87	100.33	98.79	95.68	100.73	96.17	98.65	100.44	97.91	98.67	95.82	92.76	96.15	97.44
_		Group/	Σ	L.	Σ	Σ	Σ	Σ	Σ	Σ	u	ш	u_	ш	ட	Œ
!		ā Ē	100	24hr	12hr	24hr	48hr	12hr	24hr	48hr	12hr	24hr	48hr	12hr	24hr	48hr
7 8 8 8		Sample	C9233	C9240	C9230	C9230	C9230	C9232	C9232	C9232	C9238	C9238	C9238	C9239	C9239	C9239

女

Feces s				ć			Total DPM in feces	Conc.	Conc. Extracted		one of the state o		Combined%	Combined
Sample	_	Group/	Rep.	Conc. DPM's/g	D MAG	Avg. DPM's/g	nomogenate extracted in	Exuraced in THF (dpm/g	5/mdp)	THF (dpm/g	homogenate	%extracted(THF)	oi exilacieu VS	THF ext + sol.
<u>Q</u>		Sex	DPM's	보	corrected	土	Έ	homogenate)	homogenate)	homogenate	(solubilizations)	vs solubilized	solubilized	Pellet %
C9233	١.	Σ	19	416										
0000	24hr	u	12	360							į			
04760	- -		: 12	32.										
C9230	12hr	Σ	2276	49803	49420									
			2230	48796	48413	48916	2901415	261153	1990910	2252064	2270901	11.5%	99.2%	101.2%
C9230	24hr	Σ	6074	134381	133997					,				
			6228	133648	133265	133631	11400754	976928	4191526	5168455	5719188	17.1%	90.4%	91.0%
C9230	48hr	Σ	410	9213	8830									
			435	9457	9073	8952	1582834	84870	606611	691481	789688	10.7%	87.6%	87.7%
C9232	12hr	Σ	1205	26196	25812									
			1055	24882	24499	25156	1997585	141673	2657225	2798898	2922228	4.8%	95.8%	96.1%
C9232	24hr	Σ	4411	96100	95717									
			4672	99616	99233	97475	7955097	620039	3240245	3860283	4265658	14.5%	80.5%	91.4%
C9232	48hr	Σ	439	9564	9181				-					
			452	9805	9421	9301	1019047	59489	363351	422840	487924	12.2%	86.7%	87.2%
C9238	12hr	u.	1668	36740	36395									
			<b>4</b> 24	37867	37522	36959	2582805	213279	1016240	1229519	1199244	17.8%	102.5%	103.6%
C9238	24hr	u.	7264	160708	160363			•						
			7392	161397	161053	160708	9837382	1231212	4585309	5816521	6216968	19.8%	93.6%	94.2%
C9238	48hr	u.	1089	24260	23916									;
			1085	23333	22989	23452	3997548	181213	782413	963626	1094462	16.6%	88.0%	89.0%
C9239	12hr	ц.	ឧ	446	102			-						
			9	¥	0	51	410	304	1230	1534	2593			
C9239	24hr	ட	2697	125485	125140									
			2768	125391	125047	125093	14412366	938916	3696425	4635341	5317172	17.7%	87.2%	88.1%
C9239	48hr	ட	711	15730	15385						Ē			
			737	15918	15573	15479	2055275	112618	574169	686787	783933	14.4%	87.6%	88.2%
											Average	14.3%	91 7%	92 E%
											-	P/ >: -		9777

女

DC Study No. 9345 Appendix B Attachment E

DC Report No. - 2001-10000-50844 Security - Internal

> Dosing solution S.A.≂ 0.27 μCi/mg≂ 599400 DPMs/mg BKG≈ 1000 DPM/g Female BKG≈ 566 DPM/g Male Feces

reces														Conc. dpm/g	
		٠		Tare +										homogenate	% left un-
		Group/	Vial Tare	Sample	Sample	Tare+Sample	Homog. Wt.	Rep. Wt.	Rep.	Conc.	DPM's/g	Total DPM	Conc. dpm/g	(original)	extracted
Animal ID	Time Pt.	Sex	Wt.(g)	Wt. (g)	Wt. (g)	+Diluent (g)	(6)	(6)	DPM's	DPM's/g	corrected	in sample	homogenate	(solubilized)	in pellet
C9233		Σ	98.87	104.34	5.4700	120.19	21.32	0.0477	27	566.04					
C9240		L	100.33	105.34	5.0100	120.41	20.08	0.0280	8	1000.00					
C9230		. ≥	98.79	101.44	2.6500	109.90	11.11	0.0633	2996	47330	46764	519550	46764	2270901	2.1%
08230		2	95.68	98.41	2.7300	107.35	11.67	0.0295	1023	34678	34112	398086	34112	5719188	%9.0
08780		Σ	100.73	105.72	4.9900	119.38	18.65	0.0209	22	2727	2161	40307	2161	789688	0.3%
0000		Σ	96.17	99.49	3.3200	110.27	14.10	0.0357	342	9580	9014	127094	9014	2922228	0.3%
C9232		. ≥	98.65	101.99	3,3400	111.48	12.83	0.054	2091	38722	38156	489544	38156	4265658	%6.0
C9232		: ≥	100.44	104.94	4.5000	117.57	17.13	0.0354	110	3107	2541	43533	2541	487924	0.5%
C0238		u	97.91	100.46	2.5500	110.02	12.11	0.0464	621	13384	12384	149966	12384	1199244	1.0%
0020		. LL	98.67	100.63	1.9600	106.66	7.99	0.0158	622	39367	38367	306553	38367	6216968	%9.0
00700		. <b>u</b> .	95.82	101.67	5.8500	117.88	22.06	0.0247	291	11781	10781	237837	10781	1094462	1.0%
06230		, LL	95.76	96.13	0.3700	97.11	1.35	0.0433	2	1478	478	645	478	2593	
0223		. ц	96.15	100.19	4.0400	111.50	15.35	0.025	1274	50960	49960	766886	49960	5317172	%6.0
C9239	48hr	. ц.	97.44	102.17	4.7300	115.69	18.25	0.0514	273	5311	4311	78681	4311	783933	0.5%

DC Study No. 9345

Appendix C Statistical Analysis DC Report No. 2001-I0000-50844

Security-Internal

Date:

September 10, 2001 Marina Jovanovic

To: Subject:

Analysis of the data from study 9345

## **Summary**

The objective of this study was to determine the amount of polydimethylsiloxane (PDMS, 350 cst) absorbed from the gastrointestinal tract of Fischer 344 rats and to determine if there were any differences in absorption or distribution between males and females. A dose of 1000 mg/kg of radio-labeled (14C) PDMS was administered by oral gavage. In females, 93.6% of administered radioactivity was recovered. Radioactivity as percent of administered dose was significantly greater than zero for all compartments except cage rinse, carbon dioxide, blood, eyes and fat. The total percent of administered radioactivity retained in or on the body was significantly greater than zero but less than one one-hundredth of one percent (0.0039 %). In males, 97.4 % of administered radioactivity was recovered. Radioactivity as percent of administered dose was significantly greater than zero for all compartments except the gastrointestinal contents, blood, empty carcass and fat. As in the females, the total percent of administered radioactivity retained in or on the body was significantly greater than zero but less than one one-hundredth of one percent (0.0052 %). The radioactivity content of the feces in males was significantly greater than in females (97.4 % vs. 93.6%), resulting in significantly greater radiolabel excretion in males compared to females. Fecal radioactivity content accounted for 99.98% of total recovered radiolabel in both females and males.

#### Introduction

The objective of this study was to determine the amount of polydimethylsiloxane (PDMS) absorbed from the gastrointestinal tract of Fischer 344 rats and to determine if there were any differences in absorption and distribution between males and females.

#### Methods

The response in each analysis was percent of administered radioactivity recovered in a given sample. All statistical analyses were carried out using SAS®, v. 8.0. The probability of Type I error ( $\alpha$ ) was 5 %. Comparisons between males and females were made using two-tailed t-tests. A one-tailed t-test was used to test the hypothesis that the amount of radioactivity in a sample was significantly greater than zero.

#### Results

Females: 93.6 % of administered radioactivity was recovered. Radioactivity as percent of administered dose was significantly greater than zero for all compartments except cage rinse, carbon dioxide, blood, eyes and fat. The total percent of administered radioactivity retained in or on the body was significantly greater than zero but less than one one-hundredth of one percent (0.0039 %). Fecal radioactivity content accounted for 99.98% of total recovered radiolabel.

Males: 97.4 % of administered radioactivity was recovered. Radioactivity as percent of administered dose was significantly greater than zero for all compartments except the gastrointestinal contents, blood, empty carcass and fat. The total percent of administered radioactivity retained in or on the body was significantly greater than zero but less than one one-hundredth of one percent (0.0052 %). Fecal radioactivity content accounted for 99.98% of total recovered radiolabel.

Gender effects: The radioactivity content of the feces in males was significantly greater than in females (97.4 % vs. 93.6 %), resulting in significantly greater radiolabel excretion in males compared to females. Total recovery in males was significantly greater than in females.

## **Documentation**

A copy of the SAS® Log, the SAS/Lab® output and the SAS® output for this analysis is filed with the raw data in the study file.

Kathleen P. Plotzke

Manager, Toxicology

for Robert H. Gallavan, Jr.

Biostatistician Specialist

Appendix D
Whole Body Autoradiography

DC Report No. 2001-I0000-50844 Security-Internal

## Memorandum

To:

Marina Jovanovic

From:

J.M. Regan

Date:

11/06/2001

Re:

Study 9345 - Results of Part 2 (Whole-body autoradiography)

Title:

Disposition of Polydimethylsiloxane, 350 cst in Fischer 344 Rats Following a Single

Exposure by Oral Gavage

#### Introduction

The objective of this study was to determine absorption and distribution of the test material <sup>14</sup>C-polydimethylsiloxane, viscosity 350 cst (<sup>14</sup>C-PDMS) in Fischer 344 rats after single exposure by oral gavage. The whole-body autoradiography (WBA) portion of this study was performed concurrently with the mass balance analysis. WBA is a method used for the *in vivo* determination of the distribution and disposition of radioactivity in tissues and may be used for the visual assessment of the transient time of radioactivity through the gastrointestinal (GI) tract. Experimental design and specific information regarding the test system, test article, and dosing may be found in the study protocol and in the main body of the final report.

## Methods

One animal of each gender was euthanized at selected time points (12, 24, 48, and 96 hours) by CO<sub>2</sub> asphyxiation following a single exposure by oral gavage of <sup>14</sup>C-PDMS, 350 cst. with targeted radioactivity of 50µCi/animal and a target dose of 1000 mg/kg of body weight for each animal. Immediately following euthanasia, each animal was rapidly frozen in a hexane/dry ice mixture at approximately -75° C. and stored at -80° C. The frozen carcasses were embedded in a 4% aqueous solution of carboxymethylcellulose (Sigma Chemical Company, St. Louis, MO) which, when frozen, supported the carcass for sectioning on the CryoMacrocut® cryomicrotome (Leica, Deerfield, IL) with temperature maintained at approximately -25°C ± 5°. Parasagittal sections of approximately 40µ in thickness were collected at various levels to include all major organs and tissues of interest. The non-dehydrated sections were then placed immediately onto Kodak BioMax MR film (Eastman Kodak Company, Rochester, NY) and exposed at -80° C. for 2, 3, and 4 weeks. One representative section from each level was dehydrated within the

DC Report No. 2001-I0000-50844 Security-Internal

cryochamber for 48 to 72 hours and retained as a reference for comparison with the film. At the end of the exposure periods, films were developed on a Cordell<sup>TM</sup> MXR-14 automatic film processor (Cordell, Peabody, MA). The images were digitally acquired from the film with the Hewlett-Packard ScanJet Pro (Palo Alto, CA) with output in grayscale at a resolution of 200 PPI (pixels per inch). Figures in this report are scanned images of the original autoradiographs.

## Results

Exposure times were determined empirically after developing the films following two, three, and four weeks exposure at -80°C. There appeared to be no discernable difference in the intensity of the radioactivity between films developed at three and four weeks. All original films were reviewed and evaluated visually for intensity based on a gradient scale of grayness (0-4+) with comparison to background as zero.

Twelve hours following the oral dose in both male and female rats a high amount (4+) of radioactivity appeared to be concentrated in the contents of the lower portion gastrointestinal tract (cecum and colon) as seen in Figures 1 and 2. A minimal amount (1+) of radioactivity was noted on the ventral and dorsal surface of both animals as possible contamination on the coats of the animals by the test material. There was a minimal amount of smearing of radioactivity caused by the physical properties of the test material, the high concentration of radioactivity, and the drag of the knife through this area during sectioning. There was no disposition of radioactivity noted in any other organs or tissues.

At 24 hours after dosing the distribution pattern of radioactivity was similar to that observed at twelve hours. Both animals showed a high level (3-4+) of radioactivity concentrated in the contents of the small intestine, cecum, and colon (Figures 3 and 4). There was a small amount of radioactivity noted in the residual contents of the stomach of both animals.

Again at 48 hours following the dose, the radioactivity was limited to the GI tract but concentration levels were notably decreased. Low amounts (1+) were noted in the small intestine and cecum with a moderate amount (2+) in the colon of both animals (Figures 5 and 6). Again, there was no disposition of radioactivity noted in any other organs or tissues.

At 96 hours after the dose, there appeared to be total elimination since no radioactivity was observed in either of the animals (Figures 7 and 8). Although no images appear, Figures 7 and 8 are included in this report to show the background of the film after exposure to the sections.

In conclusion, the radioactivity appeared to be concentrated in the contents of the gastrointestinal tract of both male and female animals with no radioactivity noted in other organs or tissue. Both sexes showed comparatively similar patterns of disposition at each time point and the transient time of radioactivity through the gastrointestinal tract was similar with total elimination of radioactivity by 96 hours in both sexes.

Frozen carcasses from Group 6 were stored at -80° C for possible future processing if the interpretation of films from Group 5 were equivocal or results obscured by artifact. All results were obtained from Group 5 eliminating the necessity to process from these spares (Group 6).

#### Records To Be Archived

Frozen carcasses, as well as the non-dehydrated sections were authorized for disposal upon finalization of the study. Films, dehydrated references sections, and processing records are maintained in HES archives of Dow Corning Corporation, Midland, MI.


## **List of Figures**

- 1. Whole Body Autoradiograph of Female Fischer 344 Rat 12 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- Whole Body Autoradiograph of Male Fischer 344 Rat 12 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- 3. Whole Body Autoradiograph of Female Fischer 344 Rat 24 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350cst
- 4. Whole Body Autoradiograph of Male Fischer 344 Rat 24 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- 5. Whole Body Autoradiograph of Female Fischer 344 Rat 48 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- 6. Whole Body Autoradiograph of Male Fischer 344 Rat 48 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- 7. Whole Body Autoradiograph of Female Fischer 344 Rat 96 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst
- 8. Whole Body Autoradiograph of Male Fischer 344 Rat 96 Hours Following Administration of a Single Dose of Polydimethylsiloxane, 350 cst

Jane M. Regan Technologist Date

Figure 1


Whole Body Autoradiograph of Female Fischer 344 Rat 12 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.



Female 12 hour

C8431

Whole Body Autoradiograph of Male Fischer 344 Rat 12 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.




Male 12 hour

Z


Figure 3

Whole Body Autoradiograph of Female Fischer 344 Rat 24 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.



Female 24 hour

Whole Body Autoradiograph of Male Fischer 344 Rat 24 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.




C8436

Male 24 hour


Figure 5

Whole Body Autoradiograph of Female Fischer 344 Rat 48 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.



Female 48 hour

Whole Body Autoradiograph of Male Fischer 344 Rat 48 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.



Male 48 hour

DC Report No. 2001-l0000-50844 Security-Internal

# Figure 7

Whole Body Autoradiograph of Female Fischer 344 Rat 96 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.

STUDY 9345 C8434 Set 2 JMA 5/3/00

C8434

Whole Body Autoradiograph of Male Fischer 344 Rat 96 Hours Following Administration of a Single Oral Dose of Polydimethylsiloxane, 350 cst.

STUDY 9345 C8438 Set 2 JMR 5/5/00

C8438

Male 96 hour